




Boat <b>Hunter 460 IMF</b>				Sail <b>Triradial CruisingFurlingMainsail</b>				<b>146040</b>  <b>DURTEK™</b>							
															
Schedule Date		Designer <b>Judy Blumhorst</b>													
<b>Wednesday, September 30, 2020</b>		<div>17</div> <div>Rouvillois</div> <div>9/15/2020</div>													
No		Revisors		Date		JB Sails									
Ship Method <b>Standard Air To Durtek Lanka (Pvt) Ltd</b>						Ship info may change check ship tab before shipping.									
<b>Construction</b>				Std	Emp	P	F	<b>Head Corner Blocks</b>				Std	Emp	P	F
Build Level:	MonohullOffshore							Outer Head Block:	HBM455						
Materials:	CDX Pro Grey 9 / CDX Pro Grey 11							<b>Clew Corner Blocks</b>				Std	Emp	P	F
Material Split:	40% / 60%							Inner Clew Blocks:	CB455						
Foot Style:	Loose							Outer Clew Block:	CB510						
<b>Notes</b>								<b>Tack Corner Blocks</b>				Std	Emp	P	F
Info: Selden Mast Section F246.								Outer Tack Blocks:	CB305						
Fabric split in measurement check list (+ NTV files), including the corner patches.								<b>Patches</b>				Std	Emp	P	F
<b>Seams</b>				Std	Emp	P	F	<b>Notes</b>							
Horizontal Seam Width:	0.050							See NTV files for the corner and block patches.							
Horizontal Seam Style:	Triple x 3							<b>Luff Tapes</b>				Std	Emp	P	F
Clew Tack Seam Width:	0.038							Luff Rope:	1/4"/6mm Bolt Hydra 320						
Clew Tack Seam Style:	Triple x 2							Luff Tape Sewing:	2						
Joiner Thread Type:	V - 138							<b>Leech Tapes</b>				Std	Emp	P	F
Joiner Thread Color:	Black							Leech Belt:	3" 7.0 oz Dacron						
Radials Seam Width:	0.020							Leech Tape:	Hydranet 320 - 75 mm						
Radials Seam Style:	Triple x 1							Leech Line Exit:	Clew						
Radials Thread Type:	V - 138							Leech Line:	2.5 mm Aramid Covered						
Radials Thread Color:	Black							Leech Line Tail:	4 mm Pre-Stretch						
<b>Dimensions</b>				Std	Emp	P	F	Leech Tape Sewing:	2						
Luff:	15.027							Leech Line Cleat:	FCL 241						
Leech:	15.550							Leech Line Cover:	11LLC						
Foot:	5.852							<b>Foot Tapes</b>				Std	Emp	P	F
Head Width:	0.054							Foot Tape:	Hydranet 320 - 75 mm						
Flr Tack Set Back:	-0.037							Foot Tape Sewing:	2						
Luff Tape Stop at Tack:	0.650														

Boat <b>Hunter 460 IMF</b>		Sail <b>Triradial CruisingFurlingMainsail</b>				Job <b>146040</b>					
<b>Tapes</b>		Std	Emp	P	F	<b>Numbers and Stripes</b>		Std	Emp	P	F
<b>Notes</b>					Class Insignia:		Yes				
Luff tape stop at Tack: 650 mm from Tack apex.					Insignia Color:		Blue				
<b>Head Rings</b>		Std	Emp	P	F	Apply Insignia With:		Insignia			
Head Ring:	Web Loop					<b>Accessories</b>		Std	Emp	P	F
Web Style:	25 mm H Spectra					<b>Notes</b>					
Web Length:	460 mm					Class Insignia: Hunter 46 Logo (see photo in files for example).					
Head Webs:	2					Spreader Patches - Full Spreader - Insignia (priced in GOS):					
Web Loop Length:	0.060					- The spreader patch marks are to the spreader location, so the center of the patch goes to that line and same angle and same length.					
<b>Clew Rings</b>		Std	Emp	P	F	<b>Bag</b>		Std	Emp	P	F
Clew Ring:	Rutgerson 100 Block					Bag Size:	#4 DS				
Web Style:	25 mm Tubular					Bag Style:	Drawstring				
Web Length:	460 mm					Bag Color:	Blue				
Clew Webs:	4					Bag Label 1:	MAINSAIL				
<b>Tack Rings</b>		Std	Emp	P	F						
Tack Ring:	Web Loop										
Web Style:	25 mm H Spectra										
Web Length:	405 mm										
Tack Webs:	3										
Web Loop Length:	0.051										
<b>Corner Attachments</b>		Std	Emp	P	F						
<b>Notes</b>											
Tack webbing has to be 51mm below Tack apex for the Selden hook.											
<b>UV Covers</b>		Std	Emp	P	F						
UV Cover Style:	UV Clew Cover - Sunb										
UV Cover Color:	Navy										
UV Cover Side:	Both										
UV Thread Type:	Tenara										
<b>Notes</b>											
Use NTV in files for the UV cover.											



Boat	Hunter 460 IMF	Sail	Triradial CruisingFurlingMainsail	Job	146040
------	----------------	------	-----------------------------------	-----	--------