

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION   | MAKE & TYPE         | COL.                       | TERMINAL 1                               | TERMINAL 2        | NOTES                  | DIA   | LENGTH mm | FEET | IN         | SUPPLIER        | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|---------------------|----------------------------|--|-------------------|------------------------|-------|-----------|------|------------|-----------------|------------|
| B31  | AC32 |                        |                        |                         | 460486                  | 00  | 1   | GENNEKER HALYARD  | NEW ENGLAND STA-SET | SOLID RED                  | SOFT EYE<br>SNAPSHACKLE<br>WICHARD 2475  | WHIPPING AND LOOP |                        | 3/8"  | 36000     | 118  | 1 5 / 16   | SECO SOUTH      |            |
| B31  | AC30 |                        |                        |                         | 460034                  | 00  | 1   | GENNEKER TACK STROP   | NEW ENGLAND STA-SET | SOLID BLACK + RED TRACER   | BURNT                                    | BURNT             |                        | 1/2"  | 8000      | 26   | 2 15 / 16  | SECO SOUTH      |            |
| B31  | AC31 |                        |                        |                         | 460484                  | 00  | 2   | GENNEKER SHEET - twin sheet system  | NEW ENGLAND STA-SET | SOLID RED                  | BURNT                                    | BURNT             |                        | 3/8"  | 24000     | 78   | 8 7 / 8    | SECO SOUTH      |            |
| B31  | AC12 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD   | MEYER FASTNET       | SOLID NAVY BLUE            | KNOT + 7mm<br>Zspar 3639 IA<br>D shackle | BURNT             | supplied with mast     | 10mm  | 27001     | 88   | 7 0 / 16   | US SPAR         |            |
| B31  | AC12 |                        | 077981                 |                         | 080555                  | 00  | 2   | JIB SHEET   | LANCELIN CALLISTO   | NAVY BLUE                  | WHIPPING                                 | WHIPPING          |                        | 12mm  | 13000     | 42   | 7 13 / 16  | BENETEAU FRANCE |            |
| B31  | AC13 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE   | YALE                | WHITE+<br>YELLOW<br>TRACER | BURNT                                    | BURNT             | supplied with drum kit | 5/16" | 24380     | 79   | 11 13 / 16 | PROFURL         |            |
| B31  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast  | MEYER FASTNET       | SOLID BLACK                | KNOT + 6MM<br>Zspar 56<br>RF shackle     | BURNT             | supplied with mast     | 10mm  | 29000     | 95   | 1 11 / 16  | US SPAR         |            |
| B31  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast   | MEYER FASTNET       | SOLID BLACK                | KNOT + 7mm<br>Zspar 3639 IA<br>D shackle | BURNT             | supplied with mast     | 10mm  | 29000     | 95   | 1 11 / 16  | US SPAR         |            |
| B31  | AC21 |                        | 077981                 |                         | 080554                  | 00  | 1   | MAINSHEET   | LANCELIN CALLISTO   | BEIGE                      | SOFT EYE                                 | WHIPPING          |                        | 12mm  | 16000     | 52   | 5 15 / 16  | BENETEAU FRANCE |            |
| B31  | AC24 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast - roller furling mast - classic mast | MEYER FASTNET       | SOLID GREY                 | KNOT + 6MM<br>Zspar 1559<br>D shackle    | BURNT             |                        | 8mm   | 26000     | 85   | 3 5 / 8    | US SPAR         |            |
| B31  | AC23 |                        |                        |                         |                         | 00  | 1   | VANG LINE   | MEYER FASTNET       | SOLID BLACK                | BURNT                                    | BURNT             |                        | 8mm   | 13000     | 42   | 7 13 / 16  | US SPAR         |            |
| B31  | AC20 |                        |                        |                         | 460537                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 4:1  | SAMSON LS           | GREY                       | SOFT EYE                                 | WHIPPING          |                        | 5/16" | 6000      | 19   | 8 3 / 16   | SECO SOUTH      |            |
| B31  | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE   | MEYER FASTNET       | WHITE+<br>YELLOW<br>TRACER | BURNT                                    | BURNT             | supplied with mast     | 8mm   | 18000     | 59   | 0 5 / 8    | US SPAR         |            |
| B31  | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE  | MEYER FASTNET       | WHITE+ RED TRACER          | BURNT                                    | BURNT             | supplied with boom     | 10mm  | 15000     | 49   | 2 9 / 16   | US SPAR         |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                   | MAKE & TYPE         | COL.                     | TERMINAL 1                     | TERMINAL 2        | NOTES  | DIA  | LENGTH mm | FEET | IN         | SUPPLIER   | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|---------------------|--------------------------|--------------------------------|-------------------|--|------|-----------|------|------------|------------|------------|
| B31  | AC-- |                        |                        |                         |                         | 00  | 1   | OUTHAUL PRIMARY PURCHASE 1:1 - classic mast   | MEYER FASTNET       | WHITE+ RED TRACER        | BURNT                          | BURNT             | 1. supplied with boom.<br>2. tied to head of Z253 single block+becket  | 10mm | 2500      | 8    | 2 7 / 16   | US SPAR    |            |
| B31  | AC-- |                        |                        |                         |                         | 00  | 1   | OUTHAUL SECONDARY PURCHASE 3:1 - classic mast | MEYER FASTNET       | WHITE+ RED TRACER        | BURNT                          | BURNT             | 1. supplied with boom.<br>2. tied to becket of Z253 block, then reeved thru block+2 sheaves at fwd boom end casting and made-off on GP cleat at fwd end of boom. | 8mm  | 3500      | 11   | 5 13 / 16  | US SPAR    |            |
| B31  | AC-- |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast                         | MEYER FASTNET       | WHITE+ YELLOW TRACER     | BURNT                          | BURNT             | supplied with boom   | 10mm | 19500     | 63   | 11 11 / 16 | US SPAR    |            |
| B31  | AC-- |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast                         | MEYER FASTNET       | WHITE+ GREEN TRACER      | BURNT                          | BURNT             | supplied with boom   | 10mm | 28000     | 91   | 10 3 / 8   | US SPAR    |            |
| B34  | AC32 |                        |                        |                         | 460486                  | 00  | 1   | GENNEKER HALYARD                              | NEW ENGLAND STA-SET | SOLID RED                | SOFT EYE SNAPSHOT WICHARD 2475 | WHIPPING AND LOOP |  | 3/8" | 36000     | 118  | 1 5 / 16   | SECO SOUTH |            |
| B34  | AC30 |                        |                        |                         | 460034                  | 00  | 1   | GENNEKER TACK STROP                           | NEW ENGLAND STA-SET | SOLID BLACK + RED TRACER | BURNT                          | BURNT             |  | 1/2" | 8000      | 26   | 2 15 / 16  | SECO SOUTH |            |
| B34  | AC31 |                        |                        |                         | 460484                  | 00  | 2   | GENNEKER SHEET - twin sheet system            | NEW ENGLAND STA-SET | SOLID RED                | BURNT                          | BURNT             |  | 3/8" | 24000     | 78   | 8 7 / 8    | SECO SOUTH |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION   | MAKE & TYPE       | COL.                 | TERMINAL 1                         | TERMINAL 2 | NOTES   | DIA   | LENGTH mm | FEET | IN         | SUPPLIER        | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|-------------------|----------------------|------------------------------------|------------|---|-------|-----------|------|------------|-----------------|------------|
| B34  | AC12 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD   | MEYER FASTNET     | SOLID NAVY BLUE      | KNOT + 7mm Zspar 3639 IA D shackle | BURNT      | supplied with mast  | 10mm  | 27001     | 88   | 7 0 / 16   | US SPAR         |            |
| B34  | AC12 |                        | 077981                 |                         | 080555                  | 00  | 2   | JIB SHEET   | LANCELIN CALLISTO | NAVY BLUE            | WHIPPING                           | WHIPPING   |   | 12mm  | 13000     | 42   | 7 13 / 16  | BENETEAU FRANCE |            |
| B34  | AC13 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE   | YALE              | WHITE+ YELLOW TRACER | BURNT                              | BURNT      | supplied with drum kit  | 5/16" | 24380     | 79   | 11 13 / 16 | PROFURL         |            |
| B34  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast  | MEYER FASTNET     | SOLID BLACK          | KNOT + 6MM Zspar 56 RF shackle     | BURNT      | supplied with mast  | 10mm  | 29000     | 95   | 1 11 / 16  | US SPAR         |            |
| B34  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast   | MEYER FASTNET     | SOLID BLACK          | KNOT + 7mm Zspar 3639 IA D shackle | BURNT      | supplied with mast  | 10mm  | 29000     | 95   | 1 11 / 16  | US SPAR         |            |
| B34  | AC21 |                        | 077981                 |                         | 080554                  | 00  | 1   | MAINSHEET   | LANCELIN CALLISTO | BEIGE                | SOFT EYE                           | WHIPPING   |   | 12mm  | 16000     | 52   | 5 15 / 16  | BENETEAU FRANCE |            |
| B34  | AC24 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast - roller furling mast - classic mast | MEYER FASTNET     | SOLID GREY           | KNOT + 6MM Zspar 1559 D shackle    | BURNT      |   | 8mm   | 26000     | 85   | 3 5 / 8    | US SPAR         |            |
| B34  | AC23 |                        |                        |                         |                         | 00  | 1   | VANG LINE   | MEYER FASTNET     | SOLID BLACK          | BURNT                              | BURNT      |   | 8mm   | 13000     | 42   | 7 13 / 16  | US SPAR         |            |
| B34  | AC20 |                        |                        |                         | 460537                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 4:1  | SAMSON LS         | GREY                 | SOFT EYE                           | WHIPPING   |   | 5/16" | 6000      | 19   | 8 3 / 16   | SECO SOUTH      |            |
| B34  | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE   | MEYER FASTNET     | WHITE+ YELLOW TRACER | BURNT                              | BURNT      | supplied with mast  | 8mm   | 18000     | 59   | 0 5 / 8    | US SPAR         |            |
| B34  | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE  | MEYER FASTNET     | WHITE+ RED TRACER    | BURNT                              | BURNT      | supplied with boom  | 10mm  | 15000     | 49   | 2 9 / 16   | US SPAR         |            |
| B34  | AC-- |                        |                        |                         |                         | 00  | 1   | OUTHAUL PRIMARY PURCHASE 1:1 - classic mast                                   | MEYER FASTNET     | WHITE+ RED TRACER    | BURNT                              | BURNT      | 1. supplied with boom.<br>2. tied to head of Z253 single block+becket | 10mm  | 2500      | 8    | 2 7 / 16   | US SPAR         |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                   | MAKE & TYPE         | COL.                     | TERMINAL 1                         | TERMINAL 2        | NOTES  | DIA   | LENGTH mm | FEET | IN         | SUPPLIER        | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|---------------------|--------------------------|------------------------------------|-------------------|--|-------|-----------|------|------------|-----------------|------------|
| B34  | AC-- |                        |                        |                         |                         | 00  | 1   | OUTHAUL SECONDARY PURCHASE 3:1 - classic mast | MEYER FASTNET       | WHITE+ RED TRACER        | BURNT                              | BURNT             | 1. supplied with boom.<br>2. tied to becket of Z253 block, then reeved thru block+2 sheaves at fwd boom end casting and made-off on GP cleat at fwd end of boom. | 8mm   | 3500      | 11   | 5 13 / 16  | US SPAR         |            |
| B34  | AC-- |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast                         | MEYER FASTNET       | WHITE+ YELLOW TRACER     | BURNT                              | BURNT             | supplied with boom   | 10mm  | 19500     | 63   | 11 11 / 16 | US SPAR         |            |
| B34  | AC-- |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast                         | MEYER FASTNET       | WHITE+ GREEN TRACER      | BURNT                              | BURNT             | supplied with boom   | 10mm  | 28000     | 91   | 10 3 / 8   | US SPAR         |            |
| B37  | AC32 |                        |                        |                         | 460486                  | 00  | 1   | GENNEKER HALYARD                              | NEW ENGLAND STA-SET | SOLID RED                | SOFT EYE SNAPSHOT WICHARD 2475     | WHIPPING AND LOOP |  | 3/8"  | 36000     | 118  | 1 5 / 16   | SECO SOUTH      |            |
| B37  | AC30 |                        |                        |                         | 460034                  | 00  | 1   | GENNEKER TACK STROP                           | NEW ENGLAND STA-SET | SOLID BLACK + RED TRACER | BURNT                              | BURNT             |  | 1/2"  | 8000      | 26   | 2 15 / 16  | SECO SOUTH      |            |
| B37  | AC31 |                        |                        |                         | 460484                  | 00  | 2   | GENNEKER SHEET - twin sheet system            | NEW ENGLAND STA-SET | SOLID RED                | BURNT                              | BURNT             |  | 3/8"  | 24000     | 78   | 8 7 / 8    | SECO SOUTH      |            |
| B37  | AC12 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD                                   | MEYER FASTNET       | SOLID NAVY BLUE          | KNOT + 7mm Zspar 3639 IA D shackle | BURNT             | supplied with mast   | 10mm  | 30500     | 100  | 0 3 / 4    | US SPAR         |            |
| B37  | AC12 |                        | 077981                 |                         | 080555                  | 00  | 2   | JIB SHEET                                     | LANCELIN CALLISTO   | NAVY BLUE                | WHIPPING                           | WHIPPING          |  | 12mm  | 13000     | 42   | 7 13 / 16  | BENETEAU FRANCE |            |
| B37  | AC13 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                                 | YALE                | WHITE+ YELLOW TRACER     | BURNT                              | BURNT             | supplied with drum kit   | 5/16" | 24380     | 79   | 11 13 / 16 | PROFURL         |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION   | MAKE & TYPE       | COL.                 | TERMINAL 1                         | TERMINAL 2 | NOTES   | DIA   | LENGTH mm | FEET | IN        | SUPPLIER        | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|-------------------|----------------------|------------------------------------|------------|---|-------|-----------|------|-----------|-----------------|------------|
| B37  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast  | MEYER FASTNET     | SOLID BLACK          | KNOT + 6MM Zspar 56 RF shackle     | BURNT      | supplied with mast  | 10mm  | 33500     | 109  | 10 7 / 8  | US SPAR         |            |
| B37  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast   | MEYER FASTNET     | SOLID BLACK          | KNOT + 7mm Zspar 3639 IA D shackle | BURNT      | supplied with mast  | 10mm  | 33500     | 109  | 10 7 / 8  | US SPAR         |            |
| B37  | AC21 |                        | 077981                 |                         | 080554                  | 00  | 1   | MAINSHEET   | LANCELIN CALLISTO | BEIGE                | SOFT EYE                           | WHIPPING   |   | 12mm  | 16000     | 52   | 5 15 / 16 | BENETEAU FRANCE |            |
| B37  | AC24 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast - roller furling mast - classic mast | MEYER FASTNET     | SOLID GREY           | KNOT + 6MM Zspar 1559 D shackle    | BURNT      |   | 8mm   | 30500     | 100  | 0 3 / 4   | US SPAR         |            |
| B37  | AC23 |                        |                        |                         |                         | 00  | 1   | VANG LINE   | MEYER FASTNET     | SOLID BLACK          | BURNT                              | BURNT      |   | 8mm   | 13000     | 42   | 7 13 / 16 | US SPAR         |            |
| B37  | AC20 |                        |                        |                         | 460537                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 4:1  | SAMSON LS         | GREY                 | SOFT EYE                           | WHIPPING   |   | 5/16" | 6000      | 19   | 8 3 / 16  | SECO SOUTH      |            |
| B37  | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE   | MEYER FASTNET     | WHITE+ YELLOW TRACER | BURNT                              | BURNT      | supplied with mast  | 8mm   | 18000     | 59   | 0 10 / 16 | US SPAR         |            |
| B37  | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE  | MEYER FASTNET     | WHITE+ RED TRACER    | BURNT                              | BURNT      | supplied with boom  | 10mm  | 15000     | 49   | 2 9 / 16  | US SPAR         |            |
| B37  | AC-- |                        |                        |                         |                         | 00  | 1   | OUTHAUL PRIMARY PURCHASE 1:1 - classic mast                                   | MEYER FASTNET     | WHITE+ RED TRACER    | BURNT                              | BURNT      | 1. supplied with boom.<br>2. tied to head of Z253 single block+becket | 10mm  | 2500      | 8    | 2 7 / 16  | US SPAR         |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                   | MAKE & TYPE                      | COL.                     | TERMINAL 1                         | TERMINAL 2        | NOTES  | DIA   | LENGTH mm | FEET | IN         | SUPPLIER        | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|----------------------------------|--------------------------|------------------------------------|-------------------|--|-------|-----------|------|------------|-----------------|------------|
| B37  | AC-- |                        |                        |                         |                         | 00  | 1   | OUTHAUL SECONDARY PURCHASE 3:1 - classic mast | MEYER FASTNET                    | WHITE+ RED TRACER        | BURNT                              | BURNT             | 1. supplied with boom.<br>2. tied to becket of Z253 block, then reeved thru block+2 sheaves at fwd boom end casting and made-off on GP cleat at fwd end of boom. | 8mm   | 3500      | 11   | 5 13 / 16  | US SPAR         |            |
| B37  | AC-- |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast                         | MEYER FASTNET                    | WHITE+ YELLOW TRACER     | BURNT                              | BURNT             | supplied with boom   | 10mm  | 19500     | 63   | 11 11 / 16 | US SPAR         |            |
| B37  | AC-- |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast                         | MEYER FASTNET                    | WHITE+ GREEN TRACER      | BURNT                              | BURNT             | supplied with boom   | 10mm  | 28000     | 91   | 10 3 / 8   | US SPAR         |            |
| B40  | AC32 |                        |                        |                         | 459673                  | 00  | 1   | GENNEKER HALYARD                              | NEW ENGLAND STA-SET              | SOLID RED                | SOFT EYE SNAPSHOT WICHARD 2475     | WHIPPING AND LOOP |  | 7/16" | 45000     | 147  | 7 5 / 8    | SECO SOUTH      |            |
| B40  | AC30 |                        |                        |                         | 460034                  | 00  | 1   | GENNEKER TACK STROP                           | NEW ENGLAND STA-SET              | SOLID BLACK + RED TRACER | BURNT                              | BURNT             |  | 1/2"  | 8000      | 26   | 2 15 / 16  | SECO SOUTH      |            |
| B40  | AC31 |                        |                        |                         | 459672                  | 00  | 2   | GENNEKER SHEET - twin sheet system            | NEW ENGLAND STA-SET              | SOLID RED                | BURNT                              | BURNT             |  | 7/16" | 30000     | 98   | 5 1 / 16   | SECO SOUTH      |            |
| B40  | AC12 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD                                   | MEYER FASTNET                    | SOLID NAVY BLUE          | KNOT + 8MM Zspar 3637 IA D shackle | BURNT             | supplied with mast   | 12mm  | 35000     | 114  | 9 15 / 16  | US SPAR         |            |
| B40  | AC12 |                        | 077515                 |                         | 200105                  | 00  | 2   | JIB SHEET                                     | LANCELIN CALLISTO 24 BRAID COVER | SOLID NAVY BLUE          | BURNT                              | BURNT             |  | 12mm  | 15000     | 49   | 2 9 / 16   | BENETEAU FRANCE |            |
| B40  | AC13 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                                 | YALE                             | WHITE+ YELLOW TRACER     | BURNT                              | BURNT             | supplied with drum kit   | 3/8"  | 25760     | 84   | 6 3 / 16   | PROFURL         |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION   | MAKE & TYPE                      | COL.                     | TERMINAL 1                         | TERMINAL 2        | NOTES              | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|----------------------------------|--------------------------|------------------------------------|-------------------|--------------------|-------|-----------|------|-----------|------------------------|------------|
| B40  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast  | MEYER FASTNET                    | SOLID BLACK              | KNOT + 6MM Zspar 56 RF shackle     | BURNT             | supplied with mast | 12mm  | 38000     | 124  | 8 1 / 16  | US SPAR                |            |
| B40  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast   | MEYER FASTNET                    | SOLID BLACK              | KNOT + 8MM Zspar 3637 IA D shackle | BURNT             | supplied with mast | 12mm  | 38000     | 124  | 8 1 / 16  | US SPAR                |            |
| B40  | AC21 |                        | 077515                 |                         | 200106                  | 00  | 1   | MAINSHEET   | LANCELIN CALLISTO 24 BRAID COVER | SOLID BEIGE              | BURNT                              | BURNT             |                    | 12mm  | 23000     | 75   | 5 1 / 2   | BENETEAU FRANCE        |            |
| B40  | AC24 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast - roller furling mast - classic mast | MEYER FASTNET                    | SOLID GREY               | KNOT + 6MM Zspar 1559 D shackle    | BURNT             |                    | 8mm   | 33000     | 108  | 3 3 / 16  | US SPAR                |            |
| B40  | AC23 |                        |                        |                         |                         | 00  | 1   | VANG LINE   | MEYER FASTNET                    | SOLID BLACK              | BURNT                              | BURNT             | supplied with vang | 8mm   | 16000     | 52   | 5 15 / 16 | US SPAR                |            |
| B40  | AC20 |                        |                        |                         | 460536                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 4:1  | SAMSON LS                        | GREY                     | SOFT EYE                           | WHIPPING          |                    | 5/16" | 9000      | 29   | 6 5 / 16  | SECO SOUTH ok for prod |            |
| B40  | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE   | MEYER FASTNET                    | WHITE+ YELLOW TRACER     | BURNT                              | BURNT             | supplied with mast | 10mm  | 18000     | 59   | 0 5 / 8   | US SPAR                |            |
| B40  | AC-- |                        |                        |                         | 080540                  | 00  | 1   | MAIN RF OUTHAUL LINE  | MEYER FASTNET                    | WHITE+ RED TRACER        | BURNT                              | BURNT             | supplied with boom | 10mm  | 12000     | 39   | 4 7 / 16  | US SPAR                |            |
| B40  | AC-- |                        |                        |                         | 080540                  | 00  | 1   | OUTHAUL - classic mast  | MEYER FASTNET                    | WHITE+ RED TRACER        | BURNT                              | BURNT             | supplied with boom | 10mm  | 12000     | 39   | 4 7 / 16  | US SPAR                |            |
| B40  | AC-- |                        |                        |                         | 080541                  | 00  | 1   | REEF 1 - classic mast   | MEYER FASTNET                    | WHITE+ YELLOW TRACER     | BURNT                              | BURNT             | supplied with boom | 10mm  | 23500     | 77   | 1 3 / 16  | US SPAR                |            |
| B40  | AC-- |                        |                        |                         | 080542                  | 00  | 1   | REEF 2 - classic mast   | MEYER FASTNET                    | WHITE+ GREEN TRACER      | BURNT                              | BURNT             | supplied with boom | 10mm  | 33000     | 108  | 3 3 / 16  | US SPAR                |            |
| B43  | AC32 |                        |                        |                         | 459673                  | 00  | 1   | GENNEKER HALYARD  | NEW ENGLAND STA-SET              | SOLID RED                | SOFT EYE SNAPSHOT WICHARD 2475     | WHIPPING AND LOOP |                    | 7/16" | 45000     | 147  | 7 5 / 8   | SECO SOUTH             |            |
| B43  | AC30 |                        |                        |                         | 460034                  | 00  | 1   | GENNEKER TACK STROP   | NEW ENGLAND STA-SET              | SOLID BLACK + RED TRACER | BURNT                              | BURNT             |                    | 1/2"  | 8000      | 26   | 2 15 / 16 | SECO SOUTH             |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION   | MAKE & TYPE                      | COL.                 | TERMINAL 1                         | TERMINAL 2 | NOTES                  | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|----------------------------------|----------------------|------------------------------------|------------|------------------------|-------|-----------|------|-----------|------------------------|------------|
| B43  | AC31 |                        |                        |                         | 459672                  | 00  | 2   | GENNEKER SHEET - twin sheet system  | NEW ENGLAND STA-SET              | SOLID RED            | BURNT                              | BURNT      |                        | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH             |            |
| B43  | AC12 |                        |                        |                         | 080538                  | 00  | 1   | JIB HALYARD   | MEYER FASTNET                    | SOLID NAVY BLUE      | KNOT + 8MM Zspar 3637 IA D shackle | BURNT      | SUPPLIED WITH MAST     | 12mm  | 38500     | 126  | 3 3 / 4   | US SPAR                |            |
| B43  | AC12 |                        | 077515                 |                         | 200105                  | 00  | 2   | JIB SHEET   | LANCELIN CALLISTO 24 BRAID COVER | SOLID NAVY BLUE      | BURNT                              | BURNT      |                        | 12mm  | 15000     | 49   | 2 9 / 16  | BENETEAU FRANCE        |            |
| B43  | AC13 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE   | YALE                             | WHITE+ YELLOW TRACER | BURNT                              | BURNT      | supplied with drum kit | 3/8"  | 25760     | 84   | 6 3 / 16  | PROFURL                |            |
| B43  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast  | MEYER FASTNET                    | SOLID BLACK          | KNOT + 6MM Zspar 56 RF shackle     | BURNT      | supplied with mast     | 12mm  | 38500     | 126  | 3 6 / 8   | US SPAR                |            |
| B43  | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast   | MEYER FASTNET                    | SOLID BLACK          | KNOT + 8MM Zspar 3637 IA D shackle | BURNT      | supplied with mast     | 12mm  | 38500     | 126  | 3 6 / 8   | US SPAR                |            |
| B43  | AC21 |                        | 077515                 |                         | 200106                  | 00  | 1   | MAINSHEET   | LANCELIN CALLISTO 24 BRAID COVER | SOLID BEIGE          | BURNT                              | BURNT      |                        | 12mm  | 23000     | 75   | 5 1 / 2   | BENETEAU FRANCE        |            |
| B43  | AC24 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast - roller furling mast - classic mast | MEYER FASTNET                    | SOLID GREY           | KNOT + 6MM Zspar 1559 D shackle    | BURNT      |                        | 8mm   | 33500     | 109  | 10 7 / 8  | US SPAR                |            |
| B43  | AC23 |                        |                        |                         |                         | 00  | 1   | VANG LINE   | MEYER FASTNET                    | SOLID BLACK          | BURNT                              | BURNT      | supplied with vang     | 8mm   | 16000     | 52   | 5 15 / 16 | US SPAR                |            |
| B43  | AC20 |                        |                        |                         | 460536                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 4:1  | SAMSON LS                        | GREY                 | SOFT EYE                           | WHIPPING   |                        | 5/16" | 9000      | 29   | 6 5 / 16  | SECO SOUTH ok for prod |            |
| B43  | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE   | MEYER FASTNET                    | WHITE+ YELLOW TRACER | BURNT                              | BURNT      | supplied with mast     | 10mm  | 18000     | 59   | 0 5 / 8   | US SPAR                |            |
| B43  | AC-- |                        |                        |                         | 080540                  | 00  | 1   | MAIN RF OUTHAIL LINE  | MEYER FASTNET                    | WHITE+ RED TRACER    | BURNT                              | BURNT      | supplied with boom     | 10mm  | 12000     | 39   | 4 7 / 16  | US SPAR                |            |
| B43  | AC-- |                        |                        |                         | 080540                  | 00  | 1   | OUTHAIL - classic mast  | MEYER FASTNET                    | WHITE+ RED TRACER    | BURNT                              | BURNT      | supplied with boom     | 10mm  | 12000     | 39   | 4 7 / 16  | US SPAR                |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                           | MAKE & TYPE         | COL.                        | TERMINAL 1   | TERMINAL 2        | NOTES              | DIA   | LENGTH mm | FEET | IN        | SUPPLIER   | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---------------------------------------|---------------------|-----------------------------|--|-------------------|--------------------|-------|-----------|------|-----------|------------|------------|
| B43  | AC-- |                        |                        |                         | 080541                  | 00  | 1   | REEF 1<br>- classic mast              | MEYER FASTNET       | WHITE+<br>YELLOW<br>TRACER  | BURNT  | BURNT             | supplied with boom | 10mm  | 23500     | 77   | 1 3 / 16  | US SPAR    |            |
| B43  | AC-- |                        |                        |                         | 080542                  | 00  | 1   | REEF 2<br>- classic mast              | MEYER FASTNET       | WHITE+<br>GREEN<br>TRACER   | BURNT  | BURNT             | supplied with boom | 10mm  | 33000     | 108  | 3 3 / 16  | US SPAR    |            |
| B46  | AC32 |                        |                        |                         | 459673                  | 00  | 1   | GENNEKER HALYARD                      | NEW ENGLAND STA-SET | SOLID RED                   | SOFT EYE<br>SNAPSHACKLE<br>WICHARD 2475  | WHIPPING AND LOOP |                    | 7/16" | 45000     | 147  | 7 5 / 8   | SECO SOUTH |            |
| B46  | AC30 |                        |                        |                         | 460034                  | 00  | 1   | GENNEKER TACK STROP                   | NEW ENGLAND STA-SET | SOLID BLACK + RED<br>TRACER | BURNT  | BURNT             |                    | 1/2"  | 8000      | 26   | 2 15 / 16 | SECO SOUTH |            |
| B46  | AC31 |                        |                        |                         | 459672                  | 00  | 2   | GENNEKER SHEET<br>- twin sheet system | NEW ENGLAND STA-SET | SOLID RED                   | BURNT  | BURNT             |                    | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH |            |
| B46  | AC12 |                        |                        |                         | 460048                  | 00  | 1   | JIB HALYARD #1<br>- tall classic mast | NEW ENGLAND VPC     | SOLID NAVY BLUE             | SMALL SOFT EYE TO FIT<br>PROFURL SHACKLE                                       | WHIPPING AND LOOP |                    | 7/16" | 41000     | 134  | 6 1 / 8   | SECO SOUTH |            |
| B46  | AC12 |                        |                        |                         | 459357                  | 00  | 2   | JIB SHEET                             | BUCANEER XLS        | WHITE + RED<br>TRACER       | WHIPPING   | WHIPPING          |                    | 5/8"  | 20000     | 65   | 7 3 / 8   | SECO SOUTH |            |
| B46  | AC13 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                         | NEW ENGLAND STA-SET | YELLOW                      | BURNT  | BURNT             |                    | 3/8"  |           | 0    | 0 0 0 16  | PROFURL    |            |
| B46  | AC22 |                        |                        |                         | 460207                  | 00  | 1   | MAIN HALYARD -<br>roller furling mast | NEW ENGLAND VPC     | SOLID BLACK                 | SMALL SOFT EYE<br>TO FIT Z SPAR<br>SHACKLE                                     | WHIPPING AND LOOP |                    | 7/16" | 43000     | 141  | 0 7 / 8   | SECO SOUTH |            |
| B46  | AC22 |                        |                        |                         | 460047                  | 00  | 1   | MAIN HALYARD<br>- tall classic mast   | NEW ENGLAND VPC     | SOLID BLACK                 | SOFT EYE<br>THIMBLE<br>SHACKLE<br>CAPTIVE<br>SCREW PIN<br>10mm<br>WICHARD 1495 | WHIPPING AND LOOP |                    | 7/16" | 45000     | 147  | 7 5 / 8   | SECO SOUTH |            |
| B46  | AC21 |                        |                        |                         | 459358                  | 00  | 1   | MAINSHEET                             | SAMSON LS           | GREY                        | SOFT EYE   | WHIPPING AND LOOP |                    | 1/2"  | 26000     | 85   | 3 5 / 8   | SECO SOUTH |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION   | MAKE & TYPE         | COL.                     | TERMINAL 1  | TERMINAL 2        | NOTES | DIA             | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|---------------------|--------------------------|---|-------------------|-------|-----------------|-----------|------|-----------|---------------------------|------------|
| B46  | AC24 |                        |                        |                         | 460049                  | 00  | 1   | MAIN BOOM TOPPING LIFT<br>- cleated at mast<br>- roller furling mast<br>- tall classic mast | NEW ENGLAND STA-SET | SOLID GREY               | SOFT EYE D SHACKLE CAPTIVE SCREW PIN 6mm WICHARD 1403 | WHIPPING AND LOOP |       | 5/16"           | 36000     | 118  | 1 5 / 16  | SECO SOUTH                |            |
| B46  | AC23 |                        |                        |                         | 460554                  | 00  | 1   | VANG LINE   | NEW ENGLAND STA-SET | SOLID BLACK              | BURNT   | BURNT             |       | 7/16"<br>(10mm) | 17000     | 55   | 9 5 / 16  | US SPAR                   |            |
| B46  | AC20 |                        |                        |                         | 460536                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 4:1  | SAMSON LS           | GREY                     | SOFT EYE  | WHIPPING          |       | 5/16"           | 9000      | 29   | 6 5 / 16  | SECO SOUTH<br>ok for prod |            |
| B46  | AC-- |                        |                        |                         | 112337                  | 00  | 1   | MAIN RF INHAUL LINE   | LANCELIN            | GREEN                    | BURNT   | BURNT             |       | 3/8"<br>(10mm)  | 18000     | 59   | 0 5 / 8   | US SPAR                   |            |
| B46  | AC-- |                        |                        |                         | 460208                  | 00  | 1   | MAIN RF OUTHAUL LINE  | NEW ENGLAND STA-SET | WHITE+ RED TRACER        | WHIPPING  | WHIPPING AND LOOP |       | 7/16"           | 22000     | 72   | 2 1 / 8   | SECO SOUTH                |            |
| B46  | AC-- |                        |                        |                         | 460052                  | 00  | 1   | OUTHAUL - tall classic mast   | NEW ENGLAND STA-SET | WHITE+ RED TRACER        | WHIPPING  | WHIPPING AND LOOP |       | 7/16"           | 16000     | 52   | 5 15 / 16 | SECO SOUTH                |            |
| B46  | AC-- |                        |                        |                         | 460050                  | 00  | 1   | REEF 1 - tall classic mast  | NEW ENGLAND STA-SET | WHITE+ YELLOW TRACER     | BURNT   | WHIPPING AND LOOP |       | 7/16"           | 28000     | 91   | 10 3 / 8  | SECO SOUTH                |            |
| B46  | AC-- |                        |                        |                         | 460051                  | 00  | 1   | REEF 2 - tall classic mast  | NEW ENGLAND STA-SET | WHITE+ GREEN TRACER      | BURNT   | WHIPPING AND LOOP |       | 7/16"           | 40000     | 131  | 2 13 / 16 | SECO SOUTH                |            |
| B46  | BE30 |                        |                        | 0803 0616               | 111199                  | 00  | 1   | UTILITY LINE  | SAMSON LS           | WHITE                    | BURNT   | BURNT             |       | 3/16"           | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| B46  | BE30 |                        |                        | 0803 0616               | 111199                  | 00  | 1   | UTILITY LINE  | SAMSON LS           | WHITE                    | BURNT   | BURNT             |       | 3/16"           | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| B46  | BE30 |                        |                        | 0803 0616               | 111199                  | 00  | 1   | UTILITY LINE  | SAMSON LS           | WHITE                    | BURNT   | BURNT             |       | 3/16"           | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
|      |      |                        |                        |                         |                         |     |     |   |                     |                          |   |                   |       |                 |           |      |           |                           |            |
| B49  | AC32 |                        |                        |                         | 459673                  | 00  | 1   | GENNEKER HALYARD  | NEW ENGLAND STA-SET | SOLID RED                | SOFT EYE SNAPSHOTACKLE WICHARD 2475                   | WHIPPING AND LOOP |       | 7/16"           | 45000     | 147  | 7 5 / 8   | SECO SOUTH                |            |
| B49  | AC30 |                        |                        |                         | 460034                  | 00  | 1   | GENNEKER TACK STROP   | NEW ENGLAND STA-SET | SOLID BLACK + RED TRACER | BURNT   | BURNT             |       | 1/2"            | 8000      | 26   | 2 15 / 16 | SECO SOUTH                |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION  | MAKE & TYPE         | COL.               | TERMINAL 1   | TERMINAL 2        | NOTES | DIA          | LENGTH mm | FEET | IN       | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|---------------------|--------------------|--|-------------------|-------|--------------|-----------|------|----------|---------------------------|------------|
| B49  | AC31 |                        |                        |                         | 459672                  | 00  | 2   | GENNEKER SHEET - twin sheet system                             | NEW ENGLAND STA-SET | SOLID RED          | BURNT  | BURNT             |       | 7/16"        | 30000     | 98   | 5 1 / 16 | SECO SOUTH                |            |
| B49  | AC12 |                        |                        |                         | 460048                  | 00  | 1   | JIB HALYARD #1 - tall classic mast                             | NEW ENGLAND VPC     | SOLID NAVY BLUE    | SMALL SOFT EYE TO FIT PROFURL SHACKLE                        | WHIPPING AND LOOP |       | 7/16"        | 41000     | 134  | 6 1 / 8  | SECO SOUTH                |            |
| B49  | AC12 |                        |                        |                         | 459357                  | 00  | 2   | JIB SHEET  | BUCANEER XLS        | WHITE + RED TRACER | WHIPPING   | WHIPPING          |       | 5/8"         | 20000     | 65   | 7 3 / 8  | SECO SOUTH                |            |
| B49  | AC13 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE  | NEW ENGLAND STA-SET | YELLOW             | BURNT  | BURNT             |       | 3/8"         |           | 0    | 0 0 0 16 | PROFURL                   |            |
| B49  | AC22 |                        |                        |                         | 460313                  | 00  | 1   | MAIN HALYARD - roller furling mast Z Spar                      | NEW ENGLAND VPC     | SOLID NAVY BLUE    | SOFT EYE TO FIT Z SPAR D SHACKLE                             | WHIPPING AND LOOP |       | 7/16"        | 43000     | 141  | 0 7 / 8  | SECO SOUTH                |            |
| B49  | AC22 |                        |                        |                         | 460047                  | 00  | 1   | MAIN HALYARD - tall classic mast                               | NEW ENGLAND VPC     | SOLID BLACK        | SOFT EYE THIMBLE SHACKLE CAPTIVE SCREW PIN 10mm WICHARD 1495 | WHIPPING AND LOOP |       | 7/16"        | 45000     | 147  | 7 5 / 8  | SECO SOUTH                |            |
| B49  | AC21 |                        |                        |                         | 459358                  | 00  | 1   | MAINSHEET  | SAMSON LS           | GREY               | SOFT EYE   | WHIPPING AND LOOP |       | 1/2"         | 26000     | 85   | 3 5 / 8  | SECO SOUTH                |            |
| B49  | AC24 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast - roller furling mast | LANCELIN            | RED                | SOFT EYE D SHACKLE CAPTIVE SCREW PIN 6mm                     | BURNT             |       | 5/16"        | 36000     | 118  | 1 5 / 16 | CHAS SPAR                 |            |
| B49  | AC24 |                        |                        |                         | 460049                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast - tall classic mast   | NEW ENGLAND STA-SET | SOLID GREY         | SOFT EYE D SHACKLE CAPTIVE SCREW PIN 6mm WICHARD 1403        | WHIPPING AND LOOP |       | 5/16"        | 36000     | 118  | 1 5 / 16 | SECO SOUTH                |            |
| B49  | AC23 |                        |                        |                         | 460554                  | 00  | 1   | VANG LINE  | NEW ENGLAND STA-SET | SOLID BLACK        | BURNT  | BURNT             |       | 7/16" (10mm) | 17000     | 55   | 9 5 / 16 | CHAS SPAR                 |            |
| B49  | AC20 |                        |                        |                         | 460536                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 4:1                           | SAMSON LS           | GREY               | SOFT EYE   | WHIPPING          |       | 5/16"        | 9000      | 29   | 6 5 / 16 | SECO SOUTH<br>ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT               | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                              | MAKE & TYPE         | COL.                 | TERMINAL 1  | TERMINAL 2        | NOTES             | DIA          | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|--------------------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|---------------------|----------------------|---|-------------------|-------------------|--------------|-----------|------|-----------|---------------------------|------------|
| B49                | AC-- |                        |                        |                         | 112337                  | 00  | 1   | MAIN RF INHAUL LINE                      | LANCELIN            | GREEN                | BURNT   | BURNT             |                   | 3/8" (10mm)  | 18000     | 59   | 0 5 / 8   | CHAS SPAR                 |            |
| B49                | AC-- |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE                     | LANCELIN            | RED                  | BURNT   | BURNT             | 1. chas spar boom | 7/16" (12mm) | 21000     | 68   | 10 3 / 4  | CHAS SPAR                 |            |
| B49                | AC-- |                        |                        |                         | 460208                  | 00  | 1   | MAIN RF OUTHAUL LINE                     | NEW ENGLAND STA-SET | WHITE+ RED TRACER    | WHIPPING  | WHIPPING AND LOOP | 1. z spar boom    | 7/16"        | 22000     | 72   | 2 1 / 8   | SECO SOUTH                |            |
| B49                | AC-- |                        |                        |                         | 460052                  | 00  | 1   | OUTHAUL - tall classic mast              | NEW ENGLAND STA-SET | WHITE+ RED TRACER    | BURNT   | WHIPPING AND LOOP |                   | 7/16"        | 16000     | 52   | 5 15 / 16 | SECO SOUTH                |            |
| B49                | AC-- |                        |                        |                         | 460050                  | 00  | 1   | REEF 1 - tall classic mast               | NEW ENGLAND STA-SET | WHITE+ YELLOW TRACER | BURNT   | WHIPPING AND LOOP |                   | 7/16"        | 28000     | 91   | 10 3 / 8  | SECO SOUTH                |            |
| B49                | AC-- |                        |                        |                         | 460051                  | 00  | 1   | REEF 2 - tall classic mast               | NEW ENGLAND STA-SET | WHITE+ GREEN TRACER  | BURNT   | WHIPPING AND LOOP |                   | 7/16"        | 40000     | 131  | 2 13 / 16 | SECO SOUTH                |            |
| B49                | BE30 |                        |                        | 0803 0616               | 111199                  | 00  | 1   | UTILITY LINE                             | SAMSON LS           | WHITE                | BURNT   | BURNT             |                   | 3/16"        | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| B49                | BE30 |                        |                        | 0803 0616               | 111199                  | 00  | 1   | UTILITY LINE                             | SAMSON LS           | WHITE                | BURNT   | BURNT             |                   | 3/16"        | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| B49                | BE30 |                        |                        | 0803 0616               | 111199                  | 00  | 1   | UTILITY LINE                             | SAMSON LS           | WHITE                | BURNT   | BURNT             |                   | 3/16"        | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
|                    |      |                        |                        |                         |                         |     |     |  |                     |                      |   |                   |                   |              |           |      |           |                           |            |
| B50NL-RF short RFS | AC12 |                        |                        |                         | 460048                  | 00  | 1   | JIB HALYARD #1                           | NEW ENGLAND VPC     | SOLID NAVY BLUE      | SMALL SOFT EYE TO FIT PROFURL SHACKLE                 | WHIPPING AND LOOP |                   | 7/16"        | 40000     | 131  | 2 6 / 8   | SECO SOUTH                |            |
| B50NL-RFS          | AC12 |                        |                        |                         | 459357                  | 00  | 2   | JIB SHEET                                | NEW ENGLAND STA-SET | SOLID NAVY BLUE      | WHIPPING  | WHIPPING          |                   | 5/8"         | 20000     | 65   | 7 3 / 8   | SECO SOUTH                |            |
| B50NL-RFS          | AC21 |                        |                        |                         | 461205                  | 00  | 4   | MAINSHEET                                | SAMSON LS           | GREY then Beige      | SOFT EYE  | WHIPPING AND LOOP |                   | 1/2"         | 26000     | 85   | 3 5 / 8   | SECO SOUTH                |            |
| B50NL-all          | AC21 |                        |                        |                         | 461205                  | 01  | 1   | MAINSHEET                                | SAMSON LS           | GREY then Beige      | SOFT EYE  | WHIPPING AND LOOP |                   | 1/2"         | 28000     | 91   | 10 3 / 8  | SECO SOUTH                |            |
| B50NL-RFS          | AC24 |                        |                        |                         | 461206                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast | NEW ENGLAND STA-SET | SOLID GREY           | SOFT EYE D SHACKLE CAPTIVE SCREW PIN 8mm WICHARD 1404 | WHIPPING AND LOOP |                   | 3/8 or 10mm  | 41000     | 134  | 6 2 / 16  | SECO SOUTH                |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT         | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE                       | COL.                     | TERMINAL 1                         | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN       | SUPPLIER        | PRICE each |
|--------------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|-----------------------------------|--------------------------|------------------------------------|-------------------|-------|-------|-----------|------|----------|-----------------|------------|
| B50NL-RFs    |      |                        |                        |                         | 461207                  | 00  | 1   | MAIN RF line                       | NEW ENGLAND STA-SET               | WHITE + YELLOW TRACER    | N/A                                | N/A               |       | 10mm  | 22000     | 72   | 2 2 / 17 | SECO SOUTH      |            |
| B50NL-RFS    |      |                        |                        |                         | 461208                  | 00  | 1   | GENNEKER HALYARD                   | NEW ENGLAND STA-SET               | SOLID RED                | SOFT EYE SNAPSHOT WICHARD 2475     | WHIPPING AND LOOP |       | 7/16" | 46000     | 0    | 0 0 / 18 | SECO SOUTH      |            |
| B50NL-RF     |      |                        |                        |                         | 461209                  | 00  | 1   | GENNEKER TACK STROP                | NEW ENGLAND STA-SET               | SOLID BLACK + RED TRACER | BURNT                              | BURNT             |       | 1/2"  | 12000     | 0    | 0 0 / 19 | SECO SOUTH      |            |
| B50NL-RF all |      |                        |                        |                         | 459672                  | 00  | 2   | GENNEKER SHEET - twin sheet system | NEW ENGLAND STA-SET               | SOLID RED                | BURNT                              | BURNT             |       | 7/16" | 30000     | 0    | 0 0 / 20 | SECO SOUTH      |            |
| B50NL-RFS    |      |                        |                        |                         |                         |     | 1   | MAIN Halyard                       |                                   |                          |                                    |                   |       |       |           |      |          | SELDEN US       |            |
| B50NL-RFS    |      |                        |                        |                         |                         |     |     | MAIN furling continuous            |                                   |                          |                                    |                   |       |       |           |      |          |                 |            |
| B50NL-RFS    |      |                        |                        |                         |                         |     |     | Main Outhaul                       |                                   |                          |                                    |                   |       |       |           |      |          |                 |            |
|              |      |                        |                        |                         |                         |     |     |                                    |                                   |                          |                                    |                   |       |       |           |      |          |                 |            |
|              |      |                        |                        |                         |                         |     |     |                                    |                                   |                          |                                    |                   |       |       |           |      |          |                 |            |
|              |      |                        |                        |                         |                         |     |     |                                    |                                   |                          |                                    |                   |       |       |           |      |          |                 |            |
| B500         | AC30 |                        |                        |                         | 112609                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC                       | BLACK                    | BURNT                              | BURNT             |       | 9/16" | 9000      | 29   | 6 5 / 16 | SECO SOUTH      |            |
| B500         | AC31 |                        |                        |                         | 112611                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC                       | RED                      | BURNT                              | BURNT             |       | 1/2"  | 33000     | 108  | 3 3 / 16 | SECO SOUTH      |            |
| F10R         | MAIN |                        | 072432                 |                         | 075237                  | 00  | 1   | MAIN HALYARD                       | LANCELIN MINOS DYNEMA +VECTRAN    | BLACK +BEIGE             | SOFT EYE +KEY PIN SHACKLE W91433HR | WHIPPING AND LOOP |       | 8mm   | 34000     | 111  | 6 9 / 16 | BENETEAU FRANCE |            |
| F10R         | MAIN |                        | 072253                 |                         | 075239                  | 00  | 1   | MAINSHEET                          | LANCELIN CALLISTO POLYESTER 24 FX | SOLID BEIGE              | SOFT EYE                           | WHIPPING          |       | 8mm   | 27001     | 88   | 7 0 / 16 | BENETEAU FRANCE | 18.70      |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE                                | COL.                 | TERMINAL 1             | TERMINAL 2                                      | NOTES                   | DIA   | LENGTH mm | FEET | IN         | SUPPLIER        | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|--|----------------------|------------------------|---|-------------------------|-------|-----------|------|------------|-----------------|------------|
| F10R | MAIN |                        | 072253                 |                         | 075240                  | 00  | 1   | MAINSHEET TRAVELLER CONTROL LINE | LANCELIN POLYESTER DOUBLE BRAID            | SOLID BLACK          | SOFT EYE               | WHIPPING  | 1. Continuous line.     | 7mm   | 9000      | 29   | 6 5 / 16   | BENETEAU FRANCE | 3.29       |
| F10R | MAIN |                        | 073188                 |                         | 075242                  | 00  | 1   | MAINSHEET FINE TUNE              | LANCELIN POLYESTER DOUBLE BRAID            | SOLID BEIGE          | SOFT EYE               | WHIPPING  |                         | 6mm   | 7000      | 22   | 11 9 / 16  | BENETEAU FRANCE |            |
| F10R | MAIN |                        | 073188                 |                         | 075241                  | 00  | 2   | MAINSHEET FINE TUNE STROP        | LANCELIN DYNEEMA SK75                      | SOLID GREY           | SOFT EYE               | SOFT EYE  |                         | 5mm   | 300       | 0    | 11 13 / 16 | BENETEAU FRANCE |            |
| F10R | MAIN |                        |                        |                         |                         | 00  | 1   | OUTHAUL 1                        | 7X19 WIRE                                  |                      | HARD EYE + SHACKLE     | HARD EYE ON HARKEN 183 WIRE SINGLE BULLET BLOCK | SUPPLIED BY MAST MAKER  |       |           | 0    | 0 0 0 16   | HALL SPARS      |            |
| F10R | MAIN |                        |                        |                         |                         | 00  | 1   | OUTHAUL 2                        | 7X19 WIRE                                  |                      | EYE ONTO BECKETT OF H- | HARD EYE ON HARKEN 100 WIRE DOUBLE BULLET BLOCK | SUPPLIED BY MAST MAKER  |       |           | 0    | 0 0 0 16   | HALL SPARS      |            |
| F10R | MAIN |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE                     | LINE                                       |                      | EYE ONTO BECKETT OF H- | STOPPER BALL                                    | SUPPLIED BY MAST MAKER  |       |           | 0    | 0 0 0 16   | HALL SPARS      |            |
| F10R | MAIN |                        |                        |                         | 459895                  | 00  | 1   | REEF 1                           | NEW ENGLAND STA-SET POLYESTER DOUBLE BRAID | WHITE + YELLOW FLECK | WHIPPING               | WHIPPING + LOOP                                 |                         | 5/16" | 17000     | 55   | 9 5 / 16   | SECO SOUTH      |            |
| F10R | MAIN |                        |                        |                         | 459896                  | 00  | 1   | REEF2                            | NEW ENGLAND STA-SET POLYESTER DOUBLE BRAID | WHITE + GREEN FLECK  | WHIPPING               | WHIPPING + LOOP                                 |                         | 5/16" | 21000     | 68   | 10 3 / 4   | SECO SOUTH      |            |
| F10R | MAIN |                        | 072253                 |                         | 075244                  | 00  | 1   | VANG STROP 1                     | LANCELIN SOLID CORE                        | SOLID BLACK          | SOFT EYE               | SOFT EYE  |                         | 8mm   | 1601      | 5    | 3 0 / 16   | BENETEAU FRANCE |            |
| F10R | MAIN |                        | 072253                 |                         | 075245                  | 00  | 1   | VANG STROP 2                     | LANCELIN SOLID CORE                        | SOLID BLACK          | SOFT EYE               | SOFT EYE  |                         | 8mm   | 1350      | 4    | 5 1 / 8    | BENETEAU FRANCE |            |
| F10R | MAIN |                        | 072253                 |                         | 075243                  | 00  | 1   | VANG LINE                        | POLYESTER DOUBLE BRAID                     | SOLID BLACK          | WHIPPING               | WHIPPING  |                         | 6mm   | 8000      | 26   | 2 15 / 16  | BENETEAU FRANCE |            |
| F10R | MAIN |                        | 072253                 |                         | 068211                  | 00  | 1   | LOOP FOR DECK COLLAR VANG BLOCK  | LANCELIN DYNEEMA SK75                      | SOLID GREY           | LOOP                   |   | 1. Measure loop closed. | 4mm   | 150       | 0    | 5 7 / 8    | BENETEAU FRANCE |            |
| F10R | MAIN |                        |                        |                         | 459879                  | 00  | 1   | BACKSTAY STROP 1                 | SAMSON SPEC 12                             | SOLID GREY           | LUGGAGE LOOP 100mm     | LUGGAGE LOOP 100mm                              |                         | 5/16" | 2675      | 8    | 9 5 / 16   | SECO SOUTH      |            |
| F10R | MAIN |                        |                        |                         | 459880                  | 00  | 1   | BACKSTAY STROP 2                 | SAMSON SPEC 12                             | SOLID GREY           | LUGGAGE LOOP 100mm     | LUGGAGE LOOP 100mm                              |                         | 5/16" | 2475      | 8    | 1 7 / 16   | SECO SOUTH      |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS     | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION             | MAKE & TYPE                       | COL.            | TERMINAL 1                  | TERMINAL 2         | NOTES | DIA  | LENGTH mm | FEET | IN        | SUPPLIER        | PRICE each |
|------|---------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-------------------------|-----------------------------------|-----------------|-----------------------------|--------------------|-------|------|-----------|------|-----------|-----------------|------------|
| F10R | MAIN    |                        |                        |                         | 459881                  | 00  | 1   | BACKSTAY STROP 3        | SAMSON SPEC 12                    | SOLID GREY      | LUGGAGE LOOP 100mm          | LUGGAGE LOOP 100mm |       | 1/4" | 1675      | 5    | 5 15 / 16 | SECO SOUTH      |            |
| F10R | MAIN    |                        | 072253                 |                         | 075453                  | 00  | 1   | BACKSTAY LINE           | POLYESTER DOUBLE BRAID            | SOLID GREY      | WHIPPING                    | WHIPPING           |       | 6mm  | 22000     | 72   | 2 1 / 8   | BENETEAU FRANCE |            |
| F10R | MAIN    |                        |                        |                         | 459882                  | 00  | 1   | BACKSTAY SAFETY STROP   | SAMSON AMSTEEL BLUE               | SOLID BLUE      | LUGGAGE LOOP 100mm          | LUGGAGE LOOP 100mm |       | 3/8" | 3000      | 9    | 10 1 / 8  | SECO SOUTH      |            |
| F10R | MAIN    |                        | 073188                 |                         | 075455                  | 00  | 1   | CUNNINGHAM STROP        | LANCELIN DYNEEMA SK75             | SOLID GREY      | SOFT EYE                    | SOFT EYE           |       | 6mm  | 1500      | 4    | 11 1 / 16 | BENETEAU FRANCE |            |
| F10R | MAIN    |                        | 073188                 |                         | 075456                  | 00  | 1   | CUNNINGHAM LINE         | LANCELIN OURANOS DYNEEMA SK75     | SOLID GREEN     | WHIPPING                    | WHIPPING           |       | 6mm  | 5000      | 16   | 4 7 / 8   | BENETEAU FRANCE |            |
| F10R | JIB     |                        | 072432                 |                         | 075457                  | 00  | 1   | JIB HALYARD             | LANCELIN MINOS DYNEMA +VECTRAN    | BLACK +BLUE     | SOFT EYE SNAPSHOT W2473     | WHIPPING AND LOOP  |       | 8mm  | 34000     | 111  | 6 9 / 16  | BENETEAU FRANCE |            |
| F10R | JIB     |                        | 072253                 |                         | 075458                  | 00  | 2   | JIBSHEET                | LANCELIN CALLISTO POLYESTER 24 FX | SOLID NAVY BLUE | WHIPPING                    | WHIPPING           |       | 10mm | 14000     | 45   | 11 3 / 16 | BENETEAU FRANCE |            |
| F10R | JIB     |                        | 072253                 |                         | 075459                  | 00  | 2   | GENOA TRAVELLER LINE 1  | LANCELIN CALLISTO POLYESTER 24 FX | SOLID NAVY BLUE | WHIPPING                    | WHIPPING           |       | 6mm  | 4500      | 14   | 9 3 / 16  | BENETEAU FRANCE |            |
| F10R | JIB     |                        | 072253                 |                         | 075460                  | 00  | 2   | GENOA TRAVELLER LINE 2  | LANCELIN CALLISTO POLYESTER 24 FX | SOLID NAVY BLUE | WHIPPING                    | WHIPPING           |       | 7mm  | 5000      | 16   | 4 7 / 8   | BENETEAU FRANCE |            |
| F10R | JIB     |                        | 073188                 |                         | 075462                  | 00  | 2   | GENOA INNER LINE 1      | LANCELIN DYNEEMA SK75             | SOLID GREY      | SOFT EYE + SS RING -mmX--mm | SOFT EYE           |       | 6mm  | 750       | 2    | 5 1 / 2   | BENETEAU FRANCE |            |
| F10R | JIB     |                        | 073188                 |                         | 075461                  | 00  | 2   | JIB INNER LINE 1        | LANCELIN DYNEEMA SK75             | SOLID GREY      | SOFT EYE + SS RING -mmX--mm | SOFT EYE           |       | 6mm  | 1900      | 6    | 2 13 / 16 | BENETEAU FRANCE |            |
| F10R | JIB     |                        | 073188                 |                         | 075463                  | 00  | 2   | JIB INNER PURCHASE LINE | POLYESTER DOUBLE BRAID            | SOLID GREY      | WHIPPING                    | WHIPPING           |       | 6mm  | 7000      | 22   | 11 9 / 16 | BENETEAU FRANCE |            |
| F10R | SPI ASY |                        | 072432                 |                         | 075464                  | 00  | 1   | SPI HALYARD PORT        | LANCELIN MINOS DYNEMA +VECTRAN    | BLACK +RED      | SOFT EYE SNAPSHOT W2473     | WHIPPING AND LOOP  |       | 8mm  | 34000     | 111  | 6 9 / 16  | BENETEAU FRANCE |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT         | SYS     | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION             | MAKE & TYPE                    | COL.                  | TERMINAL 1  | TERMINAL 2        | NOTES  | DIA   | LENGTH mm | FEET | IN       | SUPPLIER        | PRICE each |
|--------------|---------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-------------------------|--------------------------------|-----------------------|---|-------------------|--|-------|-----------|------|----------|-----------------|------------|
| F10R         | SPI ASY |                        | 072432                 |                         | 075465                  | 00  | 1   | SPI HALYARD STBD        | LANCELIN MINOS DYNEMA +VECTRAN | BLACK +GREEN          | SOFT EYE SNAPSHOT W2473   | WHIPPING AND LOOP |  | 8mm   | 34000     | 111  | 6 9 / 16 | BENETEAU FRANCE |            |
| F10R         | SPI ASY |                        | 072253                 |                         | 075466                  | 00  | 2   | ASY.SPI SHEET           | LANCELIN ALBATROSS DYNEMA CORE | SOLID RED             | SOFT EYE SNAPSHOT W2473   | WHIPPING AND LOOP |  | 8mm   | 23000     | 75   | 5 1 / 2  | BENETEAU FRANCE |            |
| F10R         | SPI ASY |                        | 072253                 |                         | 075467                  | 00  | 1   | ASY.SPI TACK LINE       | LANCELIN ALBATROSS DYNEMA CORE | BLACK +RED            | SOFT EYE SNAPSHOT W2473   | WHIPPING AND LOOP |  | 8mm   | 20000     | 65   | 7 3 / 8  | BENETEAU FRANCE |            |
| F10R         | SPI ASY |                        |                        |                         | 075468                  | 00  | 1   | SPRIT OUTHAUL LINE      | LANCELIN OURANOS DYNEEMA SK75  | RED                   | BURNT   | WHIPPING          |  | 7mm   | 11000     | 36   | 1 1 / 16 | BENETEAU FRANCE |            |
| F10R         | SPI ASY |                        |                        |                         | 459916                  | 01  | 1   | SPRIT OUTHAUL LINE      | NEW ENGLAND ENDURABRAID        | RED                   | BURNT   | WHIPPING          | 1. used when run to the stem inside anchor locker - start hull 26. | 6mm   | 12500     | 41   | 0 1 / 8  | SECO SOUTH      |            |
| F10R         | SPI ASY |                        | 072253                 |                         | 075469                  | 00  | 1   | SPRIT SHOCKORD          | SHOCK CORD                     | WHITE                 | EYE   | EYE               |  | 10mm  | 2650      | 8    | 8 5 / 16 | BENETEAU FRANCE |            |
| F10R         | SPI ASY |                        | 073188                 |                         | 075470                  | 00  | 2   | SPI SHEET BARBER HAULER | POLYESTER DOUBLE BRAID         | SOLID WHITE           | WHIPPING  | WHIPPING          |  | 6mm   | 6000      | 19   | 8 3 / 16 | BENETEAU FRANCE |            |
| F10R HALL GP | MAIN    |                        |                        |                         | 459766                  | 00  | 1   | MAIN HALYARD            | YALE CRYSTALYNE VECTRANE       | WHITE WHITE           | SOFT EYE SPLICED TO WICHARD 1494 THIMBLE SHACKLE WITH CAPTIVE SCREW PIN | MESSENGER LOOP    | 1. tapered length of P.  | 5/16" | 34000     | 111  | 6 9 / 16 | HALL SPARS      |            |
| F10R HALL GP | SPI ASY |                        |                        |                         | 459767                  | 00  | 1   | SPI HALYARD PORT        | YALE MAXIBRAID PLUS SPECTRA    | RED WITH GREY FLECK   | SOFT EYE SNAPSHOT W2473 + BALL  | MESSENGER LOOP    | 1. tapered length of ISP.  | 5/16" | 34000     | 111  | 6 9 / 16 | HALL SPARS      |            |
| F10R HALL GP | SPI ASY |                        |                        |                         | 459770                  | 00  | 1   | SPI HALYARD STBD        | YALE MAXIBRAID PLUS SPECTRA    | GREEN WITH GREY FLECK | SOFT EYE SNAPSHOT W2473   | MESSENGER LOOP    | 1. tapered length of ISP.  | 5/16" | 34000     | 111  | 6 9 / 16 | HALL SPARS      |            |
| F10R HALL GP | SPI ASY |                        |                        |                         | 459894                  | 00  | 1   | SINGLE Y ASY.SPI SHEET  | NEW ENGLAND ENDURABRAID        | SOLID RED             | Y TAIL MID SHEET  | WHIPPING          | 1. tapered Y single sheet  |       | 23000     | 75   | 5 1 / 2  | HALL SPARS      |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT         | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION      | MAKE & TYPE         | COL.            | TERMINAL 1                               | TERMINAL 2            | NOTES                   | DIA   | LENGTH mm | FEET | IN         | SUPPLIER               | PRICE each |
|--------------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------|---------------------|-----------------|--|-----------------------|-------------------------|-------|-----------|------|------------|------------------------|------------|
| F10R HALL GP | JIB  |                        |                        |                         | 459768                  | 00  | 1   | JIB HALYARD      | YALE CRYSTALYNE     | BLACK +BLUE     | SOFT EYE SNAPSHOT W2473                  | WHIPPING AND LOOP     | 1. tapered length of l. | 5/16" | 34000     | 111  | 6 9 / 16   | HALL SPARS             |            |
| F10R HALL GP | JIB  |                        |                        |                         | 459769                  | 00  | 1   | SINGLE JIB SHEET | MAFFIOLLI DSK 75 PC | SOLID NAVY BLUE | EQUIPLITE SOFT SHACKLE SPLICED MID SHEET | WHIPPING AT BOTH ENDS |                         | 10mm  | 14000     | 45   | 11 3 / 16  | HALL SPARS             |            |
| F210         | AC02 |                        |                        | 0803 0606               | 299631                  | 00  | 2   | SPINNAKER SHEET  | SAMSON ULTRA LITE   | RED             | SOFT EYE SNAPSHOT W2473                  | WHIPPING              |                         | 1/4"  | 21000     | 68   | 10 3 / 4   |                        |            |
| F210         | AC12 |                        |                        | 0803 1400               | 299887                  | 00  | 2   | JIB SHEET        | SAMSON LS           | BLACK           | WHIPPING                                 | WHIPPING              |                         | 3/8"  | 9500      | 31   | 2 0 / 16   | SECO SOUTH ok for prod |            |
| F210         | AC22 |                        |                        | 0803 1600               | 299893                  | 00  | 1   | MAINSHEET        | SAMSON LS           | GREY            | SOFT EYE                                 | WHIPPING              |                         | 3/8"  | 11000     | 36   | 1 1 / 16   | SECO SOUTH ok for prod |            |
| F210         | AC26 |                        |                        | 0803 1100               | 299858                  | 00  | 1   | VANG LINE        | SAMSON LS           | GREY            | SOFT EYE                                 | WHIPPING              |                         | 5/16" | 4550      | 14   | 11 1 / 8   | SECO SOUTH ok for prod |            |
| F210C        | AC12 |                        |                        | 0803 1400               | 299887                  | 00  | 2   | JIB SHEET        | SAMSON LS           | BLACK           | WHIPPING                                 | WHIPPING              |                         | 3/8"  | 9500      | 31   | 2 0 / 16   | SECO SOUTH ok for prod |            |
| F210C        | AC22 |                        |                        | 0803 1600               | 299893                  | 00  | 1   | MAINSHEET        | SAMSON LS           | GREY            | SOFT EYE                                 | WHIPPING              |                         | 3/8"  | 11000     | 36   | 1 1 / 16   | SECO SOUTH ok for prod |            |
| F210C        | AC26 |                        |                        | 0803 1100               | 299858                  | 00  | 1   | VANG LINE        | SAMSON LS           | GREY            | SOFT EYE                                 | WHIPPING              |                         | 5/16" | 4550      | 14   | 11 1 / 8   | SECO SOUTH ok for prod |            |
| F235         | AC02 |                        |                        | 0803 0606               | 299631                  | 00  | 2   | SPINNAKER SHEET  | SAMSON ULTRA LITE   | RED             | SOFT EYE SNAPSHOT W2473                  | WHIPPING              |                         | 1/4"  | 21000     | 68   | 10 12 / 16 |                        |            |
| F235         | AC10 |                        |                        | 0803 1300               | 299882                  | 00  | 1   | JIB HALYARD #1   |                     |                 |  |                       |                         |       |           | 0    | 0 0 0 16   |                        |            |
| F235         | AC12 |                        |                        | 0803 1400               | 299887                  | 00  | 2   | JIB SHEET        | SAMSON LS           | BLACK           | WHIPPING                                 | WHIPPING              |                         | 3/8"  | 9500      | 31   | 2 0 / 16   | SECO SOUTH ok for prod |            |
| F235         | AC20 |                        |                        | 0803 1500               | 299892                  | 00  | 1   | MAIN HALYARD     |                     |                 |  |                       |                         |       |           | 0    | 0 0 0 16   |                        |            |
| F235         | AC22 |                        |                        | 0803 1600               | 299893                  | 00  | 1   | MAINSHEET        | SAMSON LS           | GREY            | SOFT EYE                                 | WHIPPING              |                         | 3/8"  | 11000     | 36   | 1 1 / 16   | SECO SOUTH ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE      | COL.  | TERMINAL 1                           | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|------------------|-------|--------------------------------------|-------------------|-------|-------|-----------|------|-----------|---------------------------|------------|
| F235  | AC26 |                        |                        | 0803 1100               | 299858                  | 00  | 1   | VANG LINE                        | SAMSON LS        | GREY  | SOFT EYE                             | WHIPPING          |       | 5/16" | 4550      | 14   | 11 1 / 8  | SECO SOUTH<br>ok for prod |            |
| F235  | AC27 |                        |                        | 0803 1800               | 299896                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F265  | AC02 |                        |                        | 0803 0827               | 299687                  | 00  | 2   | SPINNAKER SHEET                  | SAMSON XLS 900   | RED   | SOFT EYE SNAPSHOT W2473              | WHIPPING          |       | 5/16" | 16003     | 52   | 6 1 / 16  | SECO SOUTH                |            |
| F285  | AC02 |                        |                        | 0803 0804               | 299666                  | 00  | 2   | SPINNAKER SHEET                  |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F285  | AC22 |                        |                        | 0803 1701               | 299895                  | 00  | 1   | MAINSHEET                        |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F285  | AC26 |                        |                        | 0803 1285               | 299881                  | 00  | 1   | VANG STROP                       |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F310  | AC02 |                        |                        | 0803 0911               | 111633                  | 00  | 2   | SPINNAKER SHEET                  |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F310  | AC17 |                        |                        | 0803 0609               | 299634                  | 01  | 2   | JIB TRAVELLER CONTROL LINE       | SAMSON LS        | BLUE  | WHIPPING                             | WHIPPING          |       | 1/4"  | 7621      | 25   | 0 1 / 16  |                           |            |
| F310  | AC17 |                        |                        | 0803 0609               | 299634                  | 02  | 2   | JIB TRAVELLER CONTROL LINE       | SAMSON LS        | WHITE | WHIPPING                             | WHIPPING          |       | 1/4"  | 7621      | 25   | 0 1 / 16  |                           |            |
| F32s5 | AC02 |                        |                        | 0803 0905               | 299722                  | 00  | 2   | SPINNAKER SHEET                  |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F32s5 | AC10 |                        |                        | 0803 1325               | 299883                  | 00  | 1   | JIB HALYARD #1                   |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F32s5 | AC26 |                        |                        | 0803 1285               | 299881                  | 00  | 1   | VANG STROP                       |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F35.7 | AC02 |                        |                        | 0803 0942               | 299757                  | 00  | 2   | SPINNAKER SHEET                  |                  |       |                                      |                   |       |       |           | 0    | 0 0 0 16  |                           |            |
| F35.7 | AC10 |                        |                        | 0803 0943               | 299758                  | 00  | 1   | JIB HALYARD                      | SAMSON XLS EXTRA | BLACK | SOFT EYE SNAPSHOT W2475              | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16  |                           |            |
| F35.7 | AC12 |                        |                        | 0803 1217               | 111206                  | 00  | 2   | JIB SHEET                        | SAMSON LS        | BLACK | WHIPPING                             | WHIPPING          |       | 1/2"  | 16000     | 52   | 5 15 / 16 |                           |            |
| F35.7 | AC19 |                        |                        | 0803 0837               | 299695                  | 01  | 1   | GENOA RF LINE                    | SAMSON XLS EXTRA | WHITE | BURNT                                | WHIPPING AND LOOP |       | 5/16" | 21000     | 68   | 10 3 / 4  |                           |            |
| F35.7 | AC20 |                        |                        | 0803 0937               | 299752                  | 00  | 1   | MAIN HALYARD - classic mast      | SAMSON XLS EXTRA | GREY  | SOFT EYE BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 37000     | 121  | 4 11 / 16 |                           |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                           | MAKE & TYPE         | COL.              | TERMINAL 1  | TERMINAL 2        | NOTES   | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---------------------------------------|---------------------|-------------------|---|-------------------|---|-------|-----------|------|-----------|------------------------|------------|
| F35s5 | AC00 |                        |                        | 0803 1010               | 299809                  | 00  | 1   | SPINNAKER HALYARD - tall classic mast |                     |                   |   |                   |   |       |           | 0    | 0 0 0 16  |                        |            |
| F35s5 | AC00 |                        |                        | 0803 1355               | 299885                  | 00  | 1   | SPINNAKER HALYARD                     |                     |                   |   |                   |   |       |           | 0    | 0 0 0 16  |                        |            |
| F35s5 | AC00 |                        |                        | 0803 1355               | 299885                  | 00  | 1   | SPINNAKER HALYARD - classic mast      |                     |                   |   |                   |   |       |           | 0    | 0 0 0 16  |                        |            |
| F35s5 | AC02 |                        |                        | 0803 1001               | 299800                  | 00  | 2   | SPINNAKER SHEET                       |                     |                   |   |                   |   |       |           | 0    | 0 0 0 16  |                        |            |
| F35s5 | AC22 |                        |                        | 0803 1700               | 299894                  | 00  | 1   | MAINSHEET                             |                     |                   |   |                   |   |       |           | 0    | 0 0 0 16  |                        |            |
| F35s5 | AC26 |                        |                        | 0803 1285               | 299881                  | 00  | 1   | VANG STROP                            |                     |                   |   |                   |   |       |           | 0    | 0 0 0 16  |                        |            |
| F35s5 | AC27 |                        |                        | 0803 0805               | 113153                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE      | SAMSON LS           | BLUE              | SOFT EYE  | WHIPPING          |   | 5/16" | 8535      | 28   | 0 0 / 16  |                        |            |
| F35s5 | AC27 |                        |                        | 0803 0805               | 113153                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE      | SAMSON LS           | WHITE             | SOFT EYE  | WHIPPING          |   | 5/16" | 8535      | 28   | 0 0 / 16  |                        |            |
| F36.7 | AC10 |                        |                        | 0803 0639               | 113147                  | 00  | 2   | JIB SHEET TRAVELLER CONTROL LINE      | SAMSON XLS EXTRA    | BLACK             | SOFT EYE SMALL LOOP (for lewmar traveller becket 2990 5116) | WHIPPING          |   | 1/4"  | 11500     | 37   | 8 3 / 4   | SECO SOUTH ok for prod |            |
| F36.7 | AC11 |                        |                        | 0552 91                 | 055291                  | 00  | 2   | JIB SHEET                             | LANCELIN            | NAVY              | WHIPPING  | WHIPPING          |   | 12mm  | 17000     | 55   | 9 5 / 16  | BENETEAU FRANCE        |            |
| F36.7 | AC12 |                        |                        | 0552 89                 | 055289                  | 00  | 1   | JIB HALYARD (central)                 | LANCELIN            | BLUE              | SOFT EYE SNAPSHOT GIBB 2512                                 | WHIPPING AND LOOP |   | 10mm  | 37000     | 121  | 4 11 / 16 | BENETEAU FRANCE        |            |
| F36.7 |      |                        |                        |                         |                         | 00  | 1   | GENOA ROLLER FURLING LINE             | NEW ENGLAND STA-SET | BLACK +RED TRACER | BURNT   | BURNT             | Harken part # 813                                     | 5/16" | 21337     | 70   | 0 0 / 16  | HARKEN                 |            |
| F36.7 | AC20 |                        |                        | 0803 0640               | 113148                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE      | SAMSON LS           | BLACK             | SOFT EYE SMALL LOOP (for lewmar traveller becket 2990 5116) | WHIPPING          |   | 5/16" | 15000     | 49   | 2 9 / 16  | SECO SOUTH             |            |
| F36.7 | AC20 |                        |                        | 0803 0992               | 113166                  | 00  | 1   | MAINSHEET                             | SAMSON LS           | GREY              | SOFT EYE +RIGGING BALL BLACK R1911                          | WHIPPING          | Ball must slide down to the loop - drill if necessary | 3/8"  | 29250     | 95   | 11 9 / 16 | SECO SOUTH             |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                 | MAKE & TYPE    | COL.          | TERMINAL 1  | TERMINAL 2        | NOTES                  | DIA   | LENGTH mm | FEET | IN        | SUPPLIER        | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------------|----------------|---------------|---|-------------------|------------------------|-------|-----------|------|-----------|-----------------|------------|
| F36.7 | AC20 |                        |                        | 08030868                | 113158                  | 00  | 1   | MAINSHEET FINE TUNE         | SAMSON LS      | GREEN         | LONG SOFT EYE (tailend to pass thru eye for attaching to becket on Harken 2637 block) | WHIPPING          |                        | 5/16" | 6500      | 21   | 3 7 / 8   | SECO SOUTH      |            |
| F36.7 | AC22 |                        |                        | 055287                  | 055287                  | 00  | 1   | MAIN HALYARD                | LANCELIN       | BLACK         | SOFT EYE BAR SHACKLE CAPTIVE PIN 8mm HR W91434  | WHIPPING AND LOOP |                        | 10mm  | 35000     | 114  | 9 15 / 16 | BENETEAU FRANCE |            |
| F36.7 | AC23 |                        |                        | 055293                  | 055293                  | 00  | 1   | VANG LINE #4                | LANCELIN       | BLACK +YELLOW | WHIPPING  | WHIPPING          |                        | 8mm   | 12000     | 39   | 4 7 / 16  | BENETEAU FRANCE |            |
| F36.7 | AC23 |                        |                        | 08030641                | 113149                  | 00  | 1   | VANG LINE #1                | SAMSON SPEC 12 | GREY          | SOFT EYE  | SOFT EYE          |                        | 8mm   | 1543      | 5    | 0 3 / 4   | SECO SOUTH      |            |
| F36.7 | AC23 |                        |                        | 08030641                | 113149                  | 01  | 1   | VANG LINE #1                | SAMSON SPEC 12 | GREY          | SOFT EYE  | BURNT             |                        | 8mm   | 2312      | 7    | 7 0 / 4   | SECO SOUTH      |            |
| F36.7 | AC23 |                        |                        | 08030642                | 113150                  | 00  | 1   | VANG LINE #2                | SAMSON SPEC 12 | GREY          | SOFT EYE  | SOFT EYE          |                        | 6mm   | 1626      | 5    | 4 0 / 16  | SECO SOUTH      |            |
| F36.7 | AC23 |                        |                        | 08030643                | 113151                  | 00  | 1   | VANG LINE #3                | SAMSON SPEC 12 | GREY          | SOFT EYE  | SOFT EYE          |                        | 6mm   | 1467      | 4    | 9 3 / 4   | SECO SOUTH      |            |
| F36.7 | AC24 |                        |                        | 055288                  | 055288                  | 00  | 1   | MAIN BOOM TOPPING LIFT      | LANCELIN       | YELLOW        | SOFT EYE LONG D SHACKLE 6mm W1213   | WHIPPING AND LOOP |                        | 6mm   | 31500     | 103  | 4 1 / 8   | BENETEAU FRANCE |            |
| F36.7 |      |                        |                        | 08030993                | 113167                  | 00  | 2   | SPINNAKER SHEET             | SAMSON WARPSPD | RED           | SOFT EYE SNAPSHOTACKLE GIBB 720   | WHIPPING          |                        | 3/8"  | 22000     | 72   | 2 1 / 8   | SECO SOUTH      |            |
| F36.7 |      |                        |                        |                         |                         | 00  | 2   | TAPERED SPINNAKER SHEET     | SAMSON WARPSPD | RED           | LUGGAGE TAG SOFT EYE SNAPSHOTACKLE TYLASKA T8 LARGE BAIL                              | WHIPPING          | 4000mm bare (13ft 1in) | 3/8"  | 22000     | 72   | 2 1 / 8   | SECO SOUTH      |            |
| F36.7 |      |                        |                        |                         |                         | 00  | 2   | TAPERED SPINNAKER AFTERGUYS | SAMSON WARPSPD | GREEN         | LUGGAGE TAG SOFT EYE NO SNAPSHOTACKLE   | WHIPPING          | 4000mm bare (13ft 1in) | 3/8"  | 20000     | 65   | 7 3 / 8   | SECO SOUTH      |            |
| F36.7 |      |                        |                        | 055294                  | 055294                  | 00  | 1   | SPINNAKER WING HALYARD PORT | LANCELIN       | RED           | SOFT EYE SNAPSHOTACKLE W2475  | WHIPPING AND LOOP |                        | 10mm  | 36501     | 119  | 9 0 / 16  | BENETEAU FRANCE |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.        | TERMINAL 1   | TERMINAL 2  | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|-------------|--|---|-------|-------|-----------|------|-----------|---------------------------|------------|
| F36.7 |      |                        |                        | 055297                  | 055297                  | 00  | 1   | SPINNAKER WING HALYARD STBD        | LANCELIN         | GREEN       | SOFT EYE SNAPSHOT W2475  | WHIPPING AND LOOP   |       | 10mm  | 36501     | 119  | 9 0 / 16  | BENETEAU FRANCE           |            |
| F36.7 |      |                        |                        | 055296                  | 055296                  | 00  | 1   | FOREGUY (double ended)             | LANCELIN         | RED +YELLOW | WHIPPING   | WHIPPING  |       | 8mm   | 24500     | 80   | 4 9 / 16  | BENETEAU FRANCE           |            |
| F36.7 |      |                        |                        | 08030869                | 113159                  | 00  | 1   | SPINNAKER POLE TOPPING LIFT        | SAMSON XLS EXTRA | WHITE       | SOFT EYE SNAPSHOT W2473  | WHIPPING AND LOOP   |       | 5/16" | 35000     | 114  | 9 15 / 16 | SECO SOUTH                |            |
| F36.7 |      |                        |                        | 08030644                | 113152                  | 00  | 2   | SPINNAKER BARBER HAULER            | SAMSON XLS EXTRA | GREEN       | LONG SOFT EYE (tailend to pass thru eye for attaching to Lewmar 2990 0340 block)   | WHIPPING  |       | 1/4"  | 6500      | 21   | 3 7 / 8   | SECO SOUTH                |            |
| F36.7 |      |                        |                        |                         | 112572                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC      | BLACK       | BURNT  | BURNT   |       | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| F36.7 |      |                        |                        |                         | 112596                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC      | RED         | BURNT  | BURNT   |       | 3/8"  | 24000     | 78   | 8 7 / 8   | SECO SOUTH<br>ok for prod |            |
| F36.7 | AC45 |                        |                        | 08030988                | 113162                  | 01  | 1   | BACKSTAY LINE #1                   | TECH 1           | BLACK       | SMALL SOFT EYE (soft eye must be able fit around sheave of Lewmar 2990 2809 block without having to dismantle the block. Soft eye must also be able to fit the pin and roller at the head of Lewmar 2990 2601 block) | SMALL SOFT EYE (body of Wichard HR D shackle 11205 must be able to fit thru soft eye) |       | 3/8"  | 2525      | 8    | 3 7 / 16  | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION      | MAKE & TYPE | COL.  | TERMINAL 1  | TERMINAL 2  | NOTES | DIA   | LENGTH mm | FEET | IN       | SUPPLIER               | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------|-------------|-------|---|---|-------|-------|-----------|------|----------|------------------------|------------|
| F36.7 | AC45 |                        |                        | 08030988                | 113162                  | 02  | 1   | BACKSTAY LINE #1 | TECH 1      | BLACK | SMALL SOFT EYE (soft eye must be able fit around sheave of Lewmar 2990 2809 block without having to dismantle the block. Soft eye must also be able to fit the pin and roller at the head of Lewmar 2990 2601 block)  | SMALL SOFT EYE (body of Wichard HR D shackle 11205 must be able to fit thru soft eye) |       | 3/8"  | 2439      | 8    | 0 0 / 16 | SECO SOUTH ok for prod |            |
| F36.7 | AC45 |                        |                        | 08030989                | 113163                  | 01  | 1   | BACKSTAY LINE #2 | TECH 1      | BLACK | SMALL SOFT EYE (soft eye must be able fit around sheave of Lewmar 2990 2601 block without having to dismantle the block. Body of the shackle at the head of Lewmar 2990 1611 block must be able to fit thru soft eye) | SMALL SOFT EYE (body of Wichard HR D shackle 11205 must be able to fit thru soft eye) |       | 5/16" | 2420      | 7    | 11 1 / 4 | SECO SOUTH ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION           | MAKE & TYPE      | COL.           | TERMINAL 1   | TERMINAL 2  | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------|------------------|----------------|--|---|-------|-------|-----------|------|-----------|---------------------------|------------|
| F36.7 | AC45 |                        |                        | 08030990                | 113164                  | 01  | 1   | BACKSTAY LINE #3      | TECH 1           | BLACK          | SMALL SOFT EYE (soft eye must be able fit around sheave of Lewmar 2990 1611 block without having to dismantle the block. Body of Wichard 1203 6mm D shackle must be able to fit thru soft eye) | SMALL SOFT EYE (body of Wichard HR D shackle 11205 must be able to fit thru soft eye) |       | 1/4"  | 2340      | 7    | 8 1 / 8   | SECO SOUTH<br>ok for prod |            |
| F36.7 | AC45 |                        |                        | 08030991                | 113165                  | 01  | 1   | BACKSTAY SAFETY STROP | TECH 1           | RED            | SMALL SOFT EYE (soft eye must be able fit the pin and roller at the becket of Lewmar 2990 2809 block)  | SMALL SOFT EYE (body of Wichard HR D shackle 11205 must be able to fit thru soft eye) |       | 3/8"  | 2250      | 7    | 4 9 / 16  | SECO SOUTH<br>ok for prod |            |
| F36.7 | AC45 |                        |                        | 08030991                | 113165                  | 02  | 1   | BACKSTAY SAFETY STROP | TECH 1           | SAMSON SPEC 12 | SMALL SOFT EYE (soft eye must be able fit the pin and roller at the becket of Lewmar 2990 2809 block)  | SMALL SOFT EYE (body of Wichard HR D shackle 11205 must be able to fit thru soft eye) |       | 5/16" | 2261      | 7    | 5 0 / 16  | SECO SOUTH<br>ok for prod |            |
| F36.7 |      |                        |                        |                         |                         | 00  | 1   | OUTHAUL               | LANCELIN         | WHITE          | BURNT  | BURNT   |       | 10mm  | 12000     | 39   | 4 7 / 16  | CHAS SPAR                 |            |
| F36.7 |      |                        |                        |                         |                         | 00  | 1   | REEF 1                | LANCELIN         | RED            | BURNT  | BURNT   |       | 10mm  | 16000     | 52   | 5 15 / 16 | CHAS SPAR                 |            |
| F36.7 |      |                        |                        |                         |                         | 00  | 1   | REEF 2                | LANCELIN         | GREEN          | BURNT  | BURNT   |       | 10mm  | 20000     | 65   | 7 3 / 8   | CHAS SPAR                 |            |
| F36s7 | AC00 |                        |                        | 08030966                | 299780                  | 00  | 1   | SPINNAKER HALYARD #1  | SAMSON XLS EXTRA | GREEN          | SOFT EYE SNAPSHOTACKLE W2475   | WHIPPING AND LOOP   |       | 3/8"  | 35000     | 114  | 9 15 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC00 |                        |                        | 08030967                | 299781                  | 00  | 1   | SPINNAKER HALYARD #2  | SAMSON XLS EXTRA | RED            | SOFT EYE SNAPSHOTACKLE W2475   | WHIPPING AND LOOP   |       | 3/8"  | 35000     | 114  | 9 15 / 16 | SECO SOUTH<br>ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                           | MAKE & TYPE       | COL.  | TERMINAL 1                           | TERMINAL 2        | NOTES                          | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---------------------------------------|-------------------|-------|--------------------------------------|-------------------|--------------------------------|-------|-----------|------|-----------|---------------------------|------------|
| F36s7 | AC02 |                        |                        | 08030968                | 299782                  | 00  | 2   | SPINNAKER SHEET                       | SAMSON XLS 900    | RED   | SOFT EYE SNAPSHOTACKLE GIBB 723      | WHIPPING          |                                | 3/8"  | 21000     | 68   | 10 3 / 4  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC04 |                        |                        | 08030638                | 299662                  | 00  | 2   | SPINNAKER SHEET BARBER HAULER         | SAMSON XLS EXTRA  | RED   | BURNT                                | WHIPPING          |                                | 1/4"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC05 |                        |                        | 08030852                | 299709                  | 00  | 1   | SPINNAKER POLE TOPPING LIFT           | SAMSON XLS 900    | RED   | SOFT EYE SNAPSHOTACKLE W2473         | WHIPPING AND LOOP |                                | 5/16" | 25000     | 82   | 0 1 / 4   | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC06 |                        |                        | 08030853                | 299710                  | 00  | 1   | FOREGUY                               | SAMSON ULTRA TECH | RED   | WHIPPING                             | WHIPPING AND LOOP |                                | 5/16" | 20000     | 65   | 7 3 / 8   | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC10 |                        |                        | 08030974                | 299788                  | 00  | 1   | JIB HALYARD                           | SAMSON XLS EXTRA  | BLACK | SOFT EYE SNAPSHOTACKLE W2475         | WHIPPING AND LOOP |                                | 3/8"  | 32250     | 105  | 9 11 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC12 |                        |                        | 08031217                | 111206                  | 00  | 2   | JIB SHEET                             | SAMSON LS         | BLACK | WHIPPING                             | WHIPPING          |                                | 1/2"  | 16000     | 52   | 5 15 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC17 |                        |                        | 08030609                | 299634                  | 02  | 2   | JIB TRAVELLER CONTROL LINE            | SAMSON LS         | WHITE | WHIPPING                             | WHIPPING          |                                | 1/4"  | 7621      | 25   | 0 1 / 16  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC19 |                        |                        | 08030837                | 299695                  | 01  | 1   | GENOA RF LINE                         | SAMSON XLS EXTRA  | WHITE | BURNT                                | WHIPPING AND LOOP |                                | 5/16" | 21000     | 68   | 10 3 / 4  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC20 |                        |                        | 08030970                | 299784                  | 00  | 1   | MAIN HALYARD - tall classic mast      | SAMSON ULTRA TECH | WHITE | SOFT EYE BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |                                | 3/8"  | 37000     | 121  | 4 11 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC20 |                        |                        | 08030973                | 299787                  | 00  | 1   | MAIN HALYARD - classic mast           | SAMSON XLS EXTRA  | GREY  | SOFT EYE BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |                                | 3/8"  | 34000     | 111  | 6 9 / 16  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC22 |                        |                        | 08030971                | 299785                  | 00  | 1   | MAINSHEET                             | SAMSON LS         | GREY  | WHIPPING                             | WHIPPING          | 1. used on boats up to hull #4 | 3/8"  | 31500     | 103  | 4 1 / 8   | SECO SOUTH                |            |
| F36s7 | AC22 |                        |                        | 08030971                | 299785                  | 01  | 1   | MAINSHEET                             | SAMSON LS         | GREY  | WHIPPING                             | WHIPPING          | 1. used on hull #5 onwards     | 7/16" | 31500     | 103  | 4 1 / 8   | SECO SOUTH                |            |
| F36s7 | AC25 |                        |                        | 08030635                | 299659                  | 00  | 1   | MAIN BOOM TOPPING LIFT - classic mast | SAMSON LS         | WHITE | SOFT EYE BAR SHACKLE CAPTIVE PIN 6mm | WHIPPING AND LOOP |                                | 1/4"  | 28500     | 93   | 6 1 / 16  | SECO SOUTH<br>ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                         | MAKE & TYPE        | COL.  | TERMINAL 1                           | TERMINAL 2                                     | NOTES                  | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-------------------------------------|--------------------|-------|--------------------------------------|--|------------------------|-------|-----------|------|-----------|---------------------------|------------|
| F36s7 | AC25 |                        |                        | 08030636                | 299660                  | 00  | 1   | MAIN BOOM TOPPING LIFT - tall mast  | SAMSON LS          | WHITE | SOFT EYE BAR SHACKLE CAPTIVE PIN 6mm | WHIPPING AND LOOP                              |                        | 1/4"  | 31500     | 103  | 4 1 / 8   | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC26 |                        |                        | 08030527                | 299623                  | 00  | 1   | VANG CABLE #1 - pneuvang            | SS 7x19            |       | AIRCRAFT FORK ANF07                  | NICOPRESS EYE WITH SMALL THIMBLE - die pressed |                        | 7/32" | 2160      | 7    | 1 1 / 16  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC26 |                        |                        | 08030856                | 299711                  | 00  | 1   | VANG LINE #2 - pneuvang             | SAMSON LS          | WHITE | SOFT EYE                             | WHIPPING AND LOOP                              |                        | 5/16" | 11000     | 36   | 1 1 / 16  | SECO SOUTH                |            |
| F36s7 | AC26 |                        |                        | 08030856                | 299711                  | 01  | 1   | VANG LINE #2 - pneuvang             | SAMSON LS          | WHITE | BURNT                                | WHIPPING AND LOOP                              |                        | 5/16" | 11000     | 36   | 1 1 / 16  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC27 |                        |                        | 08030805                | 113153                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE    | SAMSON LS          | WHITE | SOFT EYE                             | WHIPPING                                       |                        | 5/16" | 8535      | 28   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC30 |                        |                        | 08030951                | 299766                  | 00  | 1   | OUTHAUL                             | SAMSON LSTC        | BLACK | BURNT                                | WHIPPING AND LOOP                              |                        | 3/8"  | 12000     | 39   | 4 7 / 16  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC31 |                        |                        | 08030957                | 299772                  | 00  | 1   | REEF 1                              | SAMSON LSTC        | RED   | BURNT                                | WHIPPING AND LOOP                              |                        | 3/8"  | 15500     | 50   | 10 1 / 4  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC32 |                        |                        | 08030969                | 299783                  | 00  | 1   | REEF 2                              | SAMSON LSTC        | GREEN | BURNT                                | WHIPPING AND LOOP                              |                        | 3/8"  | 20750     | 68   | 0 15 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC50 |                        |                        | 08030528                | 299624                  | 00  | 1   | PERMANENT BACKSTAY ADJUSTER LINE #1 | SAMSON SPECTRON 12 | GREY  | SOFT EYE LOOP 110mm LONG             | EYE SPLICE ON SAILMAKER'S CLOSED THIMBLE       | 1. used on hull #6 BF. | 1/4"  | 2900      | 9    | 6 3 / 16  | SECO SOUTH                |            |
| F36s7 | AC50 |                        |                        | 08030528                | 299624                  | 01  | 1   | PERMANENT BACKSTAY ADJUSTER LINE #1 | SAMSON SPECTRON 12 | GREY  | SOFT EYE LOOP 110mm LONG             | EYE SPLICE ON SAILMAKER'S CLOSED THIMBLE       |                        | 1/4"  | 2700      | 8    | 10 5 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC50 |                        |                        | 08030402                | 299608                  | 00  | 1   | PERMANENT BACKSTAY ADJUSTER LINE #2 | SAMSON SPECTRON 12 | GREY  | SOFT EYE LOOP 110mm LONG             | EYE SPLICE ON SAILMAKER'S CLOSED THIMBLE       |                        | 3/16" | 1601      | 5    | 3 0 / 16  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC50 |                        |                        | 08030637                | 299661                  | 00  | 1   | PERMANENT BACKSTAY ADJUSTER LINE #3 | SAMSON XLS EXTRA   | BLACK | BURNT                                | WHIPPING                                       |                        | 5/16" | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE         | COL.          | TERMINAL 1                                | TERMINAL 2                                | NOTES  | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|---------------------|---------------|---|---|--|-------|-----------|------|-----------|---------------------------|------------|
| F36s7 | AC52 |                        |                        | 0803 0628               | 299652                  | 00  | 1   | RUNNING BACKSTAY SHOCKORD          | SHOCKORD            | WHITE         | BURNT                                     | BURNT                                     |  | 1/4"  | 6000      | 19   | 8 3 / 16  | SECO SOUTH<br>ok for prod |            |
| F36s7 | AC52 |                        |                        | 0803 0972               | 299786                  | 00  | 2   | RUNNING BACKSTAY ADJUSTER LINE     | SAMSON XLS 900      | GREEN         | SOFT EYE LOOP 110mm LONG                  | WHIPPING                                  | 1. strip and whip cover 4500mm from loop.<br>2.used on hull #6 BF. | 3/8"  | 14000     | 45   | 11 3 / 16 | SECO SOUTH                |            |
| F36s7 | AC52 |                        |                        | 0803 0972               | 299786                  | 01  | 2   | RUNNING BACKSTAY ADJUSTER LINE     | SAMSON XLS 900      | GREEN         | SOFT EYE LOOP 110mm LONG                  | WHIPPING                                  |  | 3/8"  | 14000     | 45   | 11 3 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | BE01 |                        |                        | 0803 0616               | 111199                  | 00  | 2   | UTILITY LINE                       | SAMSON LS           | WHITE         | BURNT                                     | BURNT                                     |  | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| F36s7 | II11 |                        |                        | 0803 0305               | 113146                  | 00  | 3   | DOOR STAY STROP                    | #4 ZENITH POLYESTER | BLACK         | BURNT + SWAGED 12-10 EYE TERMINAL D5 HOLE | BURNT + SWAGED 12-10 EYE TERMINAL D5 HOLE |  | 1/8"  | 305       | 1    | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| F38s5 | AC00 |                        |                        | 0803 1016               | 299815                  | 00  | 1   | HEADSAIL HALYARD #2                |                     |               |   |   |  |       |           | 0    | 0 0 0 16  |                           |            |
| F38s5 | AC00 |                        |                        | 0803 1020               | 299819                  | 00  | 1   | SPINNAKER HALYARD                  |                     |               |   |   |  |       |           | 0    | 0 0 0 16  |                           |            |
| F38s5 | AC02 |                        |                        | 0803 0923               | 299739                  | 00  | 2   | SPINNAKER SHEET                    |                     |               |   |   |  |       |           | 0    | 0 0 0 16  |                           |            |
| F40.7 | AC00 |                        |                        |                         |                         | 00  | 1   | SPINNAKER HALYARD #2               | SAMSON XLS EXTRA    | RED           | SOFT EYE SNAPSHOT W2475                   | WHIPPING AND LOOP                         |  | 3/8"  | 35000     | 114  | 9 15 / 16 | SECO SOUTH<br>ok for prod |            |
| F40.7 |      |                        |                        |                         |                         | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC         | BLACK         | BURNT                                     | BURNT                                     |  | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| F40.7 |      |                        |                        |                         |                         | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC         | RED           | BURNT                                     | BURNT                                     |  | 3/8"  | 24000     | 78   | 8 7 / 8   | SECO SOUTH<br>ok for prod |            |
| F40.7 |      |                        |                        |                         |                         | 00  | 1   | JIB ROLLER FURLING LINE - facnor   |                     | WHITE/ YELLOW | BURNT                                     | BURNT                                     |  | 10mm  | 24000     | 78   | 8 7 / 8   | FACNOR                    |            |
| F42s7 | AC00 |                        |                        | 0803 1053               | 299843                  | 00  | 1   | SPINNAKER HALYARD #1               | SAMSON XLS EXTRA    | GREEN         | SOFT EYE SNAPSHOT W2475                   | WHIPPING AND LOOP                         |  | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE       | COL.  | TERMINAL 1                          | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN         | SUPPLIER               | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|-------------------|-------|-------------------------------------|-------------------|-------|-------|-----------|------|------------|------------------------|------------|
| F42s7 | AC00 |                        |                        | 0803 1064               | 299853                  | 00  | 1   | SPINNAKER HALYARD #2             | SAMSON XLS EXTRA  | RED   | SOFT EYE SNAPSHOT W2475             | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16  | SECO SOUTH ok for prod |            |
| F42s7 | AC00 |                        |                        | 0803 1069               | 299857                  | 00  | 1   | SPINNAKER HALYARD #3             | SAMSON XLS EXTRA  | BLUE  | SOFT EYE SNAPSHOT W2475             | WHIPPING AND LOOP |       | 7/16" | 45000     | 147  | 7 5 / 8    | SECO SOUTH ok for prod |            |
| F42s7 | AC02 |                        |                        | 0803 1054               | 299844                  | 00  | 2   | SPINNAKER SHEET                  | SAMSON ULTRA LITE | RED   | SOFT EYE SNAPSHOT GIBB 723          | WHIPPING          |       | 3/8"  | 27001     | 88   | 7 0 / 16   | SECO SOUTH ok for prod |            |
| F42s7 | AC03 |                        |                        | 0803 1055               | 299845                  | 00  | 2   | SPINNAKER AFTERGUY               | SAMSON ULTRA TECH | RED   | SOFT EYE SNAPSHOT GIBB 723 DOUGHNUT | WHIPPING          |       | 3/8"  | 25000     | 82   | 0 1 / 4    | SECO SOUTH ok for prod |            |
| F42s7 | AC05 |                        |                        | 0803 0954               | 299769                  | 00  | 1   | SPINNAKER POLE TOPPING LIFT      | SAMSON ULTRA TECH | RED   | SOFT EYE SNAPSHOT W2475             | WHIPPING AND LOOP |       | 3/8"  | 28000     | 91   | 10 3 / 8   | SECO SOUTH ok for prod |            |
| F42s7 | AC06 |                        |                        | 0803 0955               | 299770                  | 00  | 1   | FOREGUY                          | SAMSON XLS EXTRA  | RED   | WHIPPING AND LOOP                   | WHIPPING AND LOOP |       | 3/8"  | 32000     | 104  | 11 13 / 16 | SECO SOUTH ok for prod |            |
| F42s7 | AC07 |                        |                        | 0803 0845               | 299702                  | 00  | 1   | SPINNAKER POLE CAR UP/DOWNSHAUL  | SAMSON XLS EXTRA  | RED   | SOFT EYE                            | SOFT EYE          |       | 5/16" | 11000     | 36   | 1 1 / 16   | SECO SOUTH ok for prod |            |
| F42s7 | AC10 |                        |                        | 0803 1056               | 299846                  | 00  | 1   | JIB HALYARD #1                   | SAMSON XLS EXTRA  | BLACK | SOFT EYE SNAPSHOT W2475             | WHIPPING AND LOOP |       | 7/16" | 36501     | 119  | 9 0 / 16   | SECO SOUTH ok for prod |            |
| F42s7 | AC12 |                        |                        | 0803 1402               | 299889                  | 00  | 2   | JIB SHEET                        | SAMSON LS         | BLACK | WHIPPING                            | WHIPPING          |       | 1/2"  | 20000     | 65   | 7 3 / 8    | SECO SOUTH ok for prod |            |
| F42s7 | AC17 |                        |                        | 0803 0625               | 299649                  | 00  | 2   | JIB SHEET TRAVELLER SHOCKORD     | SHOCKORD          | WHITE | SOFT EYE D12 EYE                    | SOFT EYE D06 EYE  |       | 1/4"  | 3000      | 9    | 10 1 / 8   | SECO SOUTH ok for prod |            |
| F42s7 | AC17 |                        |                        | 0803 0839               | 299697                  | 00  | 2   | JIB SHEET TRAVELLER CONTROL LINE | SAMSON XLS EXTRA  | BLUE  | SOFT EYE D12 EYE                    | WHIPPING          |       | 1/4"  | 11800     | 38   | 8 9 / 16   | SECO SOUTH ok for prod |            |
| F42s7 | AC17 |                        |                        | 0803 0839               | 299697                  | 01  | 2   | JIB SHEET TRAVELLER CONTROL LINE | SAMSON XLS EXTRA  | WHITE | SOFT EYE D12 EYE                    | WHIPPING          |       | 1/4"  | 11800     | 38   | 8 9 / 16   | SECO SOUTH ok for prod |            |
| F42s7 | AC19 |                        |                        | 0803 0956               | 299771                  | 00  | 1   | GENOA ROLLER FURLING LINE        | SAMSOM XLS EXTRA  | WHITE | BURNT                               | WHIPPING AND LOOP |       | 3/8"  | 24000     | 78   | 8 7 / 8    | SECO SOUTH ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                | MAKE & TYPE       | COL.  | TERMINAL 1  | TERMINAL 2                 | NOTES | DIA        | LENGTH mm | FEET | IN         | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|-------------------|-------|---|----------------------------|-------|------------|-----------|------|------------|---------------------------|------------|
| F42s7 | AC20 |                        |                        | 08031057                | 299847                  | 00  | 1   | MAIN HALYARD - classic mast                | SAMSON XLS EXTRA  | GREY  | SOFT EYE  | WHIPPING AND LOOP          |       | 7/16"      | 38500     | 126  | 3 3 / 4    | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC20 |                        |                        | 08031057                | 299847                  | 01  | 1   | MAIN HALYARD - classic mast                | SAMSON XLS EXTRA  | GREY  | SOFT EYE<br>BAR SHACKLE<br>CAPTIVE PIN<br>10MM W81434 | WHIPPING AND LOOP          |       | 7/16"      | 38500     | 126  | 3 3 / 4    | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC20 |                        |                        | 08031065                | 299854                  | 00  | 1   | MAIN HALYARD - tall classic mast           | SAMSON ULTRA TECH | WHITE | SOFT EYE<br>BAR SHACKLE<br>CAPTIVE PIN<br>10MM        | WHIPPING AND LOOP          |       | 7/16"      | 41500     | 136  | 1 13 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC22 |                        |                        | 08031058                | 111204                  | 00  | 1   | MAINSHEET - mid boom                       | SAMSON LS         | GREY  | SOFT EYE  | WHIPPING AND LOOP          |       | 7/16"      | 24000     | 78   | 8 7 / 8    | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC22 |                        |                        | 08031059                | 299848                  | 00  | 1   | MAINSHEET - end boom                       | SAMSON LS         | GREY  | SOFT EYE  | WHIPPING                   |       | 7/16"      | 32000     | 104  | 11 13 / 16 | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC24 |                        |                        | 08030840                | 299698                  | 00  | 1   | MAINSHEET FINE TUNE - end boom             | SAMSON LS         | GREEN | WHIPPING  | WHIPPING                   |       | 5/16"      | 11500     | 37   | 8 3 / 4    | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC25 |                        |                        | 08030841                | 299699                  | 00  | 1   | MAIN BOOM TOPPING LIFT - classic mast      | SAMSON LS         | WHITE | SOFT EYE<br>BAR SHACKLE<br>CAPTIVE PIN<br>6MM         | WHIPPING AND LOOP          |       | 5/16"      | 31500     | 103  | 4 1 / 8    | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC25 |                        |                        | 08030846                | 299703                  | 00  | 1   | MAIN BOOM TOPPING LIFT - tall classic mast | SAMSON LS         | WHITE | SOFT TYE<br>BAR SHACKLE<br>CAPTIVE PIN<br>6MM         | WHIPPING AND LOOP          |       | 5/16"      | 34500     | 113  | 2 1 / 4    | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC26 |                        |                        | 08030302                | 299602                  | 00  | 1   | VANG CABLE #2 PURCHASE - tall classic mast | WIRE CABLE        | SS    | RIGGING TOGGLE JAW RTJ04                              | NICOPRESS EYE WITH THIMBLE |       | 1/8" 7X19  | 2000      | 6    | 6 3 / 4    | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC26 |                        |                        | 08030524                | 299620                  | 00  | 1   | VANG CABLE #1 PURCHASE - tall classic mast | WIRE CABLE        | SS    | AIRCRAFT FORK ANF07                                   | NICOPRESS EYE WITH THIMBLE |       | 7/32" 7X19 | 2300      | 7    | 6 9 / 16   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC26 |                        |                        | 08030848                | 299705                  | 00  | 1   | VANG LINE #3 PURCHASE -tall classic mast   | SAMSON LS         | WHITE | SOFT EYE  | WHIPPING AND LOOP          |       | 5/16"      | 15500     | 50   | 10 1 / 4   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE - classic mast                   |                   | WHITE | BURNT   | BURNT                      |       | 3/8"       | 16000     | 52   | 5 15 / 16  | ISOMAT                    |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION  | MAKE & TYPE   | COL.  | TERMINAL 1   | TERMINAL 2                            | NOTES | DIA        | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|---------------|-------|--|---------------------------------------|-------|------------|-----------|------|-----------|---------------------------|------------|
| F42s7 | AC27 |                        |                        | 0803 0832               | 299691                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE - coachroof traveller | SAMSON LS     | BLUE  | SOFT EYE   | WHIPPING                              |       | 5/16"      | 8600      | 28   | 2 9 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC27 |                        |                        | 0803 0832               | 299691                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE - coachroof traveller | SAMSON LS     | WHITE | SOFT EYE   | WHIPPING                              |       | 5/16"      | 8600      | 28   | 2 9 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC27 |                        |                        | 0803 0958               | 299773                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE - cockpit traveller   | SAMSON LS     | BLUE  | SOFT EYE   | WHIPPING                              |       | 3/8"       | 11000     | 36   | 1 1 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC27 |                        |                        | 0803 0958               | 299773                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE - cockpit traveller   | SAMSON LS     | WHITE | SOFT EYE   | WHIPPING                              |       | 3/8"       | 11000     | 36   | 1 1 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC28 | 0803 0844              | 299701                 |                         |                         | 00  | 2   | LAZY JACK #1 LINE                                      | SAMSON LS     | WHITE | LARGE SOFT EYE (HARKEN 082 BLOCK MUST BE ABLE TO PASS THRU LOOP CREATED) | SOFT EYE WITH HARKEN 082 BULLET BLOCK |       | 5/16"      | 4500      | 14   | 9 3 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC28 | 0803 0844              | 299701                 |                         |                         | 00  | 1   | LAZY JACK #2 LINE                                      | SAMSON LS     | WHITE | BURNT  | BURNT                                 |       | 5/16"      | 26000     | 85   | 3 5 / 8   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC30 |                        |                        | 0803 1061               | 299850                  | 00  | 1   | OUTHAUL - classic mast                                 | YALE PORTLAND | BLACK | BURNT  | WHIPPING AND LOOP                     |       | 7/16"      | 13500     | 44   | 3 1 / 2   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC31 |                        |                        | 0803 1062               | 299851                  | 00  | 1   | REEF 1 - classic mast                                  | YALE PORTLAND | RED   | BURNT  | WHIPPING AND LOOP                     |       | 7/16"      | 22251     | 73   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC32 |                        |                        | 0803 1063               | 299852                  | 00  | 1   | REEF 2 - classic mast                                  | YALE PORTLAND | GREEN | BURNT  | WHIPPING AND LOOP                     |       | 7/16"      | 26500     | 86   | 11 5 / 16 | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC50 |                        |                        | 0803 0525               | 299621                  | 00  | 1   | BACKSTAY CABLE #2 PURCHASE - tall classic mast         | WIRE CABLE    | SS    | JAW TOGGLE 3/8" PIN  | JAW TOGGLE 3/8" PIN                   |       | 3/16" 7X19 | 1977      | 6    | 5 13 / 16 | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION   | MAKE & TYPE                     | COL.   | TERMINAL 1   | TERMINAL 2                           | NOTES | DIA       | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|---------------------------------|--------|--|--------------------------------------|-------|-----------|-----------|------|-----------|---------------------------|------------|
| F42s7 | AC50 |                        |                        | 08030632                | 299656                  | 00  | 1   | BACKSTAY CABLE #1 PURCHASE - tall classic mast                | WIRE CABLE                      | SS     | JAW TOGGLE 1/2" PIN  | MARINE EYE 1/2" HOLE                 |       | 1/4" 7X19 | 2255      | 7    | 4 3 / 4   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC50 |                        |                        | 08030847                | 299704                  | 00  | 1   | BACKSTAY ADJUSTABLE LINE                                      | SAMSON XLS EXTRA                | BLACK  | SOFT EYE   | WHIPPING                             |       | 5/16"     | 5700      | 18   | 8 7 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC51 |                        |                        | 08030303                | 299603                  | 00  | 2   | CHECKSTAY LASHING 250mm                                       | SPECTRON                        | GREY   | BURNT  | BURNT                                |       | 7/64"     | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC51 |                        |                        | 08030627                | 299651                  | 00  | 2   | CHECKSTAY   | SAMSON SPECTRON                 | GREY   | SOFT EYE WITH T BALL (loop thru itself)                      | HARD EYE WITH SS THIMBLE             |       | 1/4"      | 9078      | 29   | 9 3 / 8   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC51 |                        |                        | 08030633                | 299657                  | 00  | 2   | CHECKSTAY "Y" DEFLECTOR LINE AND BLOCK                        | SAMSON SPECTRON                 | GREY   | SOFT EYE WITH HARKEN 125 BLOCK (loop thru itself)            | SOFT EYE                             |       | 3/16"     | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC51 |                        |                        | 08030960                | 299775                  | 00  | 1   | CHECKSTAY "Y" DEFLECTOR LINE TAIL                             | YALE MAXIBRAID PLUS             | YELLOW | SOFT EYE (splice directly onto soft eyes of both deflectors) | WHIPPING AND LOOP                    |       | 3/8"      | 11500     | 37   | 8 3 / 4   | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC52 | 08031060               | 299849                 |                         |                         | 00  | 2   | RUNNING BACKSTAY LINE (spliced to running backstay rope tail) | SAMSON ULTRA TECH               | GREEN  | SOFT EYE   | SPLICE TO RUNNING BACKSTAY ROPE TAIL |       | 7/16"     | 8500      | 27   | 10 5 / 8  | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC52 | 08031060               | 299849                 |                         |                         | 00  | 2   | RUNNING BACKSTAY SPLICE                                       | SAMSON ULTRA TECH AND XLS EXTRA |        |  |                                      |       |           | 500       | 1    | 7 11 / 16 | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC52 | 08031060               | 299849                 |                         |                         | 00  | 2   | RUNNING BACKSTAY ROPE TAIL (spliced to running backstay line) | SAMSON XLS EXTRA                | GREEN  | SPLICE TO RUNNING BACKSTAY LINE                              | WHIPPING                             |       | 1/4"      | 10000     | 32   | 9 11 / 16 | SECO SOUTH<br>ok for prod |            |
| F42s7 | AC52 |                        |                        | 08030628                | 299652                  | 00  | 1   | RUNNING BACKSTAY SHOCKORD                                     | SHOCKORD                        | WHITE  | BURNT  | BURNT                                |       | 1/4"      | 6000      | 19   | 8 3 / 16  | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                 | MAKE & TYPE      | COL.             | TERMINAL 1                                   | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN         | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|------------------|------------------|--|-------------------|-------|-------|-----------|------|------------|---------------------------|------------|
| F42s7 | AU06 |                        |                        | 08030526                | 299622                  | 00  | 1   | UTILITY LINE                                | SAMSON LS        | WHITE            | BURNT  | BURNT             |       | 3/16" | 3000      | 9    | 10 1 / 8   | SECO SOUTH<br>ok for prod |            |
| F42s7 | BE01 |                        |                        | 08030616                | 111199                  | 00  | 1   | UTILITY LINE                                | SAMSON LS        | WHITE            | BURNT  | BURNT             |       | 3/16" | 1500      | 4    | 11 1 / 16  | SECO SOUTH<br>ok for prod |            |
| F42s7 | BE02 |                        |                        | 08030843                | 299700                  | 00  | 2   | TRANSOM PLATFORM AUTOMATIC OPENING SHOCKORD | SHOCKORD         | WHITE            | SOFT EYE D12 EYE                             | SOFT EYE D12 EYE  |       | 5/16" | 650       | 2    | 1 9 / 16   | SECO SOUTH<br>ok for prod |            |
| F42s7 | BE02 |                        |                        | 08030959                | 299774                  | 00  | 1   | TRANSOM PLATFORM UP/DOWN LINE               | SAMSON LS        | WHITE            | WHIPPING                                     | WHIPPING          |       | 3/8"  | 4000      | 13   | 1 1 / 2    | SECO SOUTH<br>ok for prod |            |
| F42s7 | GO01 |                        |                        | 08030618                | 299642                  | 00  | 1   | UTILITY LINE                                | SAMSON LS        | BLUE             | BURNT  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4    | SECO SOUTH<br>ok for prod |            |
| F42s7 | GO01 |                        |                        | 08030618                | 299642                  | 01  | 1   | UTILITY LINE                                | SAMSON LS        | WHITE            | BURNT  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4    | SECO SOUTH<br>ok for prod |            |
| F44.7 |      |                        |                        |                         |                         | 00  | 1   | JIB ROLLER FURLING LINE - facnor            |                  | WHITE/<br>YELLOW | BURNT  | BURNT             |       | 10mm  | 30000     | 98   | 5 1 / 16   | FACNOR                    |            |
| M310  | AC17 |                        |                        | 08030609                | 299634                  | 01  | 2   | JIB TRAVELLER CONTROL LINE                  | SAMSON LS        | BLUE             | WHIPPING                                     | WHIPPING          |       | 1/4"  | 7621      | 25   | 0 1 / 16   |                           |            |
| M310  | AC17 |                        |                        | 08030609                | 299634                  | 02  | 2   | JIB TRAVELLER CONTROL LINE                  | SAMSON LS        | WHITE            | WHIPPING                                     | WHIPPING          |       | 1/4"  | 7621      | 25   | 0 1 / 16   |                           |            |
| M322  | AC00 |                        |                        | 08030944                | 299759                  | 00  | 1   | GENNEKER HALYARD                            | SAMSON XLS EXTRA | RED              | SOFT EYE SNAPSHOT SHACKLE W2477              | WHIPPING AND LOOP |       | 3/8"  | 32000     | 104  | 11 13 / 16 | SECO SOUTH<br>ok for prod |            |
| M322  | AC00 |                        |                        | 08030944                | 299759                  | 01  | 1   | GENNEKER HALYARD                            | SAMSON XLS EXTRA | RED              | SOFT EYE SNAPSHOT SHACKLE W2475              | WHIPPING AND LOOP |       | 3/8"  | 32000     | 104  | 11 13 / 16 | SECO SOUTH<br>ok for prod |            |
| M322  | AC10 |                        |                        | 08030963                | 299777                  | 00  | 1   | JIB HALYARD #1                              | SAMSON XLS EXTRA | BLACK            | SOFT EYE D SHACKLE CAPTIVE 6mm PIN 20mm WIDE | WHIPPING AND LOOP |       | 3/8"  | 30500     | 100  | 0 3 / 4    | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                       | MAKE & TYPE         | COL.  | TERMINAL 1                                   | TERMINAL 2            | NOTES | DIA        | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------------------|---------------------|-------|--|-----------------------|-------|------------|-----------|------|-----------|---------------------------|------------|
| M322 | AC10 |                        |                        | 08030963                | 299777                  | 01  | 1   | JIB HALYARD #1                    | SAMSON LSTC         | BLACK | SOFT EYE D SHACKLE CAPTIVE 6mm PIN 20mm WIDE | WHIPPING AND LOOP     |       | 3/8"       | 30500     | 100  | 0 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M322 | AC12 |                        |                        | 08031067                | 299855                  | 00  | 2   | JIB SHEET                         | SAMSON LS           | BLACK | WHIPPING                                     | WHIPPING              |       | 7/16"      | 16900     | 55   | 5 3 / 8   | SECO SOUTH<br>ok for prod |            |
| M322 | AC19 |                        |                        | 08030837                | 299695                  | 01  | 1   | GENOA RF LINE                     | SAMSON XLS EXTRA    | WHITE | BURNT  | WHIPPING AND LOOP     |       | 5/16"      | 21000     | 68   | 10 3 / 4  | SECO SOUTH<br>ok for prod |            |
| M322 | AC20 |                        |                        | 08030964                | 299778                  | 00  | 1   | MAIN HALYARD                      | SAMSON XLS EXTRA    | GREY  | SOFT EYE D SHACKLE CAPTIVE PIN 8mm           | WHIPPING AND LOOP     |       | 3/8"       | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| M322 | AC20 |                        |                        | 08030964                | 299778                  | 01  | 1   | MAIN HALYARD                      | SAMSON LSTC         | GREY  | SOFT EYE D SHACKLE CAPTIVE PIN 8mm           | WHIPPING AND LOOP     |       | 3/8"       | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| M322 | AC22 |                        |                        | 08031068                | 299856                  | 00  | 1   | MAINSHEET                         | SAMSON LS           | GREY  | SOFT EYE D SHACKLE 6mm PIN                   | WHIPPING AND LOOP     |       | 7/16"      | 18500     | 60   | 8 5 / 16  | SECO SOUTH<br>ok for prod |            |
| M322 | AC25 |                        |                        | 08030624                | 299648                  | 00  | 1   | MAIN BOOM TOPPING LIFT            | SAMSON LS           | WHITE | SOFT EYE BAR SHACKLE CAPTIVE PIN 6mm         | WHIPPING AND LOOP     |       | 1/4"       | 25250     | 82   | 10 1 / 16 | SECO SOUTH<br>ok for prod |            |
| M322 | AC26 |                        |                        | 08031012                | 299811                  | 01  | 1   | VANG LINE                         | SAMSON LS           | GREY  | SOFT EYE                                     | WHIPPING              |       | 7/16"      | 7011      | 23   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| M322 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #1 CLASSIC MAST      | YALE PORTLAND BRAID | WHITE | BURNT  | BURNT                 |       | 3/8"       | 3300      | 10   | 9 15 / 16 | ISOMAT                    |            |
| M322 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #2 CLASSIC MAST      | YALE PORTLAND BRAID | WHITE | BURNT  | BURNT                 |       | 3/8"       | 4200      | 13   | 9 3 / 8   | ISOMAT                    |            |
| M322 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL WIRE PENNANT CLASSIC MAST | MACWHYTE            | SS    | HARD EYE WITH THIMBLE                        | HARD EYE WITH THIMBLE |       | 5/32" 7x19 | 360       | 1    | 2 3 / 16  | ISOMAT                    |            |
| M322 | AC31 |                        |                        |                         |                         | 00  | 1   | AUTO REEF TACK LINE REEF 1        | YALE PORTLAND BRAID | GREEN | BURNT  | BURNT                 |       | 3/8"       | 16000     | 52   | 5 15 / 16 | ISOMAT                    |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                       | MAKE & TYPE         | COL.   | TERMINAL 1                      | TERMINAL 2 | NOTES   | DIA  | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------------------|---------------------|--------|---------------------------------|------------|---|------|-----------|------|-----------|---------------------------|------------|
| M322 | AC31 |                        |                        |                         |                         | 00  | 1   | AUTO REEF CLEW LINE REEF 1        | YALE PORTLAND BRAID | GREEN  | BURNT                           | BURNT      |   | 3/8" | 7000      | 22   | 11 9 / 16 | ISOMAT                    |            |
| M322 | AC32 |                        |                        |                         |                         | 00  | 1   | AUTO REEF TACK LINE REEF 2        | YALE PORTLAND BRAID | RED    | BURNT                           | BURNT      |   | 3/8" | 17500     | 57   | 4 15 / 16 | ISOMAT                    |            |
| M322 | AC32 |                        |                        |                         |                         | 00  | 1   | AUTO REEF CLEW LINE REEF 2        | YALE PORTLAND BRAID | RED    | BURNT                           | BURNT      |   | 3/8" | 9000      | 29   | 6 5 / 16  | ISOMAT                    |            |
| M322 | BE01 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE                      | SAMSON LS           | BLUE   | BURNT                           | BURNT      |   | 1/4" | 2000      | 6    | 6 3 / 4   | SECO SOUTH                |            |
| M322 | BE01 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE                      | SAMSON LS           | BLUE   | BURNT                           | BURNT      |   | 1/4" | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M322 | BE01 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE                      | SAMSON LS           | WHITE  | BURNT                           | BURNT      |   | 1/4" | 2000      | 6    | 6 3 / 4   | SECO SOUTH                |            |
| M322 | BE01 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE                      | SAMSON LS           | WHITE  | BURNT                           | BURNT      |   | 1/4" | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M323 | AC00 |                        |                        |                         |                         | 00  | 1   | SPARE HEADSAIL HALYARD            | GLEISTEIN TASMANIA  | GREEN  | KNOT + 7MM Zspar 3639 D shackle | BURNT      |   | 10mm | 29200     | 95   | 9 9 / 16  | Z SPAR                    |            |
| M323 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                    | GLEISTEIN TASMANIA  | BLUE   | KNOT + 7MM ZSPAR 3639 D SHACKLE | BURNT      |   | 10mm | 29200     | 95   | 9 9 / 16  | Z SPAR                    |            |
| M323 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast       | GLEISTEIN TASMANIA  | RED    | KNOT + 7MM Zspar 3639 D shackle | BURNT      |   | 10mm | 30300     | 99   | 4 7 / 8   | Z SPAR                    |            |
| M323 | AC25 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT            | GLEISTEIN TASMANIA  | YELLOW | KNOT + 6MM ZSPAR 3212 D SHACKLE | BURNT      |   | 6mm  | 27300     | 89   | 6 13 / 16 | Z SPAR                    |            |
| M323 | AC26 |                        |                        |                         | 458027                  | 00  | 1   | VANG LINE - Moorings block+tackle | SAMSON LS           | GREY   | SOFT EYE                        | WHIPPING   | 1. To suit moorings type block+tackle system. | 3/8" | 8500      | 27   | 10 5 / 8  | SECO SOUTH<br>ok for prod |            |
| M323 | AC26 |                        |                        |                         | 458027                  | 01  | 1   | VANG LINE - Moorings block+tackle | SAMSON LS           | GREY   | SOFT EYE                        | WHIPPING   | 1. To suit moorings type block+tackle system. | 3/8" | 9000      | 29   | 6 5 / 16  | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                       | MAKE & TYPE        | COL.   | TERMINAL 1                           | TERMINAL 2        | NOTES   | DIA   | LENGTH mm | FEET | IN         | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------------------|--------------------|--------|--------------------------------------|-------------------|---|-------|-----------|------|------------|------------------------|------------|
| M323 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL AFT LINE - classic mast   | GLEISTEIN TASMANIA | BLACK  | BURNT                                | BURNT             |   | 8mm   | 3000      | 9    | 10 1 / 8   | Z SPAR                 |            |
| M323 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL FWD LINE - classic mast   | GLEISTEIN TASMANIA | BLACK  | KNOT + ZSPAR 253 SINGLE+BECKET BLOCK | BURNT             |   | 8mm   | 8000      | 26   | 2 15 / 16  | Z SPAR                 |            |
| M323 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast             | GLEISTEIN TASMANIA | RED    | BURNT                                | BURNT             |   | 10mm  | 15600     | 51   | 2 3 / 16   | Z SPAR                 |            |
| M323 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast             | GLEISTEIN TASMANIA | BLUE   | BURNT                                | BURNT             |   | 10mm  | 19500     | 63   | 11 11 / 16 | Z SPAR                 |            |
| M331 | AC00 |                        |                        | 0803 0986               | 111634                  | 00  | 1   | GENNEKER HALYARD                  | SAMSON XLS EXTRA   | RED    | SOFT EYE SNAPSHOT W2475              | WHIPPING AND LOOP |   | 3/8"  | 30000     | 98   | 5 1 / 16   | SECO SOUTH ok for prod |            |
| M331 | AC01 |                        |                        | 0803 1066               | 111205                  | 00  | 1   | GENNEKER TACK STROP               | SAMSON LS          | RED    | SOFT EYE SNAPSHOT W2475              | WHIPPING          |   | 3/8"  | 7000      | 22   | 11 9 / 16  | SECO SOUTH ok for prod |            |
| M331 | AC02 |                        |                        | 0803 0911               | 111633                  | 01  | 1   | GENNEKER SHEET                    | SAMSON XLS 900     | RED    | SOFT EYE SNAPSHOT W2473              | WHIPPING          |   | 5/16" | 18594     | 61   | 0 1 / 16   | SECO SOUTH ok for prod |            |
| M331 | AC12 |                        |                        | 0803 1075               | 111635                  | 00  | 2   | JIB SHEET                         | SAMSON LS          | BLACK  | WHIPPING                             | WHIPPING          |   | 7/16" | 13500     | 44   | 3 1 / 2    | SECO SOUTH             |            |
| M331 | AC22 |                        |                        | 0803 1076               | 111636                  | 00  | 1   | MAINSHEET - on coachroof          | SAMSON LS          | GREY   | SOFT EYE LONG LOOP                   | WHIPPING          |   | 7/16" | 20000     | 65   | 7 3 / 8    | SECO SOUTH             |            |
| M331 | AC27 |                        |                        | 0803 0815               | 111632                  | 03  | 2   | MAINSHEET TRAVELLER CONTROL LINE  | SAMSON LS          | WHITE  | SOFT EYE                             | WHIPPING          |   | 5/16" | 3658      | 12   | 0 0 / 16   | SECO SOUTH ok for prod |            |
| M343 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                    | GLEISTEIN TASMANIA | BLUE   | KNOT + 7MM ZSPAR 3639 D SHACKLE      | BURNT             |   | 10mm  | 31600     | 95   | 9 9 / 16   | Z SPAR                 |            |
| M343 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast       | GLEISTEIN TASMANIA | RED    | KNOT + 7MM Zspar 3639 D shackle      | BURNT             |   | 10mm  | 32900     | 99   | 4 7 / 16   | Z SPAR                 |            |
| M343 | AC25 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT            | GLEISTEIN TASMANIA | YELLOW | KNOT + 6MM ZSPAR 3212 D SHACKLE      | BURNT             |   | 6mm   | 27900     | 89   | 6 13 / 16  | Z SPAR                 |            |
| M343 | AC26 |                        |                        |                         | 458027                  | 01  | 1   | VANG LINE - Moorings block+tackle | SAMSON LS          | GREY   | SOFT EYE                             | WHIPPING          | 1. To suit moorings type block+tackle system. | 3/8"  | 9000      | 29   | 6 5 / 16   | SECO SOUTH ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                 | MAKE & TYPE        | COL.  | TERMINAL 1                                  | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN         | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------------|--------------------|-------|---|-------------------|-------|-------|-----------|------|------------|------------------------|------------|
| M343 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL - classic mast      | GLEISTEIN TASMANIA | BLACK | BURNT                                       | BURNT             |       | 10mm  | 12150     | 39   | 10 5 / 16  | Z SPAR                 |            |
| M343 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast       | GLEISTEIN TASMANIA | GREEN | BURNT                                       | BURNT             |       | 10mm  | 16150     | 52   | 11 13 / 16 | Z SPAR                 |            |
| M343 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast       | GLEISTEIN TASMANIA | RED   | BURNT                                       | BURNT             |       | 10mm  | 20200     | 66   | 3 1 / 4    | Z SPAR                 |            |
| M352 | AC10 |                        |                        | 0803 0945               | 299760                  | 01  | 1   | JIB HALYARD #1              | SAMSON XLS EXTRA   | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16   | SECO SOUTH ok for prod |            |
| M352 | AC10 |                        |                        | 0803 0945               | 299760                  | 02  | 1   | JIB HALYARD #1              | SAMSON LSTC        | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16   | SECO SOUTH ok for prod |            |
| M352 | AC10 |                        |                        | 0803 0946               | 299761                  | 01  | 1   | JIB HALYARD #2              | SAMSON XLS EXTRA   | GREEN | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16   | SECO SOUTH ok for prod |            |
| M352 | AC12 |                        |                        | 0803 1218               | 299879                  | 00  | 2   | JIB SHEET                   | SAMSON LS          | BLACK | WHIPPING                                    | WHIPPING          |       | 1/2"  | 13500     | 44   | 3 1 / 2    | SECO SOUTH ok for prod |            |
| M352 | AC19 |                        |                        | 0803 0837               | 299695                  | 01  | 1   | GENOA RF LINE               | SAMSON XLS EXTRA   | WHITE | BURNT                                       | WHIPPING AND LOOP |       | 5/16" | 21000     | 68   | 10 3 / 4   | SECO SOUTH ok for prod |            |
| M352 | AC20 |                        |                        | 0803 0947               | 299762                  | 00  | 1   | MAIN HALYARD - classic mast | SAMSON XLS EXTRA   | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16   | SECO SOUTH ok for prod |            |
| M352 | AC20 |                        |                        | 0803 0947               | 299762                  | 01  | 1   | MAIN HALYARD - classic mast | SAMSON LSTC        | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16   | SECO SOUTH ok for prod |            |
| M352 | AC22 |                        |                        | 0803 1049               | 299840                  | 01  | 1   | MAINSHEET                   | SAMSON LS          | GREY  | SOFT EYE                                    | WHIPPING AND LOOP |       | 7/16" | 19000     | 62   | 4 0 / 16   | SECO SOUTH ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE      | COL.  | TERMINAL 1                             | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|------------------|-------|--|-------------------|-------|-------|-----------|------|-----------|---------------------------|------------|
| M352 | AC25 |                        |                        | 08030838                | 299696                  | 00  | 1   | MAIN BOOM TOPPING LIFT           | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 1/4"  | 25500     | 83   | 7 15 / 16 | SECO SOUTH<br>ok for prod |            |
| M352 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE - classic mast         | SAMSON LS        | WHITE | BURNT                                  | BURNT             |       | 5/16" | 8800      | 28   | 10 7 / 16 | Z SPAR                    |            |
| M352 | AC27 |                        |                        | 08030805                | 113153                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS        | BLUE  | SOFT EYE                               | WHIPPING          |       | 5/16" | 8535      | 28   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| M352 | AC27 |                        |                        | 08030805                | 113153                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS        | WHITE | SOFT EYE                               | WHIPPING          |       | 5/16" | 8535      | 28   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| M352 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL                          | SAMSON LST       | BLACK | BURNT                                  | BURNT             |       | 5/16" | 11500     | 37   | 8 3 / 4   | Z SPAR                    |            |
| M352 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1                           | SAMSON LST       | RED   | BURNT                                  | BURNT             |       | 3/8"  | 14250     | 46   | 9 0 / 16  | Z SPAR                    |            |
| M352 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2                           | SAMSON LST       | GREEN | BURNT                                  | BURNT             |       | 3/8"  | 18750     | 61   | 6 3 / 16  | Z SPAR                    |            |
| M352 | BE01 |                        |                        | 08030618                | 299642                  | 00  | 3   | UTILITY LINE                     | SAMSON LS        | BLUE  | BURNT                                  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M352 | BE01 |                        |                        | 08030618                | 299642                  | 01  | 3   | UTILITY LINE                     | SAMSON LS        | WHITE | BURNT                                  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M352 | BE02 |                        |                        | 08030618                | 299642                  | 00  | 1   | UTILITY LINE                     | SAMSON LS        | BLUE  | BURNT                                  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M352 | BE02 |                        |                        | 08030618                | 299642                  | 01  | 1   | UTILITY LINE                     | SAMSON LS        | WHITE | BURNT                                  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M352 | GO01 |                        |                        | 08030618                | 299642                  | 00  | 1   | UTILITY LINE                     | SAMSON LS        | BLUE  | BURNT                                  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M352 | GO01 |                        |                        | 08030618                | 299642                  | 01  | 1   | UTILITY LINE                     | SAMSON LS        | WHITE | BURNT                                  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M381 | AC00 |                        |                        | 08030967                | 299781                  | 00  | 1   | GENNEKER HALYARD                 | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2475                | WHIPPING AND LOOP |       | 3/8"  | 35000     | 114  | 9 15 / 16 | SECO SOUTH<br>ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                              | MAKE & TYPE      | COL.  | TERMINAL 1   | TERMINAL 2        | NOTES                            | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|------------------|-------|--|-------------------|----------------------------------|-------|-----------|------|-----------|---------------------------|------------|
| M381 | AC10 |                        |                        | 0803 0977               | 299790                  | 00  | 1   | JIB HALYARD #1                           | SAMSON XLS EXTRA | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm W81434 | WHIPPING AND LOOP |                                  | 3/8"  | 33500     | 109  | 10 7 / 8  | SECO SOUTH<br>ok for prod |            |
| M381 | AC10 |                        |                        | 0803 0977               | 299790                  | 01  | 1   | JIB HALYARD #1                           | SAMSON LSTC      | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm W81434 | WHIPPING AND LOOP |                                  | 3/8"  | 33500     | 109  | 10 7 / 8  | SECO SOUTH<br>ok for prod |            |
| M381 | AC12 |                        |                        | 0803 1217               | 111206                  | 00  | 2   | JIB SHEET                                | SAMSON LS        | BLACK | WHIPPING   | WHIPPING          |                                  | 1/2"  | 16000     | 52   | 5 15 / 16 | SECO SOUTH<br>ok for prod |            |
| M381 | AC19 |                        |                        | 0803 0862               | 299717                  | 00  | 1   | GENOA RF LINE                            | SAMSON XLS EXTRA | WHITE | BURNT  | WHIPPING AND LOOP | 1. installed on hull #6 onwards. | 5/16" | 23000     | 75   | 5 1 / 2   | SECO SOUTH<br>ok for prod |            |
| M381 | AC20 |                        |                        | 0803 0973               | 299787                  | 00  | 1   | MAIN HALYARD - classic mast              | SAMSON XLS EXTRA | GREY  | SOFT EYE BAR SHACKLE CAPTIVE PIN 8mm               | WHIPPING AND LOOP |                                  | 3/8"  | 34000     | 111  | 6 9 / 16  | SECO SOUTH<br>ok for prod |            |
| M381 | AC20 |                        |                        | 0803 0979               | 299792                  | 00  | 1   | MAIN HALYARD - classic mast              | SAMSON LSTC      | GREY  | SOFT EYE BAR SHACKLE CAPTIVE PIN 8mm               | WHIPPING AND LOOP |                                  | 3/8"  | 34000     | 111  | 6 9 / 16  | SECO SOUTH<br>ok for prod |            |
| M381 | AC22 |                        |                        | 0803 1058               | 111204                  | 00  | 1   | MAINSHEET                                | SAMSON LS        | GREY  | SOFT EYE   | WHIPPING AND LOOP |                                  | 7/16" | 24000     | 78   | 8 7 / 8   | SECO SOUTH<br>ok for prod |            |
| M381 | AC25 |                        |                        | 0803 0861               | 299716                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast | SAMSON LS        | WHITE | SOFT EYE BAR SHACKLE CAPTIVE PIN 6MM               | WHIPPING AND LOOP |                                  | 5/16" | 26500     | 86   | 11 5 / 16 | SECO SOUTH<br>ok for prod |            |
| M381 | AC26 |                        |                        | 0803 1070               | 112063                  | 00  | 1   | VANG LINE - classic mast                 | SAMSON LS        | WHITE | SOFT EYE   | WHIPPING          |                                  | 7/16" | 9000      | 29   | 6 5 / 16  | SECO SOUTH<br>ok for prod |            |
| M381 | AC27 |                        |                        | 0803 0805               | 113153                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE         | SAMSON LS        | WHITE | SOFT EYE   | WHIPPING          |                                  | 5/16" | 8535      | 28   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| M381 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL - classic mast                   |                  | BLUE  | BURNT  | BURNT             |                                  | 3/8"  | 13500     | 44   | 3 1 / 2   | Z SPAR                    |            |
| M381 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast                    |                  | RED   | BURNT  | BURNT             |                                  | 3/8"  | 16000     | 52   | 5 15 / 16 | Z SPAR                    |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.  | TERMINAL 1                                  | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN       | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|-------|---|-------------------|-------|-------|-----------|------|----------|------------------------|------------|
| M381 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast              |                  | GREEN | BURNT                                       | BURNT             |       | 3/8"  | 21000     | 68   | 10 3 / 4 | Z SPAR                 |            |
| M405 | AC00 |                        |                        | 0803 1040               | 113170                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOTACKLE W2477                | WHIPPING AND LOOP |       | 7/16" | 34500     | 113  | 2 1 / 4  |                        |            |
| M405 | AC10 |                        |                        | 0803 1036               | 299833                  | 00  | 1   | JIB HALYARD #1                     | SAMSON XLS EXTRA | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 7/16" | 34500     | 113  | 2 1 / 4  | SECO SOUTH ok for prod |            |
| M405 | AC12 |                        |                        | 0803 1215               | 113179                  | 00  | 2   | JIB SHEET                          | SAMSON LS        | BLACK | WHIPPING                                    | WHIPPING          |       | 1/2"  | 14500     | 47   | 6 7 / 8  | SECO SOUTH ok for prod |            |
| M405 | AC19 |                        |                        | 0803 0936               | 113160                  | 00  | 1   | GENOA RF LINE                      | SAMSON XLS EXTRA | WHITE | BURNT                                       | WHIPPING AND LOOP |       | 3/8"  | 23000     | 75   | 5 1 / 2  | SECO SOUTH ok for prod |            |
| M405 | AC20 |                        |                        | 0803 1038               | 299834                  | 00  | 1   | MAIN HALYARD - classic mast        | SAMSON XLS EXTRA | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 7/16" | 34500     | 113  | 2 1 / 4  | SECO SOUTH ok for prod |            |
| M405 | AC20 |                        |                        | 0803 1039               | 299835                  | 00  | 1   | MAIN HALYARD - roller furling mast | SAMSON XLS EXTRA | GREY  | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm      | WHIPPING AND LOOP |       | 7/16" | 34500     | 113  | 2 1 / 4  | SECO SOUTH ok for prod |            |
| M405 | AC20 |                        |                        | 0803 1039               | 299835                  | 01  | 1   | MAIN HALYARD - roller furling mast | SAMSON XLS EXTRA | GREY  | SOFT EYE                                    | WHIPPING AND LOOP |       | 7/16" | 34500     | 113  | 2 1 / 4  | SECO SOUTH ok for prod |            |
| M405 | AC22 |                        |                        | 0803 1216               | 113180                  | 00  | 1   | MAINSHEET                          | SAMSON LS        | GREY  | SOFT EYE                                    | WHIPPING AND LOOP |       | 1/2"  | 23000     | 75   | 5 1 / 2  | SECO SOUTH ok for prod |            |
| M405 | AC25 |                        |                        | 0803 0933               | 299749                  | 00  | 1   | MAIN BOOM TOPPING LIFT             | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm      | WHIPPING AND LOOP |       | 3/8"  | 30500     | 100  | 0 3 / 4  | SECO SOUTH ok for prod |            |
| M405 | AC26 |                        |                        | 0803 1041               | 299836                  | 01  | 1   | VANG LINE - roller furling mast    | SAMSON LS        | WHITE | SOFT EYE                                    | WHIPPING AND LOOP |       | 7/16" | 12500     | 41   | 0 1 / 8  | SECO SOUTH ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE      | COL.  | TERMINAL 1   | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|------------------|-------|--|-------------------|-------|-------|-----------|------|-----------|---------------------------|------------|
| M405 | AC26 |                        |                        | 08031042                | 299837                  | 00  | 1   | VANG LINE - classic mast         | SAMSON LS        | WHITE | SOFT EYE   | WHIPPING          |       | 7/16" | 7200      | 23   | 7 7 / 16  | SECO SOUTH<br>ok for prod |            |
| M405 | AC27 |                        |                        | 08030833                | 113154                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS        | BLUE  | SOFT EYE   | WHIPPING          |       | 5/16" | 9500      | 31   | 2 0 / 16  | SECO SOUTH<br>ok for prod |            |
| M405 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE              | SAMSON LST       | BLACK | BURNT  | BURNT             |       | 3/8"  | 16500     | 54   | 1 5 / 8   | ISOMAT                    |            |
| M405 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE             | SAMSON LST       | GOLD  | BURNT  | BURNT             |       | 3/8"  | 20500     | 67   | 3 1 / 16  | ISOMAT                    |            |
| M405 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL - classic mast           | SAMSON LST       | BLACK | BURNT  | BURNT             |       | 3/8"  | 14000     | 45   | 11 3 / 16 | ISOMAT                    |            |
| M405 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast            | SAMSON LST       | RED   | BURNT  | BURNT             |       | 3/8"  | 18500     | 60   | 8 5 / 16  | ISOMAT                    |            |
| M405 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast            | SAMSON LST       | GREEN | BURNT  | BURNT             |       | 3/8"  | 24000     | 78   | 8 7 / 8   | ISOMAT                    |            |
| M405 | BE01 |                        |                        | 08030616                | 111199                  | 00  | 2   | UTILITY LINE                     | SAMSON LS        | WHITE | BURNT  | BURNT             |       | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| M405 | BE02 |                        |                        | 08030618                | 299642                  | 00  | 1   | UTILITY LINE                     | SAMSON LS        | BLUE  | BURNT  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M405 | BE02 |                        |                        | 08030618                | 299642                  | 01  | 1   | UTILITY LINE                     | SAMSON LS        | WHITE | BURNT  | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| M445 | AC00 |                        |                        | 08031051                | 113172                  | 00  | 1   | GENNEKER HALYARD                 | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOTACKLE W2477                       | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH<br>ok for prod |            |
| M445 | AC10 |                        |                        | 08031033                | 299831                  | 01  | 1   | JIB HALYARD #1                   | SAMSON XLS EXTRA | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 10mm W1415 | WHIPPING AND LOOP |       | 7/16" | 39000     | 127  | 11 7 / 16 | SECO SOUTH<br>ok for prod |            |
| M445 | AC10 |                        |                        | 08031034                | 299832                  | 01  | 1   | JIB HALYARD #2                   | SAMSON XLS EXTRA | GREEN | SOFT EYE SNAPSHOTACKLE W2477                       | WHIPPING AND LOOP |       | 7/16" | 39000     | 127  | 11 7 / 16 | SECO SOUTH<br>ok for prod |            |
| M445 | AC10 |                        |                        | 08031209                | 299873                  | 00  | 1   | JIB HALYARD #1                   | SAMSON XLS EXTRA | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 10mm W1415 | WHIPPING AND LOOP |       | 1/2"  | 37500     | 123  | 0 3 / 8   | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION  | MAKE & TYPE      | COL.  | TERMINAL 1   | TERMINAL 2        | NOTES         | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|------------------|-------|--|-------------------|---------------|-------|-----------|------|-----------|------------------------|------------|
| M445 | AC10 |                        |                        | 0803 1213               | 299877                  | 00  | 1   | JIB HALYARD #2   | SAMSON XLS EXTRA | GREEN | SOFT EYE SNAPSHOT W2477                            | WHIPPING AND LOOP |               | 1/2"  | 37500     | 123  | 0 3 / 8   | SECO SOUTH ok for prod |            |
| M445 | AC12 |                        |                        | 0803 1401               | 299888                  | 00  | 2   | JIB SHEET  | SAMSON LS        | BLACK | WHIPPING   | WHIPPING          |               | 9/16" | 15000     | 49   | 2 9 / 16  | SECO SOUTH ok for prod |            |
| M445 | AC19 |                        |                        | 1391 34                 | 139134                  | 00  | 1   | GENOA RF LINE  |                  |       | BURNT  | BURNT             |               | 3/8"  | 24800     | 81   | 4 3 / 8   | BENETEAU FRANCE        |            |
| M445 | AC20 |                        |                        | 0803 1032               | 299830                  | 00  | 1   | MAIN HALYARD - roller furling mast                     | SAMSON XLS EXTRA | GREY  | SOFT EYE   | WHIPPING AND LOOP |               | 7/16" | 37500     | 123  | 0 3 / 8   | SECO SOUTH ok for prod |            |
| M445 | AC20 |                        |                        | 0803 1210               | 299874                  | 00  | 1   | MAIN HALYARD - classic mast                            | SAMSON XLS EXTRA | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 10mm W1415 | WHIPPING AND LOOP |               | 1/2"  | 37500     | 123  | 0 3 / 8   | SECO SOUTH ok for prod |            |
| M445 | AC22 |                        |                        | 0803 1212               | 299876                  | 00  | 1   | MAINSHEET  | SAMSON LS        | GREY  | SOFT EYE   | WHIPPING AND LOOP |               | 1/2"  | 27001     | 88   | 7 0 / 16  | SECO SOUTH ok for prod |            |
| M445 | AC25 |                        |                        | 0803 0931               | 299747                  | 01  | 1   | MAIN BOOM TOPPING LIFT                                 | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm             | WHIPPING AND LOOP |               | 3/8"  | 33500     | 109  | 10 7 / 8  | SECO SOUTH ok for prod |            |
| M445 | AC26 |                        |                        | 0803 1211               | 299875                  | 00  | 1   | VANG LINE - classic mast                               | SAMSON LS        | GREY  | SOFT EYE   | WHIPPING          |               | 1/2"  | 7500      | 24   | 7 1 / 4   | SECO SOUTH ok for prod |            |
| M445 | AC26 |                        |                        | 0803 1214               | 299878                  | 01  | 1   | VANG LINE - roller furling mast                        | SAMSON LS        | GREEN | SOFT EYE   | WHIPPING          |               | 1/2"  | 14000     | 45   | 11 3 / 16 | SECO SOUTH ok for prod |            |
| M445 | AC27 |                        |                        | 0803 0832               | 299691                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE - coachroof traveller | SAMSON LS        | BLUE  | WHIPPING   | WHIPPING          |               | 5/16" | 8600      | 28   | 2 9 / 16  | SECO SOUTH             |            |
| M445 | AC27 |                        |                        | 0803 0832               | 299691                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE - coachroof traveller | SAMSON LS        | WHITE | SOFT EYE   | WHIPPING          |               | 5/16" | 8600      | 28   | 2 9 / 16  | SECO SOUTH ok for prod |            |
| M445 | AC27 |                        |                        | 0803 0857               | 299712                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 6:1                   | SAMSON LS        | WHITE | SOFT EYE   | WHIPPING          | hull #46 only | 5/16" | 13500     | 44   | 3 1 / 2   | SECO SOUTH ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION          | MAKE & TYPE      | COL.         | TERMINAL 1  | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN         | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------|------------------|--------------|---|-------------------|-------|-------|-----------|------|------------|---------------------------|------------|
| M445 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE  |                  | GREEN        | BURNT   | BURNT             |       | 3/8"  | 12000     | 39   | 4 7 / 16   | Z SPAR                    |            |
| M445 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE |                  | BLACK        | BURNT   | BURNT             |       | 7/16" | 21000     | 68   | 10 3 / 4   | Z SPAR                    |            |
| M445 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL              |                  | BLACK        | BURNT   | BURNT             |       | 7/16" | 14250     | 46   | 9 0 / 16   | Z SPAR                    |            |
| M445 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1               |                  | RED          | BURNT   | BURNT             |       | 7/16" | 19500     | 63   | 11 11 / 16 | Z SPAR                    |            |
| M445 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2               |                  | GREEN        | BURNT   | BURNT             |       | 7/16" | 25500     | 83   | 7 15 / 16  | Z SPAR                    |            |
| M445 | AU06 |                        |                        | 0803 0505               | 299614                  | 00  | 1   | SHOCKORD STROP       |                  | WHITE/ BLACK | EYE LOOP USING HOG EYE RING                             | BURNT             |       | 3/16" | 610       | 2    | 0 0 / 16   | SECO SOUTH<br>ok for prod |            |
| M445 | AU06 |                        |                        | 0803 0526               | 299622                  | 00  | 1   | UTILITY LINE         | SAMSON LS        | WHITE        | BURNT   | BURNT             |       | 3/16" | 3000      | 9    | 10 1 / 8   | SECO SOUTH<br>ok for prod |            |
| M445 | BE01 |                        |                        | 0803 0616               | 111199                  | 00  | 2   | UTILITY LINE         | SAMSON LS        | WHITE        | BURNT   | BURNT             |       | 3/16" | 1500      | 4    | 11 1 / 16  | SECO SOUTH<br>ok for prod |            |
| M445 | BE01 |                        |                        | 0803 0616               | 111199                  | 00  | 2   | UTILITY LINE         | SAMSON LS        | WHITE        | BURNT   | BURNT             |       | 3/16" | 1500      | 4    | 11 1 / 16  | SECO SOUTH                |            |
| M445 | BE03 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE         | SAMSON LS        | BLUE         | BURNT   | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4    | SECO SOUTH                |            |
| M445 | BE03 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE         | SAMSON LS        | BLUE         | BURNT   | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4    | SECO SOUTH                |            |
| M445 | BE03 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE         | SAMSON LS        | WHITE        | BURNT   | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4    | SECO SOUTH<br>ok for prod |            |
| M445 | BE03 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE         | SAMSON LS        | WHITE        | BURNT   | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4    | SECO SOUTH                |            |
| M461 | AC00 |                        |                        | 0803 1051               | 113172                  | 00  | 1   | GENNEKER HALYARD     | SAMSON XLS EXTRA | RED          | SOFT EYE SNAPSHOT W2477                                 | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16  | SECO SOUTH<br>ok for prod |            |
| M461 | AC10 |                        |                        | 0803 1102               | 299859                  | 00  | 1   | JIB HALYARD #1       | SAMSON XLS EXTRA | BLACK        | SOFT EYE WICHARD THIMBLE SHACKLE CAPTIVE PIN 10mm W1495 | WHIPPING AND LOOP |       | 7/16" | 40500     | 132  | 10 1 / 2   | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                              | MAKE & TYPE      | COL.  | TERMINAL 1  | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN         | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|------------------|-------|---|-------------------|-------|-------|-----------|------|------------|---------------------------|------------|
| M461 | AC10 |                        |                        | 08031102                | 299859                  | 01  | 1   | JIB HALYARD #1                           | SAMSON LSTC      | BLACK | SOFT EYE WICHARD THIMBLE SHACKLE CAPTIVE PIN 10mm W1495 | WHIPPING AND LOOP |       | 7/16" | 40500     | 132  | 10 1 / 2   | SECO SOUTH<br>ok for prod |            |
| M461 | AC12 |                        |                        | 08031404                | 299891                  | 00  | 2   | JIB SHEET                                | SAMSON LS        | BLACK | WHIPPING  | WHIPPING          |       | 9/16" | 20000     | 65   | 7 3 / 8    | SECO SOUTH<br>ok for prod |            |
| M461 | AC19 |                        |                        | 08030932                | 299748                  | 00  | 1   | GENOA RF LINE                            | SAMSON XLS EXTRA | WHITE | BURNT   | BURNT             |       | 3/8"  | 24800     | 81   | 4 3 / 8    | SECO SOUTH<br>ok for prod |            |
| M461 | AC20 |                        |                        | 08031105                | 299862                  | 00  | 1   | MAIN HALYARD - classic mast              | SAMSON XLS EXTRA | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 10mm W1415      | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16  | SECO SOUTH<br>ok for prod |            |
| M461 | AC20 |                        |                        | 08031105                | 299862                  | 01  | 1   | MAIN HALYARD - classic mast              | SAMSON LSTC      | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 10mm W1415      | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16  | SECO SOUTH<br>ok for prod |            |
| M461 | AC25 |                        |                        | 08030859                | 299714                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm SHD10            | WHIPPING AND LOOP |       | 5/16" | 32000     | 104  | 11 13 / 16 | SECO SOUTH<br>ok for prod |            |
| M461 | AC26 |                        |                        | 08031211                | 299875                  | 00  | 1   | VANG LINE                                | SAMSON LS        | GREY  | SOFT EYE  | WHIPPING          |       | 1/2"  | 7500      | 24   | 7 1 / 4    | SECO SOUTH<br>ok for prod |            |
| M461 | AC27 |                        |                        | 08030857                | 299712                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 6:1     | SAMSON LS        | WHITE | SOFT EYE  | WHIPPING          |       | 5/16" | 13500     | 44   | 3 1 / 2    | SECO SOUTH<br>ok for prod |            |
| M461 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL - classic mast                   |                  | BLACK | BURNT   | BURNT             |       | 3/8"  | 16000     | 52   | 5 15 / 16  | Z SPAR                    |            |
| M461 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast                    |                  | RED   | BURNT   | BURNT             |       | 7/16" | 20500     | 67   | 3 1 / 16   | Z SPAR                    |            |
| M461 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast                    |                  | GREEN | BURNT   | BURNT             |       | 7/16" | 25500     | 83   | 7 15 / 16  | Z SPAR                    |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.   | TERMINAL 1                           | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER   | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|--------|--------------------------------------|-------------------|-------|-------|-----------|------|-----------|------------|------------|
| O281 | AC00 |                        |                        | 0803 0830               | 299690                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON XLS EXTRA | RED    | SOFT EYE SNAPSHOT W2473              | WHIPPING AND LOOP |       | 5/16" | 25250     | 82   | 10 1 / 16 | SECO SOUTH |            |
| O281 | AC01 |                        |                        | 0803 1066               | 111205                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LS        | RED    | SOFT EYE SNAPSHOT W2475              | WHIPPING          |       | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH |            |
| O281 | AC02 |                        |                        | 0803 0911               | 111633                  | 01  | 2   | GENNEKER SHEET                     | SAMSON XLS 900   | RED    | SOFT EYE SNAPSHOT W2473              | WHIPPING          |       | 5/16" | 18594     | 61   | 0 1 / 16  | SECO SOUTH |            |
| O281 | AC05 |                        |                        | 0803 0814               | 299675                  | 01  | 1   | WHISKER POLE TOPPING LIFT          | NE K900          | GREEN  | SOFT EYE SNAPSHOT W2473              | WHIPPING AND LOOP |       | 5/16" | 20118     | 66   | 0 1 / 16  | SECO SOUTH |            |
| O281 | AC06 |                        |                        | 0803 0849               | 299706                  | 00  | 1   | FOREGUY                            | SAMSON XLS 900   | RED    | SOFT EYE SNAPSHOT W2473              | WHIPPING AND LOOP |       | 5/16" | 11750     | 38   | 6 9 / 16  | SECO SOUTH |            |
| O281 | AC10 |                        |                        | 0803 0850               | 299707                  | 00  | 1   | JIB HALYARD #1                     | SAMSON XLS EXTRA | BLACK  | SOFT EYE D SHACKLE CAPTIVE PIN 6mm   | WHIPPING AND LOOP |       | 5/16" | 25000     | 82   | 0 1 / 4   | SECO SOUTH |            |
| O281 | AC10 |                        |                        | 0803 0850               | 299707                  | 02  | 1   | JIB HALYARD #1                     | SAMSON LSTC      | BLACK  | SOFT EYE D SHACKLE CAPTIVE PIN 6mm   | WHIPPING AND LOOP |       | 5/16" | 25000     | 82   | 0 1 / 4   | SECO SOUTH |            |
| O281 | AC12 |                        |                        | 0803 1030               | 113168                  | 00  | 2   | JIB SHEET                          | SAMSON LS        | BLACK  | WHIPPING                             | WHIPPING          |       | 3/8"  | 11888     | 39   | 0 0 / 16  | SECO SOUTH |            |
| O281 | AC19 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                      | MARLOW           | YELLOW | BURNT                                | BURNT             |       | 1/4"  | 20000     | 65   | 7 3 / 8   | Z SPAR     |            |
| O281 | AC20 |                        |                        | 0803 0823               | 299683                  | 00  | 1   | MAIN HALYARD - classic mast        | SAMSON XLS EXTRA | GREY   | SOFT EYE BAR SHACKLE CAPTIVE PIN 6mm | WHIPPING AND LOOP |       | 5/16" | 25604     | 84   | 0 0 / 16  | SECO SOUTH |            |
| O281 | AC20 |                        |                        | 0803 0823               | 299683                  | 01  | 1   | MAIN HALYARD - classic mast        | SAMSON LSTC      | GREY   | SOFT EYE BAR SHACKLE CAPTIVE PIN 6mm | WHIPPING AND LOOP |       | 5/16" | 25604     | 84   | 0 0 / 16  | SECO SOUTH |            |
| O281 | AC20 |                        |                        | 0803 0851               | 299708                  | 00  | 1   | MAIN HALYARD - roller furling mast | SAMSON XLS EXTRA | GREY   | SOFT EYE                             | WHIPPING AND LOOP |       | 5/16" | 25604     | 84   | 0 0 / 16  | SECO SOUTH |            |
| O281 | AC20 |                        |                        | 0803 0851               | 299708                  | 01  | 1   | MAIN HALYARD - roller furling mast | SAMSON LSTC      | GREY   | SOFT EYE                             | WHIPPING AND LOOP |       | 5/16" | 25604     | 84   | 0 0 / 16  | SECO SOUTH |            |
| O281 | AC22 |                        |                        | 0803 0965               | 299779                  | 00  | 1   | MAINSHEET - in cockpit             | SAMSON LS        | GREY   | SOFT EYE                             | WHIPPING          |       | 3/8"  | 18000     | 59   | 0 5 / 8   | SECO SOUTH |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE | COL.   | TERMINAL 1   | TERMINAL 2   | NOTES        | DIA   | LENGTH mm | FEET | IN        | SUPPLIER   | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|-------------|--------|--|--|--------------|-------|-----------|------|-----------|------------|------------|
| O281 | AC22 |                        |                        | 0803 0975               | 299789                  | 00  | 1   | MAINSHEET - on coachroof         | SAMSON LS   | GREY   | SOFT EYE D SHACKLE 6mm                                     | WHIPPING   | hull #33, 34 | 3/8"  | 15000     | 49   | 2 9 / 16  | SECO SOUTH |            |
| O281 | AC25 |                        |                        | 0803 0615               | 299640                  | 00  | 1   | MAIN BOOM TOPPING LIFT           | SAMSON LS   | WHITE  | SOFT EYE BAR SHACKLE CAPTIVE PIN 5mm                       | WHIPPING AND LOOP  |              | 1/4"  | 21642     | 71   | 0 1 / 16  | SECO SOUTH |            |
| O281 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                        |             | YELLOW | BURNT  | KNOT AND TIE BALL  |              | 3/16" | 9000      | 29   | 6 5 / 16  | Z SPAR     |            |
| O281 | AC27 |                        |                        | 0803 0806               | 299667                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS   | WHITE  | SOFT EYE   | WHIPPING   | hull #33, 34 | 5/16" | 6000      | 19   | 8 3 / 16  | SECO SOUTH |            |
| O281 | AC28 | 0803 0506              | 299615                 |                         |                         | 00  | 2   | LAZY JACK #1 LINE                | SAMSON LS   | WHITE  | BURNT  | SOFT EYE - mark black line 3450mm from eye   |              | 1/4"  | 3575      | 11   | 8 3 / 4   | SECO SOUTH |            |
| O281 | AC28 | 0803 0506              | 299615                 |                         |                         | 00  | 2   | LAZY JACK #2 LINE                | SAMSON LS   | WHITE  | TIGHT SOFT EYE ONTO 32mm ID SS RING                        | TIGHT SOFT EYE ONTO 32mm ID SS RING - pass thru soft eye of line #1 prior to attaching ss ring |              | 3/16" | 3770      | 12   | 4 7 / 16  | SECO SOUTH |            |
| O281 | AC28 | 0803 0506              | 299615                 |                         |                         | 00  | 2   | LAZY JACK #3 LINE                | SAMSON LS   | WHITE  | TIGHT SOFT EYE ONTO ONE OF THE 32mm ID SS RINGS OF LINE #2 | BURNT - mark black line 650mm from tight soft eye  |              | 3/16" | 750       | 2    | 5 1 / 2   | SECO SOUTH |            |
| O281 | AC28 | 0803 0506              | 299615                 |                         |                         | 00  | 2   | LAZY JACK #4 LINE                | SAMSON LS   | WHITE  | BURNT  | BURNT  |              | 3/16" | 4750      | 15   | 7 0 / 16  | SECO SOUTH |            |
| O281 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE              |             | GREEN  | BURNT  | BURNT  |              | 5/16" | 14000     | 45   | 11 3 / 16 | Z SPAR     |            |
| O281 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE             |             | RED    | BURNT  | BURNT  |              | 5/16" | 13600     | 44   | 7 7 / 16  | Z SPAR     |            |
| O281 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #1 - classic mast   |             | YELLOW | BURNT  | BURNT  |              | 1/4"  | 3500      | 11   | 5 13 / 16 | Z SPAR     |            |
| O281 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #2 - classic mast   |             | YELLOW | BURNT  | BURNT  |              | 1/4"  | 3500      | 11   | 5 13 / 16 | Z SPAR     |            |
| O281 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast            |             | RED    | BURNT  | BURNT  |              | 5/16" | 14000     | 45   | 11 3 / 16 | Z SPAR     |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                          | MAKE & TYPE         | COL.  | TERMINAL 1                                | TERMINAL 2                                | NOTES                | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--------------------------------------|---------------------|-------|---|---|----------------------|-------|-----------|------|-----------|---------------------------|------------|
| O281 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast                |                     | GREEN | BURNT                                     | BURNT                                     |                      | 5/16" | 21000     | 68   | 10 3 / 4  | Z SPAR                    |            |
| O281 | BE01 |                        |                        | 0803 0616               | 111199                  | 00  | 1   | UTILITY LINE                         | SAMSON LS           | WHITE | BURNT                                     | BURNT                                     |                      | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH                |            |
| O281 | II11 |                        |                        | 0803 0305               | 113146                  | 00  | 2   | DOOR STAY STROP                      | #4 ZENITH POLYESTER | BLACK | BURNT + SWAGED 12-10 EYE TERMINAL D5 HOLE | BURNT + SWAGED 12-10 EYE TERMINAL D5 HOLE |                      | 1/8"  | 305       | 1    | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O311 | AC00 |                        |                        | 0803 0986               | 111634                  | 00  | 1   | GENNEKER HALYARD                     | SAMSON XLS EXTRA    | RED   | SOFT EYE SNAPSHOT W2475                   | WHIPPING AND LOOP                         |                      | 3/8"  | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O311 | AC01 |                        |                        | 0803 1066               | 111205                  | 00  | 1   | GENNEKER TACK STROP                  | SAMSON LS           | RED   | SOFT EYE SNAPSHOT W2475                   | WHIPPING                                  |                      | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| O311 | AC02 |                        |                        | 0803 0911               | 111633                  | 01  | 1   | GENNEKER SHEET - single sheet system | SAMSON XLS 900      | RED   | SOFT EYE SNAPSHOT W2473                   | WHIPPING                                  |                      | 5/16" | 18594     | 61   | 0 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O311 | AC00 |                        |                        |                         | 112599                  | 00  | 1   | GENNEKER HALYARD                     | SAMSON LSTC         | RED   | SOFT EYE SNAPSHOT W2475                   | WHIPPING AND LOOP                         |                      | 3/8"  | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O311 | AC01 |                        |                        |                         | 112572                  | 00  | 1   | GENNEKER TACK STROP                  | SAMSON LSTC         | BLACK | BURNT                                     | BURNT                                     |                      | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| O311 | AC02 |                        |                        |                         | 112573                  |     | 2   | GENNEKER SHEET - twin sheet system   | SAMSON LSTC         | RED   | BURNT                                     | BURNT                                     |                      | 5/16" | 21000     | 68   | 10 3 / 4  | SECO SOUTH<br>ok for prod |            |
| O311 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                       | MARLOW              |       |   |   |                      |       |           | 0    | 0 0 0 16  | CSPAR                     |            |
| O311 | AC12 |                        |                        | 0803 1030               | 113168                  | 00  | 2   | JIB SHEET                            | SAMSON LS           | BLACK | WHIPPING                                  | WHIPPING                                  |                      | 3/8"  | 11888     | 39   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O311 | AC19 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                        |                     |       | BURNT                                     | BURNT                                     | supplied with furler | 5/16" | 18289     | 60   | 0 0 / 16  | PROFURL                   |            |
| O311 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast          | MARLOW              |       |   |   | supplied with mast   |       |           | 0    | 0 0 0 16  | CSPAR                     |            |
| O311 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast   | MARLOW              |       |   |   | supplied with mast   |       |           | 0    | 0 0 0 16  | CSPAR                     |            |
| O311 | AC22 |                        |                        | 0803 1074               | 113176                  | 00  | 1   | MAINSHEET - on coachroof             | SAMSON LS           | GREY  | SOFT EYE LONG LOOP                        | WHIPPING                                  |                      | 3/8"  | 20000     | 65   | 7 6 / 16  | SECO SOUTH                |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE      | COL.   | TERMINAL 1                           | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN         | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|------------------|--------|--------------------------------------|-------------------|-------|-------|-----------|------|------------|---------------------------|------------|
| O311 | AC25 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT           | SAMSON LS        | WHITE  | SOFT EYE BAR SHACKLE CAPTIVE PIN 5mm | WHIPPING AND LOOP |       |       |           | 0    | 0 0 0 16   | CSPAR                     |            |
| O311 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                        |                  | YELLOW | BURNT                                | KNOT AND TIE BALL |       |       |           | 0    | 0 0 0 16   | CSPAR                     |            |
| O311 | AC27 |                        |                        | 0803 0815               | 111632                  | 03  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS        | WHITE  | SOFT EYE                             | WHIPPING          |       | 5/16" | 3658      | 12   | 0 0 / 16   | SECO SOUTH                |            |
| O311 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE              |                  |        | BURNT                                | BURNT             |       |       |           | 0    | 0 0 0 16   | CSPAR                     |            |
| O311 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE             |                  |        | BURNT                                | BURNT             |       |       |           | 0    | 0 0 0 16   | CSPAR                     |            |
| O311 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #1 - classic mast   |                  | YELLOW | BURNT                                | BURNT             |       |       |           | 0    | 0 0 0 16   | CSPAR                     |            |
| O311 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast auto reef  |                  |        |                                      |                   |       |       |           | 0    | 0 0 0 16   | CSPAR                     |            |
| O311 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast auto reef  |                  |        |                                      |                   |       |       |           | 0    | 0 0 0 16   | CSPAR                     |            |
| O321 | AC00 |                        |                        | 0803 0944               | 299759                  | 00  | 1   | GENNEKER HALYARD                 | SAMSON XLS EXTRA | RED    | SOFT EYE SNAPSHOTACKLE W2477         | WHIPPING AND LOOP |       | 3/8"  | 32000     | 104  | 11 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O321 | AC00 |                        |                        | 0803 0944               | 299759                  | 01  | 1   | GENNEKER HALYARD                 | SAMSON XLS EXTRA | RED    | SOFT EYE SNAPSHOTACKLE W2475         | WHIPPING AND LOOP |       | 3/8"  | 32000     | 104  | 11 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O321 | AC01 |                        |                        | 0803 1066               | 111205                  | 00  | 1   | GENNEKER TACK STROP              | SAMSON LS        | RED    | SOFT EYE SNAPSHOTACKLE W2475         | WHIPPING          |       | 3/8"  | 7000      | 22   | 11 9 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC02 |                        |                        | 0803 0961               | 111202                  | 00  | 2   | GENNEKER SHEET                   | SAMSON XLS EXTRA | RED    | SOFT EYE SNAPSHOTACKLE W2473         | WHIPPING          |       | 3/8"  | 22500     | 73   | 9 13 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC02 |                        |                        | 0803 0961               | 111202                  | 01  | 2   | GENNEKER SHEET                   | SAMSON XLS EXTRA | RED    | SOFT EYE SNAPSHOTACKLE W2475         | WHIPPING          |       | 3/8"  | 22500     | 73   | 9 13 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC05 |                        |                        | 0803 0949               | 299764                  | 00  | 1   | WHISKER POLE TOPPING LIFT        | SAMSON XLS EXTRA | BLUE   | SOFT EYE SNAPSHOTACKLE W2475         | WHIPPING AND LOOP |       | 5/16" | 21000     | 68   | 10 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O321 | AC06 |                        |                        | 0803 0962               | 299776                  | 00  | 1   | FOREGUY                          | SAMSON XLS 900   | RED    | SOFT EYE SNAPSHOTACKLE W2475         | WHIPPING          |       | 3/8"  | 13500     | 44   | 3 1 / 2    | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION            | MAKE & TYPE      | COL.   | TERMINAL 1                                   | TERMINAL 2                            | NOTES                | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------|------------------|--------|--|---------------------------------------|----------------------|-------|-----------|------|-----------|---------------------------|------------|
| O321 | AC10 |                        |                        | 08030963                | 299777                  | 00  | 1   | JIB HALYARD #1         | SAMSON XLS EXTRA | BLACK  | SOFT EYE D SHACKLE CAPTIVE 6mm PIN 20mm WIDE | WHIPPING AND LOOP                     |                      | 3/8"  | 30500     | 100  | 0 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O321 | AC10 |                        |                        | 08030963                | 299777                  | 01  | 1   | JIB HALYARD #1         | SAMSON LSTC      | BLACK  | SOFT EYE D SHACKLE CAPTIVE 6mm PIN 20mm WIDE | WHIPPING AND LOOP                     |                      | 3/8"  | 30500     | 100  | 0 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O321 | AC12 |                        |                        | 08031067                | 299855                  | 00  | 2   | JIB SHEET              | SAMSON LS        | BLACK  | WHIPPING                                     | WHIPPING                              |                      | 7/16" | 16900     | 55   | 5 3 / 8   | SECO SOUTH<br>ok for prod |            |
| O321 | AC19 |                        |                        | 08030837                | 299695                  | 01  | 1   | GENOA RF LINE          | SAMSON XLS EXTRA | WHITE  | BURNT  | WHIPPING AND LOOP                     | 1. hull #63 onwards. | 5/16" | 21000     | 68   | 10 3 / 4  | SECO SOUTH<br>ok for prod |            |
| O321 | AC19 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE          |                  | BLUE   | BURNT  | BURNT                                 | 1. hull #1 to 62.    | 5/16" | 23000     | 75   | 5 1 / 2   | FACNOR                    |            |
| O321 | AC20 |                        |                        | 08030964                | 299778                  | 00  | 1   | MAIN HALYARD           | SAMSON XLS EXTRA | GREY   | SOFT EYE D SHACKLE CAPTIVE PIN 8mm           | WHIPPING AND LOOP                     |                      | 3/8"  | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC20 |                        |                        | 08030964                | 299778                  | 01  | 1   | MAIN HALYARD           | SAMSON LSTC      | GREY   | SOFT EYE D SHACKLE CAPTIVE PIN 8mm           | WHIPPING AND LOOP                     |                      | 3/8"  | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC22 |                        |                        | 08031068                | 299856                  | 00  | 1   | MAINSHEET              | SAMSON LS        | GREY   | SOFT EYE D SHACKLE 6mm PIN                   | WHIPPING AND LOOP                     |                      | 7/16" | 18500     | 60   | 8 5 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC25 |                        |                        | 08030624                | 299648                  | 00  | 1   | MAIN BOOM TOPPING LIFT | SAMSON LS        | WHITE  | SOFT EYE BAR SHACKLE CAPTIVE PIN 6mm         | WHIPPING AND LOOP                     |                      | 1/4"  | 25250     | 82   | 10 1 / 16 | SECO SOUTH<br>ok for prod |            |
| O321 | AC26 |                        |                        |                         |                         | 00  | 1   | SOLID VANG LINE        |                  | YELLOW | BURNT  | KNOT BALL SOFT EYE                    |                      | 1/4"  | 8300      | 27   | 2 3 / 4   | ISOMAT                    |            |
| O321 | AC26 |                        |                        |                         |                         | 00  | 1   | SOLID VANG SHOCKORD    |                  | WHITE  | BURNT  | SOFT EYE LOOPED THRU SOFT EYE OF LINE |                      | 1/4"  | 1300      | 4    | 3 3 / 16  | ISOMAT                    |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE         | COL.  | TERMINAL 1   | TERMINAL 2  | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|---------------------|-------|--|---|-------|-------|-----------|------|-----------|---------------------------|------------|
| O321 | AC27 |                        |                        | 0803 0815               | 111632                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS           | BLUE  | SOFT EYE   | WHIPPING  |       | 5/16" | 3658      | 12   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC27 |                        |                        | 0803 0815               | 111632                  | 03  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS           | WHITE | SOFT EYE   | WHIPPING  |       | 5/16" | 3658      | 12   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC28 | 0803 0634              | 299658                 |                         |                         | 01  | 2   | LAZY JACK #1 LINE                | SAMSON LS           | WHITE | BURNT END SUPPLIED WITH BF3 CUP WASHER                     | HARD EYE WITH PLASTIC THIMBLE - mark black line 2970mm from hard eye                        |       | 1/4"  | 3970      | 13   | 0 5 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC28 | 0803 0634              | 299658                 |                         |                         | 01  | 2   | LAZY JACK #2 LINE                | SAMSON LS           | WHITE | TIGHT SOFT EYE ONTO 32mm ID SS RING                        | TIGHT SOFT EYE ONTO 32mm ID SS RING - pass thru soft eye of line #1 prior to attaching ring |       | 3/16" | 4250      | 13   | 11 5 / 16 | SECO SOUTH<br>ok for prod |            |
| O321 | AC28 | 0803 0634              | 299658                 |                         |                         | 01  | 2   | LAZY JACK #3 LINE                | SAMSON LS           | WHITE | TIGHT SOFT EYE ONTO ONE OF THE 32mm ID SS RINGS OF LINE #2 | BURNT - mark black line 1020mm from tight soft eye  |       | 3/16" | 1220      | 4    | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC28 | 0803 0634              | 299658                 |                         |                         | 01  | 2   | LAZY JACK #4 LINE                | SAMSON LS           | WHITE | BURNT  | BURNT   |       | 3/16" | 8000      | 26   | 2 15 / 16 | SECO SOUTH<br>ok for prod |            |
| O321 | AC28 | 0803 0634              | 299658                 |                         |                         | 02  | 2   | LAZY JACK #1 LINE                | SAMSON LS           | WHITE | BURNT END  | SOFT EYE- mark black line 5765mm from soft eye  |       | 1/4"  | 6765      | 22   | 2 5 / 16  | SECO SOUTH<br>ok for prod |            |
| O321 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE              | MARLOW              | BLUE  | BURNT  | BURNT   |       | 5/16" | 11000     | 36   | 1 1 / 16  | ISOMAT                    |            |
| O321 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE             | YALE PORTLAND BRAID | WHITE | BURNT  | BURNT   |       | 5/16" | 15000     | 49   | 2 9 / 16  | ISOMAT                    |            |
| O321 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #1 CLASSIC MAST     | YALE PORTLAND BRAID | WHITE | BURNT  | BURNT   |       | 3/8"  | 3300      | 10   | 9 15 / 16 | ISOMAT                    |            |
| O321 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #2 CLASSIC MAST     | YALE PORTLAND BRAID | WHITE | BURNT  | BURNT   |       | 3/8"  | 4200      | 13   | 9 3 / 8   | ISOMAT                    |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE         | COL.  | TERMINAL 1                                | TERMINAL 2                                | NOTES | DIA        | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|---------------------|-------|---|---|-------|------------|-----------|------|-----------|---------------------------|------------|
| O321 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL WIRE PENNANT CLASSIC MAST  | MACWHYTE            | SS    | HARD EYE WITH THIMBLE                     | HARD EYE WITH THIMBLE                     |       | 5/32" 7x19 | 360       | 1    | 2 3 / 16  | ISOMAT                    |            |
| O321 | AC31 |                        |                        |                         |                         | 00  | 1   | AUTO REEF TACK LINE REEF 1         | YALE PORTLAND BRAID | GREEN | BURNT                                     | BURNT                                     |       | 3/8"       | 16000     | 52   | 5 15 / 16 | ISOMAT                    |            |
| O321 | AC31 |                        |                        |                         |                         | 00  | 1   | AUTO REEF CLEW LINE REEF 1         | YALE PORTLAND BRAID | GREEN | BURNT                                     | BURNT                                     |       | 3/8"       | 7000      | 22   | 11 9 / 16 | ISOMAT                    |            |
| O321 | AC32 |                        |                        |                         |                         | 00  | 1   | AUTO REEF TACK LINE REEF 2         | YALE PORTLAND BRAID | RED   | BURNT                                     | BURNT                                     |       | 3/8"       | 17500     | 57   | 4 15 / 16 | ISOMAT                    |            |
| O321 | AC32 |                        |                        |                         |                         | 00  | 1   | AUTO REEF CLEW LINE REEF 2         | YALE PORTLAND BRAID | RED   | BURNT                                     | BURNT                                     |       | 3/8"       | 9000      | 29   | 6 5 / 16  | ISOMAT                    |            |
| O321 | BE01 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE                       | SAMSON LS           | BLUE  | BURNT                                     | BURNT                                     |       | 1/4"       | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O321 | BE01 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE                       | SAMSON LS           | WHITE | BURNT                                     | BURNT                                     |       | 1/4"       | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O321 | II11 |                        |                        | 0803 0305               | 113146                  | 00  | 3   | DOOR STAY STROP                    | #4 ZENITH POLYESTER | BLACK | BURNT + SWAGED 12-10 EYE TERMINAL D5 HOLE | BURNT + SWAGED 12-10 EYE TERMINAL D5 HOLE |       | 1/8"       | 305       | 1    | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O323 | AC12 |                        |                        |                         | 024173                  | 00  | 2   | JIB SHEET                          | LANCELIN            | BLACK | WHIPPING                                  | WHIPPING                                  |       | 10mm       | 10000     | 32   | 9 11 / 16 | BENETEAU<br>FRANCE        |            |
| O323 | AC22 |                        |                        |                         | 112758                  | 00  | 1   | MAINSHEET                          | SAMSON LS           | GREY  | SOFT EYE                                  | WHIPPING                                  |       | 3/8"       | 18000     | 59   | 0 5 / 8   | LEWMAR                    |            |
| O323 | AC27 |                        |                        |                         | 112761                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE   | SAMSON LS           | WHITE | SOFT EYE                                  | WHIPPING                                  |       | 5/16"      | 6000      | 19   | 8 3 / 16  | LEWMAR                    |            |
| O323 | AC00 |                        |                        |                         | 112599                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON LSTC         | RED   | SOFT EYE SNAPSHOT W2475                   | WHIPPING AND LOOP                         |       | 3/8"       | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O323 | AC01 |                        |                        |                         | 112572                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC         | BLACK | BURNT                                     | BURNT                                     |       | 3/8"       | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| O323 | AC02 |                        |                        |                         | 112580                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC         | RED   | BURNT                                     | BURNT                                     |       | 3/8"       | 22000     | 72   | 2 1 / 8   | SECO SOUTH<br>ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE        | COL.   | TERMINAL 1                           | TERMINAL 2        | NOTES                             | DIA  | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|--------------------|--------|--------------------------------------|-------------------|-----------------------------------|------|-----------|------|-----------|------------------------|------------|
| O323 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                     | GLEISTEIN TASMANIA | BLUE   | KNOT + 7MM ZSPAR 3639 D SHACKLE      | BURNT             |                                   | 10mm | 29200     | 95   | 9 9 / 16  | Z SPAR                 |            |
| O323 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast        | GLEISTEIN TASMANIA | RED    | KNOT + 7MM Zspar 3639 D shackle      | BURNT             |                                   | 10mm | 30300     | 99   | 4 7 / 8   | Z SPAR                 |            |
| O323 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast | GLEISTEIN TASMANIA | RED    | KNOT + 6MM ZSPAR 56 D SHACKLE        | BURNT             |                                   | 10mm | 30300     | 99   | 4 7 / 8   | Z SPAR                 |            |
| O323 | AC25 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT             | GLEISTEIN TASMANIA | YELLOW | KNOT + 6MM ZSPAR 3212 D SHACKLE      | BURNT             |                                   | 6mm  | 27300     | 89   | 6 13 / 16 | Z SPAR                 |            |
| O323 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                          | GLEISTEIN TASMANIA | GREEN  | BURNT                                | BURNT             | 1. standard - supplied with vang. | 8mm  | 12000     | 39   | 4 7 / 16  | Z SPAR                 |            |
| O323 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE                | GLEISTEIN TASMANIA | BLUE   | BURNT                                | BURNT             |                                   | 10mm | 18000     | 59   | 0 5 / 8   | Z SPAR                 |            |
| O323 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE               | GLEISTEIN TASMANIA | BLACK  | BURNT                                | BURNT             |                                   | 10mm | 15600     | 51   | 2 3 / 16  | Z SPAR                 |            |
| O323 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL AFT LINE - classic mast    | GLEISTEIN TASMANIA | BLACK  | BURNT                                | BURNT             |                                   | 8mm  | 3000      | 9    | 10 1 / 8  | Z SPAR                 |            |
| O323 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL FWD LINE - classic mast    | GLEISTEIN TASMANIA | BLACK  | KNOT + ZSPAR 253 SINGLE+BECKET BLOCK | BURNT             |                                   | 8mm  | 11000     | 36   | 1 1 / 16  | Z SPAR                 |            |
| O323 | AC30 |                        |                        |                         |                         | 01  | 1   | OUTHAUL FWD LINE - classic mast    | GLEISTEIN TASMANIA | BLACK  | KNOT + ZSPAR 253 SINGLE+BECKET BLOCK | BURNT             |                                   | 8mm  | 8000      | 26   | 2 15 / 16 | Z SPAR                 |            |
| O323 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast              | GLEISTEIN TASMANIA | RED    | BURNT                                | BURNT             |                                   | 10mm | 19600     | 64   | 3 5 / 8   | Z SPAR                 |            |
| O323 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast              | GLEISTEIN TASMANIA | BLUE   | BURNT                                | BURNT             |                                   | 10mm | 27400     | 89   | 10 3 / 4  | Z SPAR                 |            |
| O331 | AC00 |                        |                        | 0803 0986               | 111634                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON XLS EXTRA   | RED    | SOFT EYE SNAPSHOT SHACKLE W2475      | WHIPPING AND LOOP |                                   | 3/8" | 30000     | 98   | 5 1 / 16  | SECO SOUTH ok for prod |            |
| O331 | AC01 |                        |                        | 0803 1066               | 111205                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LS          | RED    | SOFT EYE SNAPSHOT SHACKLE W2475      | WHIPPING          |                                   | 3/8" | 7000      | 22   | 11 9 / 16 | SECO SOUTH ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                          | MAKE & TYPE        | COL.   | TERMINAL 1                      | TERMINAL 2        | NOTES                             | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--------------------------------------|--------------------|--------|---------------------------------|-------------------|-----------------------------------|-------|-----------|------|-----------|------------------------|------------|
| O331 | AC02 |                        |                        | 08030911                | 111633                  | 01  | 1   | GENNEKER SHEET - single sheet system | SAMSON XLS 900     | RED    | SOFT EYE SNAPSHOT W2473         | WHIPPING          |                                   | 5/16" | 18594     | 61   | 0 1 / 16  | SECO SOUTH ok for prod |            |
| O331 | AC00 |                        |                        |                         | 112599                  | 00  | 1   | GENNEKER HALYARD                     | SAMSON LSTC        | RED    | SOFT EYE SNAPSHOT W2475         | WHIPPING AND LOOP |                                   | 3/8"  | 30000     | 98   | 5 1 / 16  | SECO SOUTH ok for prod |            |
| O331 | AC01 |                        |                        |                         | 112572                  | 00  | 1   | GENNEKER TACK STROP                  | SAMSON LSTC        | BLACK  | BURNT                           | BURNT             |                                   | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH ok for prod |            |
| O331 | AC02 |                        |                        |                         | 112580                  | 00  | 2   | GENNEKER SHEET - twin sheet system   | SAMSON LSTC        | RED    | BURNT                           | BURNT             |                                   | 3/8"  | 22000     | 72   | 2 1 / 8   | SECO SOUTH ok for prod |            |
| O331 | AC12 |                        |                        | 08031075                | 111635                  | 00  | 2   | JIB SHEET                            | SAMSON LS          | BLACK  | WHIPPING                        | WHIPPING          |                                   | 7/16" | 13500     | 44   | 3 1 / 2   | SECO SOUTH             |            |
| O331 | AC22 |                        |                        | 08031076                | 111636                  | 00  | 1   | MAINSHEET - on coachroof             | SAMSON LS          | GREY   | SOFT EYE LONG LOOP              | WHIPPING          |                                   | 7/16" | 20000     | 65   | 7 3 / 8   | SECO SOUTH             |            |
| O331 | AC27 |                        |                        | 08030815                | 111632                  | 03  | 2   | MAINSHEET TRAVELLER CONTROL LINE     | SAMSON LS          | WHITE  | SOFT EYE                        | WHIPPING          |                                   | 5/16" | 3658      | 12   | 0 0 / 16  | SECO SOUTH ok for prod |            |
| O331 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                       | GLEISTEIN TASMANIA | BLUE   | KNOT + 7MM ZSPAR 3639 D SHACKLE | BURNT             |                                   | 10mm  | 28000     | 91   | 10 3 / 8  | Z SPAR                 |            |
| O331 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast          | GLEISTEIN TASMANIA | RED    | KNOT + 7MM ZSPAR 3639 D SHACKLE | BURNT             |                                   | 10mm  | 28000     | 91   | 10 3 / 8  | Z SPAR                 |            |
| O331 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast   | GLEISTEIN TASMANIA | RED    | KNOT + 6MM ZSPAR 56 D SHACKLE   | BURNT             |                                   | 10mm  | 28000     | 91   | 10 3 / 8  | Z SPAR                 |            |
| O331 | AC25 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT               | GLEISTEIN TASMANIA | YELLOW | KNOT + 6MM ZSPAR 3212 D SHACKLE | BURNT             |                                   | 8mm   | 25000     | 82   | 0 1 / 4   | Z SPAR                 |            |
| O331 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                            | GLEISTEIN TASMANIA | GREEN  | BURNT                           | BURNT             | 1. standard - supplied with vang. | 8mm   | 7700      | 25   | 3 1 / 8   | Z SPAR                 |            |
| O331 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE                  | GLEISTEIN TASMANIA | GREEN  | BURNT                           | BURNT             |                                   | 8mm   | 16000     | 52   | 5 15 / 16 | Z SPAR                 |            |
| O331 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE                 | GLEISTEIN TASMANIA | BLUE   | BURNT                           | BURNT             |                                   | 10mm  | 16800     | 55   | 1 7 / 16  | Z SPAR                 |            |
| O331 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL AFT LINE - classic mast      | GLEISTEIN TASMANIA | BLUE   | BURNT                           | BURNT             |                                   | 8mm   | 4000      | 13   | 1 1 / 2   | Z SPAR                 |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE        | COL.   | TERMINAL 1                           | TERMINAL 2        | NOTES                             | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|--------------------|--------|--------------------------------------|-------------------|-----------------------------------|-------|-----------|------|-----------|------------------------|------------|
| O331 | AC30 |                        |                        |                         |                         | 01  | 1   | OUTHAUL FWD LINE - classic mast    | GLEISTEIN TASMANIA | BLUE   | KNOT + ZSPAR 253 SINGLE+BECKET BLOCK | BURNT             |                                   | 8mm   | 4000      | 13   | 1 1 / 2   | Z SPAR                 |            |
| O331 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast              | GLEISTEIN TASMANIA | RED    | BURNT                                | BURNT             |                                   | 10mm  | 21000     | 68   | 10 3 / 4  | Z SPAR                 |            |
| O331 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast              | GLEISTEIN TASMANIA | GREEN  | BURNT                                | BURNT             |                                   | 10mm  | 29400     | 96   | 5 7 / 16  | Z SPAR                 |            |
| O343 | AC00 |                        |                        |                         | 112600                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON LSTC        | RED    | SOFT EYE SNAPSHOT W2475              | WHIPPING AND LOOP |                                   | 3/8"  | 33000     | 108  | 3 3 / 16  | SECO SOUTH ok for prod |            |
| O343 | AC01 |                        |                        |                         | 112572                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC        | BLACK  | BURNT                                | BURNT             |                                   | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH ok for prod |            |
| O343 | AC02 |                        |                        |                         | 112596                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC        | RED    | BURNT                                | BURNT             |                                   | 3/8"  | 24000     | 78   | 8 7 / 8   | SECO SOUTH ok for prod |            |
| O343 | AC12 |                        |                        |                         | 067298                  | 00  | 2   | JIB SHEET                          | LANCELIN           | BLUE   | BURNT                                | BURNT             |                                   | 12mm  | 13000     | 42   | 7 13 / 16 | BENETEAU FRANCE        |            |
| O343 | AC22 |                        |                        |                         | 112757                  | 00  | 1   | MAINSHEET                          | SAMSON LS          | GREY   | SOFT EYE LONG LOOP                   | WHIPPING          |                                   | 7/16" | 18000     | 59   | 0 5 / 8   | LEWMAR ok for prod     |            |
| O343 | AC27 |                        |                        |                         | 112762                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE   | SAMSON LS          | GREY   | SOFT EYE                             | WHIPPING          |                                   | 5/16" | 8150      | 26   | 8 7 / 8   | LEWMAR ok for prod     |            |
| O343 | AC10 |                        |                        |                         | 458569                  | 00  | 1   | JIB HALYARD #1                     | GLEISTEIN TASMANIA | BLUE   | KNOT + 7MM ZSPAR 3639 D SHACKLE      | BURNT             |                                   | 10mm  | 31000     | 101  | 8 7 / 16  | Z SPAR                 |            |
| O343 | AC20 |                        |                        |                         | 458570                  | 00  | 1   | MAIN HALYARD - classic mast        | GLEISTEIN TASMANIA | RED    | KNOT + 7MM ZSPAR 3639 D SHACKLE      | BURNT             |                                   | 10mm  | 33000     | 108  | 3 3 / 16  | Z SPAR                 |            |
| O343 | AC20 |                        |                        |                         | 458571                  | 00  | 1   | MAIN HALYARD - roller furling mast | GLEISTEIN TASMANIA | RED    | KNOT + 6MM ZSPAR 56 D SHACKLE        | BURNT             |                                   | 10mm  | 33000     | 108  | 3 3 / 16  | Z SPAR                 |            |
| O343 | AC25 |                        |                        |                         | 458572                  | 00  | 1   | MAIN BOOM TOPPING LIFT             | GLEISTEIN TASMANIA | YELLOW | KNOT + 6MM ZSPAR 3212 D SHACKLE      | BURNT             |                                   | 6mm   | 27001     | 88   | 7 0 / 16  | Z SPAR                 |            |
| O343 | AC26 |                        |                        |                         | 458573                  | 00  | 1   | VANG LINE                          | GLEISTEIN TASMANIA | GREEN  | BURNT                                | BURNT             | 1. standard - supplied with vang. | 8mm   | 12000     | 39   | 4 7 / 16  | Z SPAR                 |            |
| O343 | AC29 |                        |                        |                         | 458574                  | 00  | 1   | MAIN RF INHAUL LINE                | GLEISTEIN TASMANIA | BLUE   | BURNT                                | BURNT             |                                   | 8mm   | 17000     | 55   | 9 5 / 16  | Z SPAR                 |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                       | MAKE & TYPE        | COL.  | TERMINAL 1                           | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN         | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------------------|--------------------|-------|--------------------------------------|-------------------|-------|-------|-----------|------|------------|------------------------|------------|
| O343 | AC30 |                        |                        |                         | 458575                  | 00  | 1   | MAIN RF OUTHAUL LINE              | GLEISTEIN TASMANIA | BLACK | BURNT                                | BURNT             |       | 10mm  | 16000     | 52   | 5 15 / 16  | Z SPAR                 |            |
| O343 | AC30 |                        |                        |                         | 458576                  | 00  | 1   | OUTHAUL AFT LINE - classic mast   | GLEISTEIN TASMANIA | BLACK | BURNT                                | BURNT             |       | 8mm   | 3000      | 9    | 10 1 / 8   | Z SPAR                 |            |
| O343 | AC30 |                        |                        |                         | 458577                  | 01  | 1   | OUTHAUL FWD LINE - classic mast   | GLEISTEIN TASMANIA | BLACK | KNOT + ZSPAR 253 SINGLE+BECKET BLOCK | BURNT             |       | 8mm   | 7000      | 22   | 11 9 / 16  | Z SPAR                 |            |
| O343 | AC31 |                        |                        |                         | 458578                  | 00  | 1   | REEF 1 - classic mast             | GLEISTEIN TASMANIA | RED   | BURNT                                | BURNT             |       | 10mm  | 20000     | 65   | 7 3 / 8    | Z SPAR                 |            |
| O343 | AC32 |                        |                        |                         | 458579                  | 00  | 1   | REEF 2 - classic mast             | GLEISTEIN TASMANIA | BLUE  | BURNT                                | BURNT             |       | 10mm  | 30000     | 98   | 5 1 / 16   | Z SPAR                 |            |
| O350 | AC00 |                        |                        |                         |                         | 00  | 1   | SPINNAKER HALYARD                 |                    |       |                                      |                   |       |       |           | 0    | 0 0 0 16   | SECO SOUTH ok for prod |            |
| O350 | AC02 |                        |                        |                         |                         | 00  | 2   | SPINNAKER SHEET                   |                    |       |                                      |                   |       |       |           | 0    | 0 0 0 16   | SECO SOUTH ok for prod |            |
| O350 | AC25 |                        |                        | 0803 1350               | 299884                  | 00  | 1   | MAIN BOOM TOPPING LIFT - dutchman |                    |       |                                      |                   |       |       |           | 0    | 0 0 0 16   | SECO SOUTH ok for prod |            |
| O351 | AC00 |                        |                        | 0803 0944               | 299759                  | 00  | 1   | GENNEKER HALYARD                  | SAMSON XLS EXTRA   | RED   | SOFT EYE SNAPSHOT W2477              | WHIPPING AND LOOP |       | 3/8"  | 32000     | 104  | 11 13 / 16 | SECO SOUTH ok for prod |            |
| O351 | AC00 |                        |                        | 0803 0944               | 299759                  | 01  | 1   | GENNEKER HALYARD                  | SAMSON XLS EXTRA   | RED   | SOFT EYE SNAPSHOT W2475              | WHIPPING AND LOOP |       | 3/8"  | 32000     | 104  | 11 13 / 16 | SECO SOUTH ok for prod |            |
| O351 | AC01 |                        |                        | 0803 1208               | 113178                  | 01  | 1   | GENNEKER TACK STROP               | SAMSON LS          | RED   | SOFT EYE SNAPSHOT W2475              | WHIPPING          |       | 1/2"  | 6097      | 20   | 0 1 / 16   | SECO SOUTH ok for prod |            |
| O351 | AC02 |                        |                        | 0803 1029               | 299828                  | 01  | 1   | GENNEKER SHEET                    | SAMSON XLS EXTRA   | RED   | SOFT EYE SNAPSHOT W2475              | WHIPPING          |       | 3/8"  | 14021     | 46   | 0 0 / 16   | SECO SOUTH ok for prod |            |
| O351 | AC05 |                        |                        | 0803 0949               | 299764                  | 00  | 1   | WHISKER POLE TOPPING LIFT         | SAMSON XLS EXTRA   | BLUE  | SOFT EYE SNAPSHOT W2475              | WHIPPING AND LOOP |       | 5/16" | 21000     | 68   | 10 3 / 4   | SECO SOUTH ok for prod |            |
| O351 | AC06 |                        |                        | 0803 0950               | 299765                  | 00  | 1   | FOREGUY                           | SAMSON XLS 900     | RED   | SOFT EYE SNAPSHOT W2475              | WHIPPING AND LOOP |       | 3/8"  | 15000     | 49   | 2 9 / 16   | SECO SOUTH ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.  | TERMINAL 1                                  | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|-------|---|-------------------|-------|-------|-----------|------|-----------|---------------------------|------------|
| O351 | AC10 |                        |                        | 08030945                | 299760                  | 01  | 1   | JIB HALYARD #1                     | SAMSON XLS EXTRA | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16  | SECO SOUTH<br>ok for prod |            |
| O351 | AC10 |                        |                        | 08030945                | 299760                  | 02  | 1   | JIB HALYARD #1                     | SAMSON LSTC      | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16  | SECO SOUTH<br>ok for prod |            |
| O351 | AC12 |                        |                        | 08031218                | 299879                  | 00  | 2   | JIB SHEET                          | SAMSON LS        | BLACK | WHIPPING                                    | WHIPPING          |       | 1/2"  | 13500     | 44   | 3 1 / 2   | SECO SOUTH<br>ok for prod |            |
| O351 | AC19 |                        |                        | 08030837                | 299695                  | 01  | 1   | GENOA RF LINE                      | SAMSON XLS EXTRA | WHITE | BURNT                                       | WHIPPING AND LOOP |       | 5/16" | 21000     | 68   | 10 3 / 4  | SECO SOUTH<br>ok for prod |            |
| O351 | AC20 |                        |                        | 08030947                | 299762                  | 00  | 1   | MAIN HALYARD - classic mast        | SAMSON XLS EXTRA | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16  | SECO SOUTH<br>ok for prod |            |
| O351 | AC20 |                        |                        | 08030947                | 299762                  | 01  | 1   | MAIN HALYARD - classic mast        | SAMSON LSTC      | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16  | SECO SOUTH<br>ok for prod |            |
| O351 | AC20 |                        |                        | 08030948                | 299763                  | 00  | 1   | MAIN HALYARD - roller furling mast | SAMSON XLS EXTRA | GREY  | SOFT EYE                                    | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16  | SECO SOUTH<br>ok for prod |            |
| O351 | AC20 |                        |                        | 08030948                | 299763                  | 01  | 1   | MAIN HALYARD - roller furling mast | SAMSON LSTC      | GREY  | SOFT EYE                                    | WHIPPING AND LOOP |       | 3/8"  | 31000     | 101  | 8 7 / 16  | SECO SOUTH<br>ok for prod |            |
| O351 | AC22 |                        |                        | 08031052                | 299842                  | 00  | 1   | MAINSHEET - double ended           | SAMSON LS        | GREY  | WHIPPING AND LOOP                           | WHIPPING AND LOOP |       | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O351 | AC25 |                        |                        | 08030838                | 299696                  | 00  | 1   | MAIN BOOM TOPPING LIFT             | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON CAPTIVE PIN 8mm      | WHIPPING AND LOOP |       | 1/4"  | 25500     | 83   | 7 15 / 16 | SECO SOUTH<br>ok for prod |            |
| O351 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE - classic mast           | SAMSON LS        | WHITE | BURNT                                       | BURNT             |       | 5/16" | 8800      | 28   | 10 7 / 16 | Z SPAR                    |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE         | COL.         | TERMINAL 1                                | TERMINAL 2                                | NOTES | DIA   | LENGTH mm | FEET | IN       | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|---------------------|--------------|---|---|-------|-------|-----------|------|----------|------------------------|------------|
| O351 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE - roller furling mast  | SAMSON LS           | WHITE        | BURNT                                     | BURNT                                     |       | 5/16" | 15000     | 49   | 2 9 / 16 | Z SPAR                 |            |
| O351 | AC27 |                        |                        | 0803 0805               | 113153                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS           | BLUE         | SOFT EYE                                  | WHIPPING                                  |       | 5/16" | 8535      | 28   | 0 0 / 16 | SECO SOUTH ok for prod |            |
| O351 | AC27 |                        |                        | 0803 0805               | 113153                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE | SAMSON LS           | WHITE        | SOFT EYE                                  | WHIPPING                                  |       | 5/16" | 8535      | 28   | 0 0 / 16 | SECO SOUTH ok for prod |            |
| O351 | AC29 |                        | 112938                 |                         |                         | 00  | 1   | MAIN RF INHAUL LINE              | SAMSON LST          | BLACK        | BURNT                                     | BURNT                                     |       | 5/16" | 18000     | 59   | 0 5 / 8  | Z SPAR                 |            |
| O351 | AC30 |                        | 112939                 |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE             | SAMSON LST          | GOLD         | BURNT                                     | BURNT                                     |       | 5/16" | 19000     | 62   | 4 0 / 16 | Z SPAR                 |            |
| O351 | AC30 |                        | 112940                 |                         |                         | 00  | 1   | OUTHAUL                          | SAMSON LST          | BLACK        | BURNT                                     | BURNT                                     |       | 5/16" | 11500     | 37   | 8 3 / 4  | Z SPAR                 |            |
| O351 | AC31 |                        | 112941                 |                         |                         | 00  | 1   | REEF 1                           | SAMSON LST          | RED          | BURNT                                     | BURNT                                     |       | 3/8"  | 14250     | 46   | 9 0 / 16 | Z SPAR                 |            |
| O351 | AC32 |                        | 112942                 |                         |                         | 00  | 1   | REEF 2                           | SAMSON LST          | GREEN        | BURNT                                     | BURNT                                     |       | 3/8"  | 18750     | 61   | 6 3 / 16 | Z SPAR                 |            |
| O351 | AU06 |                        |                        | 0803 0505               | 299614                  | 00  | 1   | SHOCKCORD STROP                  |                     | WHITE/ BLACK | EYE LOOP - using hog eye ring             | BURNT                                     |       | 3/16" | 610       | 2    | 0 0 / 16 | SECO SOUTH ok for prod |            |
| O351 | BE01 |                        |                        | 0803 0618               | 299642                  | 00  | 3   | UTILITY LINE                     | SAMSON LS           | BLUE         | BURNT                                     | BURNT                                     |       | 1/4"  | 2000      | 6    | 6 3 / 4  | SECO SOUTH ok for prod |            |
| O351 | BE01 |                        |                        | 0803 0618               | 299642                  | 01  | 3   | UTILITY LINE                     | SAMSON LS           | WHITE        | BURNT                                     | BURNT                                     |       | 1/4"  | 2000      | 6    | 6 3 / 4  | SECO SOUTH ok for prod |            |
| O351 | BE02 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE                     | SAMSON LS           | BLUE         | BURNT                                     | BURNT                                     |       | 1/4"  | 2000      | 6    | 6 3 / 4  | SECO SOUTH ok for prod |            |
| O351 | BE02 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE                     | SAMSON LS           | WHITE        | BURNT                                     | BURNT                                     |       | 1/4"  | 2000      | 6    | 6 3 / 4  | SECO SOUTH ok for prod |            |
| O351 | GO01 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE                     | SAMSON LS           | BLUE         | BURNT                                     | BURNT                                     |       | 1/4"  | 2000      | 6    | 6 3 / 4  | SECO SOUTH ok for prod |            |
| O351 | GO01 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE                     | SAMSON LS           | WHITE        | BURNT                                     | BURNT                                     |       | 1/4"  | 2000      | 6    | 6 3 / 4  | SECO SOUTH ok for prod |            |
| O351 | II11 |                        |                        | 0803 0305               | 113146                  | 00  | 1   | DOOR STAY STROP                  | #4 ZENITH POLYESTER | BLACK        | BURNT + SWAGED 12-10 EYE TERMINAL D5 HOLE | BURNT + SWAGED 12-10 EYE TERMINAL D5 HOLE |       | 1/8"  | 305       | 1    | 0 0 / 16 | SECO SOUTH ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                          | MAKE & TYPE      | COL.  | TERMINAL 1                | TERMINAL 2        | NOTES                                     | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--------------------------------------|------------------|-------|---------------------------|-------------------|---|-------|-----------|------|-----------|---------------------------|------------|
| O361 | AC00 |                        |                        | 0803 0987               | 111203                  | 00  | 1   | GENNEKER HALYARD                     | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2475   | WHIPPING AND LOOP |   | 3/8"  | 33000     | 108  | 3 3 / 16  | SECO SOUTH<br>ok for prod |            |
| O361 | AC01 |                        |                        | 0803 1066               | 111205                  | 00  | 1   | GENNEKER TACK STROP                  | SAMSON LS        | RED   | SOFT EYE SNAPSHOT W2475   | WHIPPING          |   | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| O361 | AC02 |                        |                        | 0803 0961               | 111202                  | 01  | 1   | GENNEKER SHEET - single sheet system | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2475   | WHIPPING          |   | 3/8"  | 22500     | 73   | 9 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O361 | AC00 |                        |                        |                         | 112600                  | 00  | 1   | GENNEKER HALYARD                     | SAMSON LSTC      | RED   | SOFT EYE SNAPSHOT W2475   | WHIPPING AND LOOP |   | 3/8"  | 33000     | 108  | 3 3 / 16  | SECO SOUTH<br>ok for prod |            |
| O361 | AC01 |                        |                        |                         | 112572                  | 00  | 1   | GENNEKER TACK STROP                  | SAMSON LSTC      | BLACK | BURNT                     | BURNT             |   | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| O361 | AC02 |                        |                        |                         | 112596                  | 00  | 2   | GENNEKER SHEET - twin sheet system   | SAMSON LSTC      | RED   | BURNT                     | BURNT             |   | 3/8"  | 24000     | 78   | 8 7 / 8   | SECO SOUTH<br>ok for prod |            |
| O361 | AC05 |                        |                        |                         |                         | 00  | 1   | WHISKER POLE TOPPING LIFT            | SAMSON XLS 900   | GREEN | SOFT EYE SNAPSHOT W2475   | WHIPPING AND LOOP | 1. optional.                              | 3/8"  | 35000     | 114  | 9 15 / 16 | SECO SOUTH                |            |
| O361 | AC06 |                        |                        |                         |                         | 00  | 1   | WHISKER POLE DOWNHAUL                | SAMSON XLS 900   | RED   | SOFT EYE SNAPSHOT W2475   | WHIPPING AND LOOP | 1. optional.                              | 3/8"  | 25000     | 82   | 0 1 / 4   | SECO SOUTH                |            |
| O361 | AC07 |                        |                        |                         |                         | 00  | 1   | WHISKER POLE CAR UPHOUL & DOWNHAUL   | SAMSON XLS EXTRA | WHITE | SOFT EYE                  | WHIPPING AND LOOP | 1. optional.                              | 5/16" |           | 0    | 0 0 0 16  | SECO SOUTH                |            |
| O361 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                       | LANCELIN         | BLUE  | KNOT EYE D SHACKLE Z 1564 | BURNT             | 1. standard.<br>2. pre-installed on mast. | 12mm  | 33500     | 109  | 10 7 / 8  | CHAS SPAR                 |            |
| O361 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #2                       | SAMSON XLS EXTRA | GREEN | SOFT EYE SNAPSHOT W2477   | WHIPPING AND LOOP | 1. optional.                              | 7/16" | 35500     | 116  | 5 5 / 8   | SECO SOUTH                |            |
| O361 | AC12 |                        |                        | 0803 1217               | 111206                  | 00  | 2   | JIB SHEET                            | SAMSON LS        | BLACK | WHIPPING                  | WHIPPING          |   | 1/2"  | 16000     | 52   | 5 15 / 16 | SECO SOUTH<br>ok for prod |            |
| O361 | AC19 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                        | SAMSON XLS EXTRA | WHITE | BURNT                     | WHIPPING AND LOOP | 1. standard.                              | 3/8"  | 23000     | 75   | 5 1 / 2   | PROFURL                   |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                  | MAKE & TYPE | COL.   | TERMINAL 1                             | TERMINAL 2        | NOTES                                     | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|-------------|--------|--|-------------------|---|-------|-----------|------|-----------|---------------------------|------------|
| O361 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast                  | LANCELIN    | RED    | KNOT EYE D SHACKLE Z 1564              | BURNT             | 1. standard.<br>2. pre-installed on mast. | 12mm  | 33500     | 109  | 10 7 / 8  | CHAS SPAR                 |            |
| O361 | AC20 |                        |                        |                         | 112254                  | 00  | 1   | MAIN HALYARD - roller furling mast           | SAMSON LSTC | GREY   | SOFT EYE                               | WHIPPING AND LOOP | 1. standard.                              | 7/16" | 35000     | 114  | 9 15 / 16 | CHAS SPAR                 |            |
| O361 | AC22 |                        |                        | 0803 1058               | 111204                  | 00  | 1   | MAINSHEET                                    | SAMSON LS   | GREY   | SOFT EYE                               | WHIPPING AND LOOP |   | 7/16" | 24000     | 78   | 8 7 / 8   | SECO SOUTH<br>ok for prod |            |
| O361 | AC25 |                        |                        |                         | 460272                  | 00  | 1   | MAIN BOOM TOPPING LIFT - classic mast        | SAMSON LS   | WHITE  | SOFT EYE D SHACKLE NON-CAPTIVE PIN 6mm | WHIPPING AND LOOP | 1. optional.                              | 5/16" | 28403     | 93   | 2 3 / 16  | SECO SOUTH                |            |
| O361 | AC25 |                        |                        |                         | 460272                  | 00  | 1   | MAIN BOOM TOPPING LIFT - classic mast        | LANCELIN    | YELLOW | KNOT EYE D SHACKLE Z 3212              | BURNT             | 1. standard.<br>2. pre-installed on mast. | 8mm   | 28500     | 93   | 6 1 / 16  | CHAS SPAR                 |            |
| O361 | AC25 |                        |                        |                         | 460273                  | 00  | 1   | MAIN BOOM TOPPING LIFT - roller furling mast | SAMSON LS   | WHITE  | SOFT EYE D SHACKLE NON-CAPTIVE PIN 6mm | WHIPPING AND LOOP | 1. standard.                              | 5/16" | 33000     | 108  | 3 3 / 16  | CHAS SPAR                 |            |
| O361 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                                    | SAMSON LS   | WHITE  | SOFT EYE                               | BURNT             | 1. standard - supplied with vang.         | 3/8"  | 15500     | 50   | 10 1 / 4  | CHAS SPAR                 |            |
| O361 | AC27 |                        |                        | 0803 0842               | 111200                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE             | SAMSON LS   | WHITE  | SOFT EYE                               | WHIPPING          |   | 5/16" | 7500      | 24   | 7 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O361 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE                          | SAMSON LST  | BLACK  | BURNT                                  | BURNT             | 1. standard - supplied with mast.         | 3/8"  |           | 0    | 0 0 0 16  | CHAS SPAR                 |            |
| O361 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE                         | SAMSON LST  | GOLD   | BURNT                                  | BURNT             | 1. standard - supplied with boom.         | 3/8"  | 17215     | 56   | 5 3 / 4   | CHAS SPAR                 |            |
| O361 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL - classic mast                       | SAMSON LST  | BLACK  | BURNT                                  | BURNT             | 1. supplied with boom.                    | 3/8"  | 12850     | 42   | 1 7 / 8   | CHAS SPAR                 |            |
| O361 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast                        | SAMSON LST  | RED    | BURNT                                  | BURNT             | 1. supplied with boom.                    | 3/8"  | 16000     | 52   | 5 15 / 16 | CHAS SPAR                 |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                       | MAKE & TYPE      | COL.         | TERMINAL 1                            | TERMINAL 2   | NOTES  | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------------------|------------------|--------------|---------------------------------------|--|--|-------|-----------|------|-----------|---------------------------|------------|
| O361 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast             | SAMSON LST       | GREEN        | BURNT                                 | BURNT  | 1. supplied with boom.   | 3/8"  | 20500     | 67   | 3 1 / 16  | CHAS SPAR                 |            |
| O361 | BE01 |                        |                        |                         |                         | 00  | 1   | SHOCKCORD STROP FOR HELMSMAN SEAT |                  | WHITE/ BLACK | 3/8" EYE LOOP - using double hog ring | 3/16" D SHACKLE SHD06 + TIGHT EYE LOOP - using double hog ring | 1. standard.<br>2. bearing surface of eye to bearing surface of shackle pin. | 5/16" | 331       | 1    | 1 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O361 | BE01 |                        |                        |                         |                         | 00  | 2   | UTILITY LINE                      | SAMSON LS        | WHITE        | BURNT                                 | BURNT  | 1. standard.   | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| O361 | VR03 |                        |                        |                         |                         | 00  | 1   | SHOCKORD W/2 HOOKS                |                  | WHITE        | SS HOOK                               | SS HOOK  | 1. standard.<br>2. weather board stowage.                                    | 5/16" | 610       | 2    | 0 0 / 16  | PORT SUPPLY               |            |
| O370 | AC00 |                        |                        | 0803 1025               | 299824                  | 00  | 1   | GENNEKER HALYARD                  |                  |              |                                       |  |  |       |           | 0    | 0 0 0 16  | SECO SOUTH<br>ok for prod |            |
| O370 | AC01 |                        |                        | 0803 1208               | 113178                  | 01  | 1   | GENNEKER TACK STROP               | SAMSON LS        | RED          | SOFT EYE SNAPSHOT W2475               | WHIPPING   |  | 1/2"  | 6097      | 20   | 0 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O370 | AC02 |                        |                        | 0803 1028               | 299827                  | 00  | 2   | SPINNAKER SHEET                   |                  |              |                                       |  |  |       |           | 0    | 0 0 0 16  | SECO SOUTH<br>ok for prod |            |
| O370 | AC02 |                        |                        | 0803 1029               | 299828                  | 00  | 2   | GENNEKER SHEET                    | SAMSON XLS EXTRA | RED          | SOFT EYE SNAPSHOT W2475               | WHIPPING   |  | 3/8"  | 14021     | 46   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O370 | AC27 |                        |                        | 0803 0805               | 113153                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE  | SAMSON LS        | BLUE         | SOFT EYE                              | WHIPPING   |  | 5/16" | 8535      | 28   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O370 | AC27 |                        |                        | 0803 0805               | 113153                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE  | SAMSON LS        | WHITE        | SOFT EYE                              | WHIPPING   |  | 5/16" | 8535      | 28   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O373 | AC12 |                        |                        |                         | 003423                  | 00  | 2   | JIB SHEET                         | LANCELIN         | BLACK        | WHIPPING                              | WHIPPING   |  | 12mm  | 12500     | 41   | 0 1 / 8   | BENETEAU FRANCE           |            |
| O373 | AC22 |                        |                        |                         | 112757                  | 00  | 1   | MAINSHEET                         | SAMSON LS        | GREY         | SOFT EYE LONG LOOP                    | WHIPPING   |  | 7/16" | 18000     | 59   | 0 5 / 8   | LEWMAR                    |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE  | COL.  | TERMINAL 1                          | TERMINAL 2        | NOTES  | DIA   | LENGTH mm | FEET | IN         | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|--------------|-------|-------------------------------------|-------------------|--|-------|-----------|------|------------|---------------------------|------------|
| O373 | AC27 |                        |                        |                         | 112762                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE   | SAMSON LS    | GREY  | SOFT EYE                            | WHIPPING          |  | 5/16" | 8150      | 26   | 8 7 / 8    | LEWMAR                    |            |
| O373 | AC00 |                        |                        |                         | 112600                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON LSTC  | RED   | SOFT EYE SNAPSHOTACKLE W2475        | WHIPPING AND LOOP |  | 3/8"  | 33000     | 108  | 3 3 / 16   | SECO SOUTH<br>ok for prod |            |
| O373 | AC01 |                        |                        |                         | 112572                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC  | BLACK | BURNT                               | BURNT             |  | 3/8"  | 7000      | 22   | 11 9 / 16  | SECO SOUTH<br>ok for prod |            |
| O373 | AC02 |                        |                        |                         | 112596                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC  | RED   | BURNT                               | BURNT             |  | 3/8"  | 24000     | 78   | 8 7 / 8    | SECO SOUTH<br>ok for prod |            |
| O373 | AC20 |                        |                        |                         | 459312                  | 00  | 1   | MAIN HALYARD - classic mast        | BUCANEER XLS | BLACK | SOFT EYE + 8mm LONG D ROUND SHACKLE | BURNT             |  | 3/8"  | 32000     | 104  | 11 13 / 16 | CSPAR                     |            |
| O373 | AC20 |                        |                        |                         | 459313                  | 00  | 1   | MAIN HALYARD - roller furling mast | BUCANEER XLS | BLACK | SOFT EYE + 8mm LONG D ROUND SHACKLE | BURNT             |  | 3/8"  | 32000     | 104  | 11 13 / 16 | CSPAR                     |            |
| O373 | AC10 |                        |                        |                         | 459314                  | 00  | 1   | JIB HALYARD #1                     | BUCANEER XLS | BLUE  | BURNT                               | BURNT             | 1. End to be tied on to shackle of Profurl halyard swivel. | 3/8"  | 32000     | 104  | 11 13 / 16 | CSPAR                     |            |
| O373 | AC25 |                        |                        |                         | 459315                  | 00  | 1   | MAIN BOOM TOPPING LIFT             | BUCANEER XLS | WHITE | SOFT EYE + 6mm LONG D ROUND SHACKLE | BURNT             |  | 1/4"  | 28000     | 91   | 10 3 / 8   | CSPAR                     |            |
| O373 | AC29 |                        |                        |                         | 459316                  | 00  | 1   | MAIN RF INHAUL LINE                | BUCANEER XLS | WHITE | BURNT                               | BURNT             |  | 3/8"  | 16000     | 52   | 5 15 / 16  | CSPAR                     |            |
| O373 | AC30 |                        |                        |                         | 459317                  | 00  | 1   | MAIN RF OUTHAUL LINE               | BUCANEER XLS | BLACK | BURNT                               | BURNT             |  | 3/8"  | 17000     | 55   | 9 5 / 16   | CSPAR                     |            |
| O373 | AC30 |                        |                        |                         | 459318                  | 00  | 1   | OUTHAUL - classic mast             | BUCANEER XLS | BLACK | SOFT EYE + 8mm ROUND D SHACKLE      | BURNT             |  | 3/8"  | 11000     | 36   | 1 1 / 16   | CSPAR                     |            |
| O373 | AC31 |                        |                        |                         | 459319                  | 00  | 1   | REEF 1 - classic mast              | BUCANEER XLS | GREEN | BURNT                               | BURNT             |  | 3/8"  | 19000     | 62   | 4 0 / 16   | CSPAR                     |            |
| O373 | AC32 |                        |                        |                         | 459320                  | 00  | 1   | REEF 2 - classic mast              | BUCANEER XLS | RED   | BURNT                               | BURNT             |  | 3/8"  | 27001     | 88   | 7 0 / 16   | CSPAR                     |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.  | TERMINAL 1   | TERMINAL 2        | NOTES                            | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|-------|--|-------------------|----------------------------------|-------|-----------|------|-----------|------------------------|------------|
| O381 | AC00 |                        |                        | 0803 0967               | 299781                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2475                            | WHIPPING AND LOOP |                                  | 3/8"  | 35000     | 114  | 9 15 / 16 | SECO SOUTH ok for prod |            |
| O381 | AC00 | 0803 0000              | 299598                 | -                       |                         | 00  | 1   | GENNEKER HALYARD                   | SAMSON LSTC      | RED   | SOFT EYE SNAPSHOT WICHARD 2475                     | BURNT             |                                  | 3/8"  | 35000     | 114  | 9 15 / 16 | SECO SOUTH ok for prod |            |
| O381 | AC00 | 0803 0000              | 299598                 | -                       |                         | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC      | BLACK | BURNT  | BURNT             |                                  | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH ok for prod |            |
| O381 | AC00 | 0803 0000              | 299598                 | -                       |                         | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC      | RED   | BURNT  | BURNT             |                                  | 3/8"  | 24000     | 78   | 8 7 / 8   | SECO SOUTH ok for prod |            |
| O381 | AC01 |                        |                        | 0803 1066               | 111205                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LS        | RED   | SOFT EYE SNAPSHOT W2475                            | WHIPPING          |                                  | 3/8"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH ok for prod |            |
| O381 | AC02 |                        |                        | 0803 0976               | 113161                  | 00  | 1   | GENNEKER SHEET                     | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2475                            | WHIPPING          |                                  | 3/8"  | 24000     | 78   | 8 7 / 8   | SECO SOUTH ok for prod |            |
| O381 | AC10 |                        |                        | 0803 0977               | 299790                  | 00  | 1   | JIB HALYARD #1                     | SAMSON XLS EXTRA | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm W81434 | WHIPPING AND LOOP |                                  | 3/8"  | 33500     | 109  | 10 7 / 8  | SECO SOUTH ok for prod |            |
| O381 | AC10 |                        |                        | 0803 0977               | 299790                  | 01  | 1   | JIB HALYARD #1                     | SAMSON LSTC      | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm W81434 | WHIPPING AND LOOP |                                  | 3/8"  | 33500     | 109  | 10 7 / 8  | SECO SOUTH ok for prod |            |
| O381 | AC10 |                        |                        | 0803 0978               | 299791                  | 00  | 1   | JIB HALYARD #2                     | SAMSON XLS EXTRA | GREEN | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm W81434 | WHIPPING AND LOOP |                                  | 3/8"  | 33500     | 109  | 10 7 / 8  | SECO SOUTH ok for prod |            |
| O381 | AC12 |                        |                        | 0803 1217               | 111206                  | 00  | 2   | JIB SHEET                          | SAMSON LS        | BLACK | WHIPPING   | WHIPPING          |                                  | 1/2"  | 16000     | 52   | 5 15 / 16 | SECO SOUTH ok for prod |            |
| O381 | AC19 |                        |                        | 0803 0862               | 299717                  | 00  | 1   | GENOA RF LINE                      | SAMSON XLS EXTRA | WHITE | BURNT  | WHIPPING AND LOOP | 1. installed on hull #6 onwards. | 5/16" | 23000     | 75   | 5 1 / 2   | SECO SOUTH ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                 | MAKE & TYPE      | COL.  | TERMINAL 1                           | TERMINAL 2        | NOTES                               | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|------------------|-------|--------------------------------------|-------------------|-------------------------------------|-------|-----------|------|-----------|------------------------|------------|
| O381 | AC19 |                        |                        | 0803 0936               | 113160                  | 00  | 1   | GENOA RF LINE                               | SAMSON XLS EXTRA | WHITE | BURNT                                | WHIPPING AND LOOP | 1. installed on hull #1 to hull #5. | 3/8"  | 23000     | 75   | 5 1 / 2   | SECO SOUTH ok for prod |            |
| O381 | AC20 |                        |                        | 0803 0973               | 299787                  | 00  | 1   | MAIN HALYARD - classic mast                 | SAMSON XLS EXTRA | GREY  | SOFT EYE BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |                                     | 3/8"  | 34000     | 111  | 6 9 / 16  | SECO SOUTH ok for prod |            |
| O381 | AC20 |                        |                        | 0803 0979               | 299792                  | 00  | 1   | MAIN HALYARD - classic mast                 | SAMSON LSTC      | GREY  | SOFT EYE BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |                                     | 3/8"  | 34000     | 111  | 6 9 / 16  | SECO SOUTH ok for prod |            |
| O381 | AC20 |                        |                        | 0803 0980               | 299793                  | 00  | 1   | MAIN HALYARD - roller furling mast          | SAMSON XLS EXTRA | GREY  | SOFT EYE                             | WHIPPING AND LOOP |                                     | 3/8"  | 34000     | 111  | 6 9 / 16  | SECO SOUTH ok for prod |            |
| O381 | AC20 |                        |                        | 0803 0980               | 299793                  | 01  | 1   | MAIN HALYARD - roller furling mast          | SAMSON LSTC      | GREY  | SOFT EYE                             | WHIPPING AND LOOP |                                     | 3/8"  | 34000     | 111  | 6 9 / 16  | SECO SOUTH ok for prod |            |
| O381 | AC22 |                        |                        | 0803 1058               | 111204                  | 00  | 1   | MAINSHEET                                   | SAMSON LS        | GREY  | SOFT EYE                             | WHIPPING AND LOOP |                                     | 7/16" | 24000     | 78   | 8 7 / 8   | SECO SOUTH ok for prod |            |
| O381 | AC25 |                        |                        | 0803 0841               | 299699                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated in cockpit | SAMSON LS        | WHITE | SOFT EYE BAR SHACKLE CAPTIVE PIN 6MM | WHIPPING AND LOOP |                                     | 5/16" | 31500     | 103  | 4 1 / 8   | SECO SOUTH ok for prod |            |
| O381 | AC25 |                        |                        | 0803 0861               | 299716                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast    | SAMSON LS        | WHITE | SOFT EYE BAR SHACKLE CAPTIVE PIN 6MM | WHIPPING AND LOOP |                                     | 5/16" | 26500     | 86   | 11 5 / 16 | SECO SOUTH ok for prod |            |
| O381 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                                   |                  | WHITE | BURNT                                | BURNT             |                                     | 7/16" | 15500     | 50   | 10 1 / 4  | Z SPAR                 |            |
| O381 | AC27 |                        |                        | 0803 0805               | 113153                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE            | SAMSON LS        | WHITE | SOFT EYE                             | WHIPPING          |                                     | 5/16" | 8535      | 28   | 0 0 / 16  | SECO SOUTH ok for prod |            |
| O381 | AC28 |                        |                        |                         |                         | 00  | 2   | LAZY JACKS                                  | SAMSON LS        | WHITE |                                      |                   |                                     | 5/16" |           | 0    | 0 0 0 16  | SECO SOUTH ok for prod |            |
| O381 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE                         |                  | GREEN | BURNT                                | BURNT             |                                     | 3/8"  | 17000     | 55   | 9 5 / 16  | Z SPAR                 |            |
| O381 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE                        |                  | RED   | BURNT                                | BURNT             |                                     | 3/8"  | 20000     | 65   | 7 3 / 8   | Z SPAR                 |            |
| O381 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL - classic mast                      |                  | BLUE  | BURNT                                | BURNT             |                                     | 3/8"  | 13500     | 44   | 3 1 / 2   | Z SPAR                 |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE         | COL.   | TERMINAL 1                            | TERMINAL 2        | NOTES        | DIA          | LENGTH mm | FEET | IN         | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|---------------------|--------|---------------------------------------|-------------------|--------------|--------------|-----------|------|------------|------------------------|------------|
| O381 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast              |                     | RED    | BURNT                                 | BURNT             |              | 3/8"         | 16000     | 52   | 5 15 / 16  | Z SPAR                 |            |
| O381 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast              |                     | GREEN  | BURNT                                 | BURNT             |              | 3/8"         | 21000     | 68   | 10 3 / 4   | Z SPAR                 |            |
| O390 | AC00 |                        |                        |                         |                         | 00  | 1   | SPINNAKER HALYARD                  |                     |        |                                       |                   |              |              |           | 0    | 0 0 0 16   | SECO SOUTH             |            |
| O390 | AC02 |                        |                        |                         |                         | 00  | 2   | SPINNAKER SHEET                    |                     |        |                                       |                   |              |              |           | 0    | 0 0 0 16   | SECO SOUTH             |            |
| O390 | AC25 |                        |                        | 0803 1390               | 299886                  | 00  | 1   | MAIN BOOM TOPPING LIFT - dutchman  |                     |        |                                       |                   |              |              |           | 0    | 0 0 0 16   | SECO SOUTH             |            |
| O393 | AC32 |                        |                        | 0803 1040               | 113170                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON XLS EXTRA    | RED    | SOFT EYE SNAPSHOT W2477               | WHIPPING AND LOOP | 1. optional. | 7/16"        | 34500     | 113  | 2 1 / 4    | SECO SOUTH ok for prod |            |
| O393 | AC32 | 0803 0003              | 113144                 | -----                   | 112593                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON LSTC         | RED    | SOFT EYE SNAPSHOT WICHARD 2475        | WHIPPING AND LOOP |              | 7/16"        | 34500     | 113  | 2 1 / 4    | SECO SOUTH ok for prod |            |
| O393 | AC30 | 0803 0003              | 113144                 | -----                   | 112595                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC         | BLACK  | BURNT                                 | BURNT             |              | 1/2"         | 7000      | 22   | 11 9 / 16  | SECO SOUTH ok for prod |            |
| O393 | AC31 | 0803 0003              | 113144                 | -----                   | 112596                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC         | RED    | BURNT                                 | BURNT             |              | 3/8"         | 24000     | 78   | 8 7 / 8    | SECO SOUTH ok for prod |            |
| O393 | AC30 |                        |                        | 0803 1208               | 113178                  | 01  | 1   | GENNEKER TACK STROP                | SAMSON LS           | RED    | SOFT EYE SNAPSHOT W2475               | WHIPPING          | 1. optional. | 1/2"         | 6097      | 20   | 0 1 / 16   | SECO SOUTH ok for prod |            |
| O393 | AC31 |                        |                        | 0803 0976               | 113161                  | 00  | 1   | GENNEKER SHEET                     | SAMSON XLS EXTRA    | RED    | SOFT EYE SNAPSHOT W2475               | WHIPPING          |              | 3/8"         | 24000     | 78   | 8 7 / 8    | SECO SOUTH ok for prod |            |
| O393 | AC12 |                        |                        |                         | 460676                  | 00  | 1   | JIB HALYARD #1                     | GLEISTEIN TASMANIA  | BLUE   | KNOT EYE LONG D SHACKLE PIN 8mm Z3637 | BURNT             |              | 7/16" (12mm) | 35000     | 114  | 9 15 / 16  | Z SPAR                 |            |
| O393 | AC12 |                        |                        |                         | 460677                  | 00  | 1   | JIB HALYARD #2                     | SAMSON XLS EXTRA    | GREEN  | SOFT EYE SNAPSHOT W2477               | WHIPPING AND LOOP |              | 7/16"        | 35000     | 114  | 9 15 / 16  | SECO SOUTH             |            |
| O393 | AC11 |                        |                        | 0803 1215               | 113179                  | 00  | 2   | JIB SHEET                          | SAMSON LS           | BLACK  | WHIPPING                              | WHIPPING          |              | 1/2"         | 14500     | 47   | 6 7 / 8    | SECO SOUTH ok for prod |            |
| O393 | AC13 |                        |                        |                         | 460678                  | 00  | 1   | GENOA RF LINE                      | NEW ENGLAND STA-SET | YELLOW | BURNT                                 | BURNT             |              | 5/16"        | 24380     | 79   | 11 13 / 16 | PROFURL                |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                              | MAKE & TYPE        | COL.  | TERMINAL 1                                | TERMINAL 2        | NOTES  | DIA          | LENGTH mm | FEET | IN         | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|--------------------|-------|---|-------------------|--|--------------|-----------|------|------------|------------------------|------------|
| O393 | AC22 |                        |                        |                         | 460679                  | 00  | 1   | MAIN HALYARD - roller furling mast       | GLEISTEIN TASMANIA | WHITE | KNOT EYE SPECIAL RF SHACKLE PIN 6mm Z3168 | BURNT             |  | 7/16" (12mm) | 35000     | 114  | 9 15 / 16  | Z SPAR                 |            |
| O393 | AC22 |                        |                        |                         | 460680                  | 00  | 1   | MAIN HALYARD - classic mast              | GLEISTEIN TASMANIA | WHITE | KNOT EYE LONG D SHACKLE PIN 8mm Z3637     | BURNT             |  | 7/16" (12mm) | 35000     | 114  | 9 15 / 16  | Z SPAR                 |            |
| O393 | AC20 |                        |                        | 0803 1058               | 111204                  | 00  | 1   | MAINSHEET                                | SAMSON LS          | GREY  | SOFT EYE                                  | WHIPPING AND LOOP |  | 7/16"        | 24000     | 78   | 8 7 / 8    | SECO SOUTH ok for prod |            |
| O393 | AC24 |                        |                        |                         | 460681                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast | LANCELIN           | RED   | KNOT EYE LONG D SHACKLE PIN 7mm Z3639     | BURNT             |  | 5/16"        | 32000     | 104  | 11 13 / 16 | Z SPAR                 |            |
| O393 | AC23 |                        |                        |                         | 460682                  | 00  | 1   | VANG LINE                                | LANCELIN           | GREEN | BURNT                                     | BURNT             |  | 7/16" (10mm) | 17000     | 55   | 9 5 / 16   | Z SPAR                 |            |
| O393 | AC20 |                        |                        | 0803 0805               | 113153                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE         | SAMSON LS          | WHITE | SOFT EYE                                  | WHIPPING          |  | 5/16"        | 8535      | 28   | 0 0 / 16   | SECO SOUTH ok for prod |            |
| O393 | AC-- |                        |                        |                         | 460683                  | 00  | 1   | MAIN RF INHAUL LINE                      | LANCELIN           | GREEN | BURNT                                     | BURNT             |  | 3/8" (10mm)  | 12000     | 39   | 4 7 / 16   | Z SPAR                 |            |
| O393 | AC-- |                        |                        |                         | 460684                  | 00  | 1   | MAIN RF OUTHAUL LINE                     | LANCELIN           | RED   | BURNT                                     | BURNT             |  | 7/16" (12mm) | 18000     | 59   | 0 5 / 8    | Z SPAR                 |            |
| O393 | AC-- |                        |                        |                         | 460685                  | 00  | 1   | OUTHAUL AFT LINE - classic mast          | LANCELIN           | RED   | BURNT                                     | BURNT             | 1. Line tied to head of single+beckett.                                | 3/8" (10mm)  | 3500      | 11   | 5 13 / 16  | Z SPAR                 |            |
| O393 | AC-- |                        |                        |                         | 460686                  | 00  | 1   | OUTHAUL FWD LINE - classic mast          | LANCELIN           | RED   | BURNT                                     | BURNT             | 1. Line led thru single+beckett and gooseneck sheave for 3:1 purchase. | 3/8" (10mm)  | 4000      | 13   | 1 8 / 16   | Z SPAR                 |            |
| O393 | AC-- |                        |                        |                         | 460687                  | 00  | 1   | REEF 1 - classic mast                    | LANCELIN           | BLUE  | BURNT                                     | BURNT             |  | 3/8" (10mm)  | 22500     | 73   | 9 13 / 16  | Z SPAR                 |            |
| O393 | AC-- |                        |                        |                         | 460688                  | 00  | 1   | REEF 2 - classic mast                    | LANCELIN           | GREEN | BURNT                                     | BURNT             |  | 3/8" (10mm)  | 31500     | 103  | 4 1 / 8    | Z SPAR                 |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                         | MAKE & TYPE      | COL.  | TERMINAL 1                                  | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-------------------------------------|------------------|-------|---|-------------------|-------|-------|-----------|------|-----------|---------------------------|------------|
| O393 | BE30 |                        |                        | 08030616                | 111199                  | 00  | 1   | UTILITY LINE                        | SAMSON LS        | WHITE | BURNT                                       | BURNT             |       | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| O393 | BE50 |                        |                        | 08030618                | 299642                  | 01  | 1   | UTILITY LINE                        | SAMSON LS        | WHITE | BURNT                                       | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | AC00 |                        |                        | 08031040                | 113170                  | 00  | 1   | GENNEKER HALYARD                    | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2477                     | WHIPPING AND LOOP |       | 7/16" | 34500     | 113  | 2 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | AC01 |                        |                        | 08031208                | 113178                  | 01  | 1   | GENNEKER TACK STROP                 | SAMSON LS        | RED   | SOFT EYE SNAPSHOT W2475                     | WHIPPING          |       | 1/2"  | 6097      | 20   | 0 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O400 | AC02 |                        |                        | 08031043                | 113171                  | 00  | 1   | GENNEKER SHEET                      | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2475                     | WHIPPING          |       | 7/16" | 18000     | 59   | 0 5 / 8   | SECO SOUTH<br>ok for prod |            |
| O400 | AC05 |                        |                        | 08030934                | 299750                  | 00  | 1   | WHISKER POLE TOPPING LIFT           | SAMSON XLS 900   | BLUE  | SOFT EYE SNAPSHOT W2475                     | WHIPPING AND LOOP |       | 3/8"  | 22000     | 72   | 2 1 / 8   | SECO SOUTH<br>ok for prod |            |
| O400 | AC06 |                        |                        | 08030935                | 299751                  | 00  | 1   | FOREGUY                             | SAMSON XLS 900   | RED   | SOFT EYE SNAPSHOT W2475                     | WHIPPING AND LOOP |       | 3/8"  | 16500     | 54   | 1 5 / 8   | SECO SOUTH<br>ok for prod |            |
| O400 | AC07 |                        |                        |                         |                         | 00  | 1   | WHISKER POLE CAR UPHHAUL & DOWNHAUL | SAMSON XLS EXTRA | WHITE | SOFT EYE                                    | WHIPPING AND LOOP |       | 5/16" | 13000     | 42   | 7 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O400 | AC10 |                        |                        | 08031036                | 299833                  | 00  | 1   | JIB HALYARD #1                      | SAMSON XLS EXTRA | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |       | 7/16" | 34500     | 113  | 2 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | AC10 |                        |                        | 08031037                | 113169                  | 00  | 1   | JIB HALYARD #2                      | SAMSON XLS EXTRA | GREEN | SOFT EYE SNAPSHOT W2477                     | WHIPPING AND LOOP |       | 7/16" | 34500     | 113  | 2 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | AC12 |                        |                        | 08031215                | 113179                  | 00  | 2   | JIB SHEET                           | SAMSON LS        | BLACK | WHIPPING                                    | WHIPPING          |       | 1/2"  | 14500     | 47   | 6 7 / 8   | SECO SOUTH<br>ok for prod |            |
| O400 | AC19 |                        |                        | 08030936                | 113160                  | 00  | 1   | GENOA RF LINE                       | SAMSON XLS EXTRA | WHITE | BURNT                                       | WHIPPING AND LOOP |       | 3/8"  | 23000     | 75   | 5 1 / 2   | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.  | TERMINAL 1                                  | TERMINAL 2        | NOTES  | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|-------|---|-------------------|--|-------|-----------|------|-----------|---------------------------|------------|
| O400 | AC20 |                        |                        | 08031038                | 299834                  | 00  | 1   | MAIN HALYARD - classic mast        | SAMSON XLS EXTRA | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 8mm | WHIPPING AND LOOP |  | 7/16" | 34500     | 113  | 2 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | AC20 |                        |                        | 08031039                | 299835                  | 00  | 1   | MAIN HALYARD - roller furling mast | SAMSON XLS EXTRA | GREY  | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm      | WHIPPING AND LOOP |  | 7/16" | 34500     | 113  | 2 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | AC20 |                        |                        | 08031039                | 299835                  | 01  | 1   | MAIN HALYARD - roller furling mast | SAMSON XLS EXTRA | GREY  | SOFT EYE                                    | WHIPPING AND LOOP | 1. install on hull #163 onwards with Z Spar RF mast. | 7/16" | 34500     | 113  | 2 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | AC22 |                        |                        | 08031216                | 113180                  | 00  | 1   | MAINSHEET                          | SAMSON LS        | GREY  | SOFT EYE                                    | WHIPPING AND LOOP |  | 1/2"  | 23000     | 75   | 5 1 / 2   | SECO SOUTH<br>ok for prod |            |
| O400 | AC25 |                        |                        | 08030933                | 299749                  | 00  | 1   | MAIN BOOM TOPPING LIFT             | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm      | WHIPPING AND LOOP |  | 3/8"  | 30500     | 100  | 0 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | AC26 |                        |                        | 08031041                | 299836                  | 01  | 1   | VANG LINE - roller furling mast    | SAMSON LS        | WHITE | SOFT EYE                                    | WHIPPING AND LOOP |  | 7/16" | 12500     | 41   | 0 1 / 8   | SECO SOUTH<br>ok for prod |            |
| O400 | AC26 |                        |                        | 08031042                | 299837                  | 00  | 1   | VANG LINE - classic mast           | SAMSON LS        | WHITE | SOFT EYE                                    | WHIPPING          |  | 7/16" | 7200      | 23   | 7 7 / 16  | SECO SOUTH<br>ok for prod |            |
| O400 | AC27 |                        |                        | 08030833                | 113154                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE   | SAMSON LS        | BLUE  | SOFT EYE                                    | WHIPPING          |  | 5/16" | 9500      | 31   | 2 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O400 | AC29 |                        |                        | 08030981                | 299794                  | 00  | 1   | MAIN RF INHAUL LINE                | SAMSON LST       | BLACK | BURNT                                       | BURNT             |  | 3/8"  | 16500     | 54   | 1 5 / 8   | ISOMAT                    |            |
| O400 | AC30 |                        |                        |                         | 458071                  | 00  | 1   | MAIN RF OUTHAUL LINE               | SAMSON LST       | GOLD  | BURNT                                       | BURNT             |  | 3/8"  | 20500     | 67   | 3 1 / 16  | ISOMAT                    |            |
| O400 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL - classic mast             | SAMSON LST       | BLACK | BURNT                                       | BURNT             |  | 3/8"  | 14000     | 45   | 11 3 / 16 | ISOMAT                    |            |
| O400 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast              | SAMSON LST       | RED   | BURNT                                       | BURNT             |  | 3/8"  | 18500     | 60   | 8 5 / 16  | ISOMAT                    |            |
| O400 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast              | SAMSON LST       | GREEN | BURNT                                       | BURNT             |  | 3/8"  | 24000     | 78   | 8 7 / 8   | ISOMAT                    |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                          | MAKE & TYPE      | COL.         | TERMINAL 1                     | TERMINAL 2        | NOTES        | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--------------------------------------|------------------|--------------|--------------------------------|-------------------|--------------|-------|-----------|------|-----------|---------------------------|------------|
| O400 | AU06 |                        |                        | 0803 0505               | 299614                  | 00  | 1   | SHOCKCORD STROP                      |                  | WHITE/ BLACK | EYE LOOP - using hog eye ring  | BURNT             |              | 3/16" | 610       | 2    | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O400 | AU06 |                        |                        | 0803 0526               | 299622                  | 00  | 1   | UTILITY LINE                         | SAMSON LS        | WHITE        | BURNT                          | BURNT             |              | 3/16" | 3000      | 9    | 10 1 / 8  | SECO SOUTH<br>ok for prod |            |
| O400 | BE01 |                        |                        | 0803 0616               | 111199                  | 00  | 2   | UTILITY LINE                         | SAMSON LS        | WHITE        | BURNT                          | BURNT             |              | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| O400 | BE02 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE                         | SAMSON LS        | BLUE         | BURNT                          | BURNT             |              | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O400 | BE02 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE                         | SAMSON LS        | WHITE        | BURNT                          | BURNT             |              | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O411 | AC00 |                        |                        | 0803 1040               | 113170                  | 00  | 1   | GENNEKER HALYARD                     | SAMSON XLS EXTRA | RED          | SOFT EYE SNAPSHOT W2477        | WHIPPING AND LOOP | 1. optional. | 7/16" | 34500     | 113  | 2 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O411 | AC00 | 0803 0001              | 113142                 | -----                   | 112593                  | 00  | 1   | GENNEKER HALYARD                     | SAMSON LSTC      | RED          | SOFT EYE SNAPSHOT WICHARD 2475 | WHIPPING AND LOOP |              | 7/16" | 34500     | 113  | 2 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O411 | AC00 | 0803 0001              | 113142                 | -----                   | 112595                  | 00  | 1   | GENNEKER TACK STROP                  | SAMSON LSTC      | BLACK        | BURNT                          | BURNT             |              | 1/2"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |
| O411 | AC00 | 0803 0001              | 113142                 | -----                   | 112597                  | 00  | 2   | GENNEKER SHEET - twin sheet system   | SAMSON LSTC      | RED          | BURNT                          | BURNT             |              | 7/16" | 25000     | 82   | 0 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O411 | AC01 |                        |                        | 0803 1208               | 113178                  | 01  | 1   | GENNEKER TACK STROP                  | SAMSON LS        | RED          | SOFT EYE SNAPSHOT W2475        | WHIPPING          | 1. optional. | 1/2"  | 6097      | 20   | 0 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O411 | AC02 |                        |                        | 0803 1043               | 113171                  | 00  | 1   | GENNEKER SHEET - single sheet system | SAMSON XLS EXTRA | RED          | SOFT EYE SNAPSHOT W2475        | WHIPPING          | 1. optional. | 7/16" | 18000     | 59   | 0 5 / 8   | SECO SOUTH<br>ok for prod |            |
| O411 | AC02 |                        |                        | -----                   |                         | 00  | 2   | GENNEKER SHEET - twin sheet system   | SAMSON XLS EXTRA | RED          | SOFT EYE SNAPSHOT W2475        | WHIPPING          | 1. optional. | 7/16" | 25000     | 82   | 0 1 / 4   | SECO SOUTH<br>ok for prod |            |
| O411 | AC05 |                        |                        | -----                   |                         | 00  | 1   | WHISKER POLE TOPPING LIFT            | SAMSON XLS 900   | GREEN        | SOFT EYE SNAPSHOT W2475        | WHIPPING AND LOOP | 1. optional. | 3/8"  | 35000     | 114  | 9 15 / 16 | SECO SOUTH                |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.  | TERMINAL 1  | TERMINAL 2        | NOTES                                     | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|-------|---|-------------------|---|-------|-----------|------|-----------|---------------------------|------------|
| O411 | AC06 |                        |                        |                         |                         | 00  | 1   | WHISKER POLE DOWNHAUL              | SAMSON XLS 900   | RED   | SOFT EYE SNAPSHOTACKLE W2475                          | WHIPPING AND LOOP | 1. optional.                              | 3/8"  | 25000     | 82   | 0 4 / 16  | SECO SOUTH                |            |
| O411 | AC07 |                        |                        |                         |                         | 00  | 1   | WHISKER POLE CAR UPHAUL & DOWNHAUL | SAMSON XLS EXTRA | WHITE | SOFT EYE  | WHIPPING AND LOOP | 1. optional.                              | 5/16" |           | 0    | 0 0 0 16  | SECO SOUTH                |            |
| O411 | AC10 |                        |                        | 0803 1071               | 113173                  | 00  | 1   | JIB HALYARD #1                     | SAMSON LSTC      | BLACK | SOFT EYE LONG D THIMBLE SHACKLE CAPTIVE PIN 8mm W1494 | WHIPPING AND LOOP | 1. standard.                              | 7/16" | 35500     | 116  | 5 10 / 16 | SECO SOUTH<br>ok for prod |            |
| O411 | AC10 |                        |                        | 0803 1071               | 113173                  | 01  | 1   | JIB HALYARD #1                     | LANCELIN         | BLUE  | KNOT EYE D SHACKLE Z 1564                             | BURNT             | 1. standard.<br>2. pre-installed on mast. | 12mm  | 33500     | 109  | 10 7 / 8  | Z SPAR                    |            |
| O411 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #2                     | SAMSON XLS EXTRA | GREEN | SOFT EYE SNAPSHOTACKLE W2477                          | WHIPPING AND LOOP | 1. optional.                              | 7/16" | 35500     | 116  | 5 10 / 16 | SECO SOUTH                |            |
| O411 | AC12 |                        |                        | 0803 1215               | 113179                  | 00  | 2   | JIB SHEET                          | SAMSON LS        | BLACK | WHIPPING  | WHIPPING          | 1. standard.                              | 1/2"  | 14500     | 47   | 6 7 / 8   | SECO SOUTH<br>ok for prod |            |
| O411 | AC19 |                        |                        | 0803 0936               | 113160                  | 00  | 1   | GENOA RF LINE                      | SAMSON XLS EXTRA | WHITE | BURNT   | WHIPPING AND LOOP | 1. standard.                              | 3/8"  | 23000     | 75   | 5 1 / 2   | SECO SOUTH<br>ok for prod |            |
| O411 | AC20 |                        |                        | 0803 1073               | 113175                  | 00  | 1   | MAIN HALYARD - classic mast        | SAMSON LSTC      | GREY  | SOFT EYE LONG D THIMBLE SHACKLE CAPTIVE PIN 8mm W1494 | WHIPPING AND LOOP | 1. optional.                              | 7/16" | 35000     | 114  | 9 15 / 16 | SECO SOUTH<br>ok for prod |            |
| O411 | AC20 |                        |                        | 0803 1073               | 113175                  | 01  | 1   | MAIN HALYARD - classic mast        | LANCELIN         | RED   | KNOT EYE D SHACKLE Z 1564                             | BURNT             | 1. standard.<br>2. pre-installed on mast. | 12mm  | 33500     | 109  | 10 7 / 8  | Z SPAR                    |            |
| O411 | AC20 |                        |                        | 0803 1072               | 113174                  | 00  | 1   | MAIN HALYARD - roller furling mast | SAMSON LSTC      | GREY  | SOFT EYE  | WHIPPING AND LOOP | 1. standard.                              | 7/16" | 35000     | 114  | 9 15 / 16 | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                  | MAKE & TYPE | COL.   | TERMINAL 1                             | TERMINAL 2        | NOTES                                     | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|-------------|--------|--|-------------------|---|-------|-----------|------|-----------|------------------------|------------|
| O411 | AC22 |                        |                        | 08031216                | 113180                  | 00  | 1   | MAINSHEET                                    | SAMSON LS   | GREY   | SOFT EYE                               | WHIPPING AND LOOP | 1. standard.                              | 1/2"  | 23000     | 75   | 5 1 / 2   | SECO SOUTH ok for prod |            |
| O411 | AC25 |                        |                        | 08030866                | 113156                  | 00  | 1   | MAIN BOOM TOPPING LIFT - classic mast        | SAMSON LS   | WHITE  | SOFT EYE D SHACKLE NON-CAPTIVE PIN 6mm | WHIPPING AND LOOP | 1. optional.                              | 5/16" | 28403     | 93   | 2 3 / 16  | SECO SOUTH ok for prod |            |
| O411 | AC25 |                        |                        | 08030866                | 113156                  | 01  | 1   | MAIN BOOM TOPPING LIFT - classic mast        | LANCELIN    | YELLOW | KNOT EYE D SHACKLE Z 3212              | BURNT             | 1. standard.<br>2. pre-installed on mast. | 8mm   | 28500     | 93   | 6 1 / 16  | Z SPAR                 |            |
| O411 | AC25 |                        |                        | 08030864                | 113155                  | 00  | 1   | MAIN BOOM TOPPING LIFT - roller furling mast | SAMSON LS   | WHITE  | SOFT EYE D SHACKLE NON-CAPTIVE PIN 6mm | WHIPPING AND LOOP | 1. standard.                              | 5/16" | 33000     | 108  | 3 3 / 16  | SECO SOUTH ok for prod |            |
| O411 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                                    | SAMSON LS   | WHITE  | SOFT EYE                               | BURNT             | 1. standard - supplied with vang.         | 3/8"  | 15500     | 50   | 10 1 / 4  | Z SPAR                 |            |
| O411 | AC27 |                        |                        | 08030833                | 113154                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE             | SAMSON LS   | WHITE  | SOFT EYE                               | WHIPPING          | 1. standard.                              | 5/16" | 9500      | 31   | 2 0 / 16  | SECO SOUTH ok for prod |            |
| O411 | AC29 |                        |                        |                         | 112700                  | 00  | 1   | MAIN RF INHAUL LINE                          | SAMSON LST  | BLACK  | BURNT                                  | BURNT             | 1. standard - supplied with mast.         | 3/8"  |           | 0    | 0 0 0 16  | Z SPAR                 |            |
| O411 | AC30 |                        |                        |                         | 112701                  | 00  | 1   | MAIN RF OUTHAUL LINE                         | SAMSON LST  | GOLD   | BURNT                                  | BURNT             | 1. standard - supplied with boom.         | 3/8"  | 17215     | 56   | 5 12 / 16 | Z SPAR                 |            |
| O411 | AC30 |                        |                        |                         | 112702                  | 00  | 1   | OUTHAUL - classic mast                       | SAMSON LST  | BLACK  | BURNT                                  | BURNT             | 1. supplied with boom.                    | 3/8"  | 12850     | 42   | 1 14 / 16 | Z SPAR                 |            |
| O411 | AC31 |                        |                        |                         | 112703                  | 00  | 1   | REEF 1 - classic mast                        | SAMSON LST  | RED    | BURNT                                  | BURNT             | 1. supplied with boom.                    | 3/8"  | 16000     | 52   | 5 15 / 16 | Z SPAR                 |            |
| O411 | AC32 |                        |                        |                         | 112704                  | 00  | 1   | REEF 2 - classic mast                        | SAMSON LST  | GREEN  | BURNT                                  | BURNT             | 1. supplied with boom.                    | 3/8"  | 20500     | 67   | 3 1 / 16  | Z SPAR                 |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT  | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.         | TERMINAL 1                            | TERMINAL 2   | NOTES  | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|-------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|--------------|---------------------------------------|--|--|-------|-----------|------|-----------|---------------------------|------------|
| O411  | BE01 |                        |                        | 08030863                | 111201                  | 00  | 1   | SHOCKCORD STROP FOR HELMSMAN SEAT  |                  | WHITE/ BLACK | 3/8" EYE LOOP - using double hog ring | 3/16" D SHACKLE SHD06 + TIGHT EYE LOOP - using double hog ring | 1. standard.<br>2. bearing surface of eye to bearing surface of shackle pin. | 5/16" | 331       | 1    | 1 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O411  | BE01 |                        |                        | 08030616                | 111199                  | 00  | 2   | UTILITY LINE                       | SAMSON LS        | WHITE        | BURNT                                 | BURNT  | 1. standard.   | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| O411  | VR03 |                        |                        | 08030865                | 111062                  | 00  | 1   | SHOCKORD W/2 HOOKS                 |                  | WHITE        | SS HOOK                               | SS HOOK  | 1. standard.<br>2. weather board stowage.                                    | 5/16" | 610       | 2    | 0 0 / 16  | PORT<br>SUPPLY            |            |
| O42cc | AC32 |                        | 113143                 | -----                   | 112594                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON LSTC      | RED          | SOFT EYE SNAPSHOT WICHARD 2475        | WHIPPING AND LOOP  |  | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH                |            |
| O42cc | AC30 |                        | 113143                 | -----                   | 112595                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC      | BLACK        | BURNT                                 | BURNT  |  | 1/2"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH                |            |
| O42cc | AC31 |                        | 113143                 | -----                   | 112598                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC      | RED          | BURNT                                 | BURNT  |  | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH                |            |
| O423  | AC00 |                        |                        | ####                    | 113172                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON XLS EXTRA | RED          | SOFT EYE SNAPSHOT W2477               | WHIPPING AND LOOP  | 1. optional.   | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O423  | AC32 | 08030002               | 113143                 | -----                   | 112594                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON LSTC      | RED          | SOFT EYE SNAPSHOT WICHARD 2475        | BURNT  |  | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH                |            |
| O423  | AC30 | 08030002               | 113143                 | -----                   | 112595                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC      | BLACK        | BURNT                                 | BURNT  |  | 1/2"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH                |            |
| O423  | AC31 | 08030002               | 113143                 | -----                   | 112598                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC      | RED          | BURNT                                 | BURNT  |  | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH                |            |
| O423  | AC01 |                        |                        | 08031208                | 113178                  | 01  | 1   | GENNEKER TACK STROP                | SAMSON LS        | RED          | SOFT EYE SNAPSHOT W2475               | WHIPPING   | 1. optional.   | 1/2"  | 6097      | 20   | 0 1 / 16  | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                           | MAKE & TYPE              | COL.   | TERMINAL 1                    | TERMINAL 2        | NOTES                                     | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---------------------------------------|--------------------------|--------|-------------------------------|-------------------|---|-------|-----------|------|-----------|------------------------|------------|
| O423 | AC02 |                        |                        | ####                    | 113177                  | 00  | 1   | GENNEKER SHEET - single sheet system  | SAMSON XLS EXTRA         | RED    | SOFT EYE SNAPSHOTACKLE W2475  | WHIPPING          |   | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH ok for prod |            |
| O423 | AC05 |                        |                        | -----                   |                         | 00  | 1   | WHISKER POLE TOPPING LIFT             | SAMSON XLS EXTRA         | BLACK  | SOFT EYE SNAPSHOTACKLE W2475  | WHIPPING AND LOOP | 1. optional.                              | 3/8"  | 40000     | 131  | 2 13 / 16 | SECO SOUTH             |            |
| O423 | AC06 |                        |                        | -----                   |                         | 00  | 1   | WHISKER POLE DOWNHAUL                 | SAMSON XLS EXTRA         | RED    | SOFT EYE SNAPSHOTACKLE W2475  | WHIPPING AND LOOP | 1. optional.                              | 3/8"  | 25000     | 82   | 0 4 / 16  | SECO SOUTH             |            |
| O423 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                        | GLEISTEIN TASMANIA       | BLUE   | KNOT EYE 8mm D SHACKLE Z3637  | BURNT             | 1. standard.<br>2. pre-installed on mast. | 12mm  | 36000     | 118  | 1 5 / 16  | US SPAR                |            |
| O423 | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #2                        | SAMSON XLS EXTRA         | GREEN  | SOFT EYE SNAPSHOTACKLE W2475  | WHIPPING AND LOOP | 1. optional.                              | 7/16" | 36501     | 119  | 9 0 / 16  | SECO SOUTH             |            |
| O423 | AC12 |                        |                        | 0803 1215               | 113179                  | 00  | 2   | JIB SHEET                             | SAMSON LS                | BLACK  | WHIPPING                      | WHIPPING          | 1. standard.                              | 1/2"  | 14500     | 47   | 6 7 / 8   | SECO SOUTH ok for prod |            |
| O423 | AC19 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                         | NEW ENGLAND DOUBLE BRAID | YELLOW | BURNT                         | BURNT             | 1. Supplied with profurl.                 | 3/8"  | 30000     | 98   | 5 1 / 16  | PROFURL                |            |
| O423 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast           | GLEISTEIN TASMANIA       | BLACK  | KNOT EYE 8mm D SHACKLE Z3637  | BURNT             | 1. standard.<br>2. pre-installed on mast. | 12mm  | 36000     | 118  | 1 5 / 16  | US SPAR                |            |
| O423 | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast    | GLEISTEIN TASMANIA       | BLACK  | KNOT EYE 6mm D SHACKLE Z56    | BURNT             | 1. standard.<br>2. pre-installed on mast. | 12mm  | 36000     | 118  | 1 5 / 16  | US SPAR                |            |
| O423 | AC22 |                        |                        | 0803 1216               | 113180                  | 00  | 1   | MAINSHEET                             | SAMSON LS                | GREY   | SOFT EYE                      | WHIPPING AND LOOP | 1. standard.                              | 1/2"  | 23000     | 75   | 5 1 / 2   | SECO SOUTH ok for prod |            |
| O423 | AC25 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - classic mast | GLEISTEIN TASMANIA       | YELLOW | KNOT EYE 7mm D SHACKLE Z 3639 | BURNT             | 1. standard.<br>2. pre-installed on mast. | 8mm   | 31000     | 101  | 8 7 / 16  | US SPAR                |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                  | MAKE & TYPE        | COL.   | TERMINAL 1                    | TERMINAL 2                             | NOTES   | DIA   | LENGTH mm | FEET | IN        | SUPPLIER               | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|--------------------|--------|-------------------------------|--|---|-------|-----------|------|-----------|------------------------|------------|
| O423 | AC25 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - roller furling mast | GLEISTEIN TASMANIA | YELLOW | KNOT EYE 7mm D SHACKLE Z 3639 | BURNT                                  | 1. standard.<br>2. pre-installed on mast.                               | 8mm   | 31000     | 101  | 8 7 / 16  | US SPAR                |            |
| O423 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                                    | GLEISTEIN TASMANIA | RED    | BURNT                         | BURNT                                  | 1. standard - supplied with vang.                                       | 10mm  | 17000     | 55   | 9 5 / 16  | US SPAR                |            |
| O423 | AC27 |                        |                        | 0803 0833               | 113154                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE             | SAMSON LS          | WHITE  | SOFT EYE                      | WHIPPING                               | 1. standard.  | 5/16" | 9500      | 31   | 2 0 / 16  | SECO SOUTH ok for prod |            |
| O423 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE                          | GLEISTEIN TASMANIA | YELLOW | BURNT                         | BURNT                                  | 1. standard - supplied with mast.                                       | 10mm  | 18000     | 59   | 0 5 / 8   | US SPAR                |            |
| O423 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE                         | GLEISTEIN TASMANIA | BLACK  | BURNT                         | BURNT                                  | 1. standard - supplied with boom.                                       | 12mm  | 18000     | 59   | 0 5 / 8   | US SPAR                |            |
| O423 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #1 - classic mast               | GLEISTEIN TASMANIA | RED    | BURNT                         | KNOT EYE ON SINGLE BLOCK+ BECKETT Z253 | 1. standard - supplied with boom.                                       | 8mm   | 3000      | 9    | 10 1 / 8  | US SPAR                |            |
| O423 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL LINE #2 - classic mast               | GLEISTEIN TASMANIA | RED    | KNOT EYE                      | BURNT                                  | 1. standard - supplied with boom.                                       | 8mm   | 4000      | 13   | 1 1 / 2   | US SPAR                |            |
| O423 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast                        | GLEISTEIN TASMANIA | GREEN  | BURNT                         | BURNT                                  | 1. supplied with boom.  | 10mm  | 22000     | 72   | 2 1 / 8   | US SPAR                |            |
| O423 | AC31 |                        |                        |                         |                         | 01  | 1   | REEF 1 - classic mast                        | GLEISTEIN TASMANIA | GREEN  | BURNT                         | BURNT                                  | 1. supplied with boom.<br>2. longer because of PERF mast has same boom. | 10mm  | 24000     | 78   | 8 7 / 8   | US SPAR                |            |
| O423 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast                        | GLEISTEIN TASMANIA | YELLOW | BURNT                         | BURNT                                  | 1. supplied with boom.  | 10mm  | 31000     | 101  | 8 7 / 16  | US SPAR                |            |
| O423 | AC32 |                        |                        |                         |                         | 01  | 1   | REEF 2 - classic mast                        | GLEISTEIN TASMANIA | YELLOW | BURNT                         | BURNT                                  | 1. supplied with boom.<br>2. longer because of PERF mast has same boom. | 10mm  | 35000     | 114  | 9 15 / 16 | US SPAR                |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION             | MAKE & TYPE      | COL.  | TERMINAL 1   | TERMINAL 2        | NOTES         | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-------------------------|------------------|-------|--|-------------------|---------------|-------|-----------|------|-----------|---------------------------|------------|
| O440 | AC00 |                        |                        | 0803 1051               | 113172                  | 00  | 1   | GENNEKER HALYARD        | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOTACKLE W2477                       | WHIPPING AND LOOP |               | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O440 | AC01 |                        |                        | 0803 1208               | 113178                  | 01  | 1   | GENNEKER TACK STROP     | SAMSON LS        | RED   | SOFT EYE SNAPSHOTACKLE W2475                       | WHIPPING          |               | 1/2"  | 6097      | 20   | 0 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O440 | AC02 |                        |                        | 0803 1219               | 299880                  | 00  | 1   | GENNEKER SHEET          | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOTACKLE W2475                       | WHIPPING          |               | 7/16" | 22000     | 72   | 2 1 / 8   | SECO SOUTH<br>ok for prod |            |
| O440 | AC10 |                        |                        | 0803 1033               | 299831                  | 01  | 1   | JIB HALYARD #1          | SAMSON XLS EXTRA | BLACK | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 10mm W1415 | WHIPPING AND LOOP |               | 7/16" | 39000     | 127  | 11 7 / 16 | SECO SOUTH<br>ok for prod |            |
| O440 | AC10 |                        |                        | 0803 1034               | 299832                  | 01  | 1   | JIB HALYARD #2          | SAMSON XLS EXTRA | GREEN | SOFT EYE SNAPSHOTACKLE W2477                       | WHIPPING AND LOOP |               | 7/16" | 39000     | 127  | 11 7 / 16 | SECO SOUTH<br>ok for prod |            |
| O440 | AC12 |                        |                        | 0803 1401               | 299888                  | 00  | 2   | JIB SHEET               | SAMSON LS        | BLACK | WHIPPING   | WHIPPING          |               | 9/16" | 15000     | 49   | 2 9 / 16  | SECO SOUTH<br>ok for prod |            |
| O440 | AC12 |                        |                        | 0803 1403               | 299890                  | 00  | 2   | JIB SHEET - 10ft longer | SAMSON LS        | BLACK | WHIPPING   | WHIPPING          | hull #46 only | 9/16" | 18500     | 60   | 8 5 / 16  | SECO SOUTH<br>ok for prod |            |
| O440 | AC19 |                        |                        | 0803 0932               | 299748                  | 00  | 1   | GENOA RF LINE           | SAMSON XLS EXTRA | WHITE | BURNT  | BURNT             |               | 3/8"  | 24800     | 81   | 4 3 / 8   | SECO SOUTH<br>ok for prod |            |
| O440 | AC20 |                        |                        | 0803 1032               | 299830                  | 00  | 1   | MAIN HALYARD            | SAMSON XLS EXTRA | GREY  | SOFT EYE   | WHIPPING AND LOOP |               | 7/16" | 37500     | 123  | 0 3 / 8   | SECO SOUTH<br>ok for prod |            |
| O440 | AC22 |                        |                        | 0803 1212               | 299876                  | 00  | 1   | MAINSHEET               | SAMSON LS        | GREY  | SOFT EYE   | WHIPPING AND LOOP |               | 1/2"  | 27001     | 88   | 7 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O440 | AC25 |                        |                        | 0803 0931               | 299747                  | 01  | 1   | MAIN BOOM TOPPING LIFT  | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm             | WHIPPING AND LOOP |               | 3/8"  | 33500     | 109  | 10 7 / 8  | SECO SOUTH<br>ok for prod |            |
| O440 | AC26 |                        |                        | 0803 1214               | 299878                  | 01  | 1   | VANG LINE               | SAMSON LS        | GREEN | SOFT EYE   | WHIPPING          |               | 1/2"  | 14000     | 45   | 11 3 / 16 | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION  | MAKE & TYPE      | COL.         | TERMINAL 1                     | TERMINAL 2        | NOTES         | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|------------------|--------------|--------------------------------|-------------------|---------------|-------|-----------|------|-----------|---------------------------|------------|
| O440 | AC27 |                        |                        | 0803 0832               | 299691                  | 01  | 2   | MAINSHEET TRAVELLER CONTROL LINE - coachroof traveller | SAMSON LS        | BLUE         | WHIPPING                       | WHIPPING          |               | 5/16" | 8600      | 28   | 2 9 / 16  | SECO SOUTH                |            |
| O440 | AC27 |                        |                        | 0803 0832               | 299691                  | 02  | 2   | MAINSHEET TRAVELLER CONTROL LINE - coachroof traveller | SAMSON LS        | WHITE        | SOFT EYE                       | WHIPPING          |               | 5/16" | 8600      | 28   | 2 9 / 16  | SECO SOUTH<br>ok for prod |            |
| O440 | AC27 |                        |                        | 0803 0857               | 299712                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 6:1                   | SAMSON LS        | WHITE        | SOFT EYE                       | WHIPPING          | hull #46 only | 5/16" | 13500     | 44   | 3 1 / 2   | SECO SOUTH<br>ok for prod |            |
| O440 | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE                                    |                  | GREEN        | BURNT                          | BURNT             |               | 3/8"  | 12000     | 39   | 4 7 / 16  | Z SPAR                    |            |
| O440 | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE                                   |                  | BLACK        | BURNT                          | BURNT             |               | 7/16" | 21000     | 68   | 10 3 / 4  | Z SPAR                    |            |
| O440 | AU06 |                        |                        | 0803 0505               | 299614                  | 00  | 1   | SHOCKORD STROP   |                  | WHITE/ BLACK | EYE LOOP USING HOG EYE RING    | BURNT             |               | 3/16" | 610       | 2    | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| O440 | AU06 |                        |                        | 0803 0526               | 299622                  | 00  | 1   | UTILITY LINE   | SAMSON LS        | WHITE        | BURNT                          | BURNT             |               | 3/16" | 3000      | 9    | 10 1 / 8  | SECO SOUTH<br>ok for prod |            |
| O440 | BE01 |                        |                        | 0803 0616               | 111199                  | 00  | 2   | UTILITY LINE   | SAMSON LS        | WHITE        | BURNT                          | BURNT             |               | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| O440 | BE03 |                        |                        | 0803 0618               | 299642                  | 00  | 1   | UTILITY LINE   | SAMSON LS        | BLUE         | BURNT                          | BURNT             |               | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH                |            |
| O440 | BE03 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE   | SAMSON LS        | WHITE        | BURNT                          | BURNT             |               | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O461 | AC00 |                        |                        | 0803 1051               | 113172                  | 00  | 1   | GENNEKER HALYARD                                       | SAMSON XLS EXTRA | RED          | SOFT EYE SNAPSHOT W2477        | WHIPPING AND LOOP |               | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O461 | AC00 | 0803 0002              | 113143                 | -----                   | 112594                  | 00  | 1   | GENNEKER HALYARD                                       | SAMSON LSTC      | RED          | SOFT EYE SNAPSHOT WICHARD 2475 | WHIPPING AND LOOP |               | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O461 | AC00 | 0803 0002              | 113143                 | -----                   | 112595                  | 00  | 1   | GENNEKER TACK STROP                                    | SAMSON LSTC      | BLACK        | BURNT                          | BURNT             |               | 1/2"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH<br>ok for prod |            |

## BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE       | COL.  | TERMINAL 1  | TERMINAL 2        | NOTES   | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|-------------------|-------|---|-------------------|---|-------|-----------|------|-----------|---------------------------|------------|
| O461 | AC00 | 08030002               | 113143                 | -----                   | 112598                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC       | RED   | BURNT   | BURNT             |   | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O461 | AC01 |                        |                        | 08031208                | 113178                  | 01  | 1   | GENNEKER TACK STROP                | SAMSON LS         | RED   | SOFT EYE SNAPSHOT W2475                                 | WHIPPING          |   | 1/2"  | 6097      | 20   | 0 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O461 | AC02 |                        |                        | 08031101                | 113177                  | 00  | 1   | GENNEKER SHEET                     | SAMSON XLS EXTRA  | RED   | SOFT EYE SNAPSHOT W2475                                 | WHIPPING          |   | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O461 | AC02 |                        |                        | 08030982                | 299795                  | 00  | 2   | SPINNAKER SHEET                    | SAMSON XLS EXTRA  | RED   | SOFT EYE SNAPSHOT GIBB 723                              | WHIPPING          |   | 3/8"  | 30000     | 98   | 5 1 / 16  | SECO SOUTH<br>ok for prod |            |
| O461 | AC03 |                        |                        | 08030983                | 299796                  | 00  | 2   | SPINNAKER AFTERGUY                 | SAMSON ULTRA TECH | BLUE  | SOFT EYE SNAPSHOT GIBB 723 DOUGHNUT                     | WHIPPING          |   | 3/8"  | 28000     | 91   | 10 3 / 8  | SECO SOUTH<br>ok for prod |            |
| O461 | AC05 |                        |                        | 08030984                | 299797                  | 00  | 1   | SPINNAKER POLE TOPPING LIFT        | SAMSON XLS EXTRA  | BLUE  | SOFT EYE SNAPSHOT W2475                                 | WHIPPING AND LOOP |   | 3/8"  | 42000     | 137  | 9 1 / 2   | SECO SOUTH<br>ok for prod |            |
| O461 | AC06 |                        |                        | 08030985                | 299798                  | 00  | 1   | FOREGUY                            | SAMSON XLS EXTRA  | GREEN | WHIPPING AND LOOP                                       | WHIPPING AND LOOP |   | 3/8"  | 26000     | 85   | 3 5 / 8   | SECO SOUTH<br>ok for prod |            |
| O461 | AC07 |                        |                        | 08030808                | 299669                  | 00  | 1   | SPINNAKER POLE CAR UP/DOWNHAUL     | SAMSON XLS EXTRA  | RED   | SOFT EYE  | SOFT EYE          | 1. Soft eye must pass thru Harken big bullet block. | 5/16" | 16000     | 52   | 5 15 / 16 | SECO SOUTH<br>ok for prod |            |
| O461 | AC10 |                        |                        | 08031102                | 299859                  | 00  | 1   | JIB HALYARD #1                     | SAMSON XLS EXTRA  | BLACK | SOFT EYE WICHARD THIMBLE SHACKLE CAPTIVE PIN 10mm W1495 | WHIPPING AND LOOP |   | 7/16" | 40500     | 132  | 10 1 / 2  | SECO SOUTH<br>ok for prod |            |
| O461 | AC10 |                        |                        | 08031102                | 299859                  | 01  | 1   | JIB HALYARD #1                     | SAMSON LSTC       | BLACK | SOFT EYE WICHARD THIMBLE SHACKLE CAPTIVE PIN 10mm W1495 | WHIPPING AND LOOP |   | 7/16" | 40500     | 132  | 10 1 / 2  | SECO SOUTH<br>ok for prod |            |
| O461 | AC10 |                        |                        | 08031103                | 299860                  | 00  | 1   | JIB HALYARD #2                     | SAMSON XLS EXTRA  | GREEN | SOFT EYE SNAPSHOT W2477                                 | WHIPPING AND LOOP |   | 7/16" | 40500     | 132  | 10 1 / 2  | SECO SOUTH<br>ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                                 | MAKE & TYPE      | COL.  | TERMINAL 1   | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN         | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|---|------------------|-------|--|-------------------|-------|-------|-----------|------|------------|---------------------------|------------|
| O461 | AC12 |                        |                        | 0803 1404               | 299891                  | 00  | 2   | JIB SHEET                                   | SAMSON LS        | BLACK | WHIPPING   | WHIPPING          |       | 9/16" | 20000     | 65   | 7 3 / 8    | SECO SOUTH<br>ok for prod |            |
| O461 | AC19 |                        |                        | 0803 0932               | 299748                  | 00  | 1   | GENOA RF LINE                               | SAMSON XLS EXTRA | WHITE | BURNT  | BURNT             |       | 3/8"  | 24800     | 81   | 4 3 / 8    | SECO SOUTH<br>ok for prod |            |
| O461 | AC20 |                        |                        | 0803 1104               | 299861                  | 00  | 1   | MAIN HALYARD - roller furling mast          | SAMSON XLS EXTRA | GREY  | SOFT EYE   | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16  | SECO SOUTH<br>ok for prod |            |
| O461 | AC20 |                        |                        | 0803 1104               | 299861                  | 01  | 1   | MAIN HALYARD - roller furling mast          | SAMSON LSTC      | GREY  | SOFT EYE   | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16  | SECO SOUTH<br>ok for prod |            |
| O461 | AC20 |                        |                        | 0803 1105               | 299862                  | 00  | 1   | MAIN HALYARD - classic mast                 | SAMSON XLS EXTRA | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 10mm W1415 | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16  | SECO SOUTH<br>ok for prod |            |
| O461 | AC20 |                        |                        | 0803 1105               | 299862                  | 01  | 1   | MAIN HALYARD - classic mast                 | SAMSON LSTC      | GREY  | SOFT EYE LONG D BAR SHACKLE CAPTIVE PIN 10mm W1415 | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16  | SECO SOUTH<br>ok for prod |            |
| O461 | AC22 |                        |                        | 0803 1212               | 299876                  | 00  | 1   | MAINSHEET                                   | SAMSON LS        | GREY  | SOFT EYE   | WHIPPING AND LOOP |       | 1/2"  | 27001     | 88   | 7 0 / 16   | SECO SOUTH<br>ok for prod |            |
| O461 | AC25 |                        |                        | 0803 0858               | 299713                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated in cockpit | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm             | WHIPPING AND LOOP |       | 5/16" | 37500     | 123  | 0 3 / 8    | SECO SOUTH<br>ok for prod |            |
| O461 | AC25 |                        |                        | 0803 0859               | 299714                  | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast    | SAMSON LS        | WHITE | SOFT EYE D SHACKLE NON-CAPTIVE PIN 8mm SHD10       | WHIPPING AND LOOP |       | 5/16" | 32000     | 104  | 11 13 / 16 | SECO SOUTH<br>ok for prod |            |
| O461 | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                                   |                  | WHITE | BURNT  | BURNT             |       | 7/16" | 18000     | 59   | 0 5 / 8    | Z SPAR                    |            |
| O461 | AC27 |                        |                        | 0803 0857               | 299712                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 6:1        | SAMSON LS        | WHITE | SOFT EYE   | WHIPPING          |       | 5/16" | 13500     | 44   | 3 1 / 2    | SECO SOUTH<br>ok for prod |            |
| O461 | AC28 |                        |                        | 0803 0860               | 299715                  | 00  | 2   | LAZY JACKS                                  | SAMSON LS        | WHITE |  |                   |       | 5/16" |           | 0    | 0 0 0 16   | SECO SOUTH<br>ok for prod |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                        | MAKE & TYPE      | COL.  | TERMINAL 1                     | TERMINAL 2        | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|------------------------------------|------------------|-------|--------------------------------|-------------------|-------|-------|-----------|------|-----------|---------------------------|------------|
| O461 | AC29 |                        |                        |                         | 112337                  | 00  | 1   | MAIN RF INHAUL LINE                |                  | GREEN | BURNT                          | BURNT             |       | 3/8"  | 18000     | 59   | 0 10 / 16 | Z SPAR                    |            |
| O461 | AC30 |                        |                        |                         | 112336                  | 00  | 1   | MAIN RF OUTHAUL LINE               |                  | BLACK | BURNT                          | BURNT             |       | 7/16" | 21000     | 68   | 10 3 / 4  | Z SPAR                    |            |
| O461 | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL - classic mast             |                  | BLACK | BURNT                          | BURNT             |       | 7/16" | 16000     | 52   | 5 15 / 16 | Z SPAR                    |            |
| O461 | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1 - classic mast              |                  | RED   | BURNT                          | BURNT             |       | 7/16" | 20500     | 67   | 3 1 / 16  | Z SPAR                    |            |
| O461 | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2 - classic mast              |                  | GREEN | BURNT                          | BURNT             |       | 7/16" | 25500     | 83   | 7 15 / 16 | Z SPAR                    |            |
| O461 | BE01 |                        |                        | 0803 0616               | 111199                  | 00  | 1   | UTILITY LINE                       | SAMSON LS        | WHITE | BURNT                          | BURNT             |       | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| O461 | BE03 |                        |                        | 0803 0618               | 299642                  | 01  | 1   | UTILITY LINE                       | SAMSON LS        | WHITE | BURNT                          | BURNT             |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| O473 | AC32 |                        |                        | 0803 1051               | 113172                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2477        | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH                |            |
| O473 | AC32 | 0803 0002              | 113143                 | -----                   | 112594                  | 00  | 1   | GENNEKER HALYARD                   | SAMSON LSTC      | RED   | SOFT EYE SNAPSHOT WICHARD 2475 | WHIPPING AND LOOP |       | 7/16" | 40000     | 131  | 2 13 / 16 | SECO SOUTH                |            |
| O473 | AC30 | 0803 0002              | 113143                 | -----                   | 112595                  | 00  | 1   | GENNEKER TACK STROP                | SAMSON LSTC      | BLACK | BURNT                          | BURNT             |       | 1/2"  | 7000      | 22   | 11 9 / 16 | SECO SOUTH                |            |
| O473 | AC31 | 0803 0002              | 113143                 | -----                   | 112598                  | 00  | 2   | GENNEKER SHEET - twin sheet system | SAMSON LSTC      | RED   | BURNT                          | BURNT             |       | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH                |            |
| O473 | AC30 |                        |                        | 0803 1208               | 113178                  | 01  | 1   | GENNEKER TACK STROP                | SAMSON LS        | RED   | SOFT EYE SNAPSHOT W2475        | WHIPPING          |       | 1/2"  | 6097      | 20   | 0 1 / 16  | SECO SOUTH                |            |
| O473 | AC31 |                        |                        | 0803 1101               | 113177                  | 00  | 1   | GENNEKER SHEET                     | SAMSON XLS EXTRA | RED   | SOFT EYE SNAPSHOT W2475        | WHIPPING          |       | 7/16" | 30000     | 98   | 5 1 / 16  | SECO SOUTH                |            |
| O473 | AC34 |                        |                        |                         |                         | 00  | 1   | SPINNAKER POLE TOPPING LIFT        | SAMSON XLS EXTRA | BLUE  | SOFT EYE SNAPSHOT W2475        | WHIPPING AND LOOP |       | 3/8"  | 44000     | 144  | 4 1 / 4   | SECO SOUTH                |            |
| O473 | AC33 |                        |                        |                         |                         | 00  | 1   | FOREGUY                            | SAMSON XLS EXTRA | GREEN | WHIPPING AND LOOP              | WHIPPING AND LOOP |       | 3/8"  | 28000     | 91   | 10 3 / 8  | SECO SOUTH                |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                              | MAKE & TYPE         | COL.   | TERMINAL 1                                | TERMINAL 2        | NOTES | DIA          | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|--|---------------------|--------|---|-------------------|-------|--------------|-----------|------|-----------|---------------------------|------------|
| O473 | AC12 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                           | GLEISTEIN TASMANIA  | BLUE   | KNOT EYE LONG D SHACKLE PIN 8mm Z3637     | BURNT             |       | 7/16" (12mm) | 40000     | 131  | 2 13 / 16 | Z SPAR                    |            |
| O473 | AC12 |                        |                        | 0803 1103               | 299860                  | 00  | 1   | JIB HALYARD #2                           | SAMSON XLS EXTRA    | GREEN  | SOFT EYE SNAPSHACKLE W2477                | WHIPPING AND LOOP |       | 7/16"        | 40500     | 132  | 10 1 / 2  | SECO SOUTH                |            |
| O473 | AC12 |                        |                        | 0803 1601               | 113182                  | 00  | 2   | JIB SHEET                                | SAMSON LS           | BLACK  | WHIPPING                                  | WHIPPING          |       | 9/16"        | 22000     | 72   | 2 1 / 8   | SECO SOUTH                |            |
| O473 | AC13 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                            | NEW ENGLAND STA-SET | YELLOW | BURNT                                     | BURNT             |       | 3/8"         | 25910     | 85   | 0 1 / 16  | PROFURL                   |            |
| O473 | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - roller furling mast       | GLEISTEIN TASMANIA  | WHITE  | KNOT EYE SPECIAL RF SHACKLE PIN 6mm Z3168 | BURNT             |       | 7/16" (12mm) | 40000     | 131  | 2 13 / 16 | Z SPAR                    |            |
| O473 | AC22 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD - classic mast              | GLEISTEIN TASMANIA  | WHITE  | KNOT EYE LONG D SHACKLE PIN 8mm Z3637     | BURNT             |       | 7/16" (12mm) | 40000     | 131  | 2 13 / 16 | Z SPAR                    |            |
| O473 | AC21 |                        |                        | 0803 1220               | 113181                  | 00  | 1   | MAINSHEET                                | SAMSON LS           | GREY   | SOFT EYE                                  | WHIPPING AND LOOP |       | 1/2"         | 30000     | 98   | 5 1 / 16  | SECO SOUTH                |            |
| O473 | AC24 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT - cleated at mast | LANCELIN            | RED    | KNOT EYE LONG D SHACKLE PIN 7mm Z3639     | BURNT             |       | 5/16"        | 38000     | 124  | 8 1 / 16  | Z SPAR                    |            |
| O473 | AC23 |                        |                        |                         |                         | 00  | 1   | VANG LINE                                | LANCELIN            | GREEN  | BURNT                                     | BURNT             |       | 7/16" (10mm) | 17000     | 55   | 9 5 / 16  | Z SPAR                    |            |
| O473 | AC20 |                        |                        | 0803 0867               | 113157                  | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE 4:1     | SAMSON LS           | WHITE  | SOFT EYE                                  | WHIPPING          |       | 5/16"        | 10000     | 32   | 9 11 / 16 | SECO SOUTH<br>ok for prod |            |
| O473 | AC-- |                        |                        |                         | 112535                  | 00  | 1   | MAIN RF INHAUL LINE                      | LANCELIN            | GREEN  | BURNT                                     | BURNT             |       | 3/8" (10mm)  | 18000     | 59   | 0 5 / 8   | Z SPAR                    |            |
| O473 | AC-- |                        |                        |                         | 112536                  | 00  | 1   | MAIN RF OUTHAUL LINE                     | LANCELIN            | RED    | BURNT                                     | BURNT             |       | 7/16" (12mm) | 21000     | 68   | 10 3 / 4  | Z SPAR                    |            |
| O473 | AC-- |                        |                        |                         | 112537                  | 00  | 1   | OUTHAUL - classic mast                   | LANCELIN            | RED    | BURNT                                     | BURNT             |       | 3/8" (10mm)  | 16000     | 52   | 5 15 / 16 | Z SPAR                    |            |
| O473 | AC-- |                        |                        |                         | 112538                  | 00  | 1   | REEF 1 - classic mast                    | LANCELIN            | BLUE   | BURNT                                     | BURNT             |       | 3/8" (10mm)  | 26000     | 85   | 3 5 / 8   | Z SPAR                    |            |
| O473 | AC-- |                        |                        |                         | 112539                  | 00  | 1   | REEF 2 - classic mast                    | LANCELIN            | GREEN  | BURNT                                     | BURNT             |       | 3/8" (10mm)  | 36000     | 118  | 1 5 / 16  | Z SPAR                    |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                       | MAKE & TYPE | COL.  | TERMINAL 1 | TERMINAL 2 | NOTES | DIA   | LENGTH mm | FEET | IN        | SUPPLIER                  | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|-----------------------------------|-------------|-------|------------|------------|-------|-------|-----------|------|-----------|---------------------------|------------|
| O473 | BE30 |                        |                        | 08030616                | 111199                  | 00  | 1   | UTILITY LINE                      | SAMSON LS   | WHITE | BURNT      | BURNT      |       | 3/16" | 1500      | 4    | 11 1 / 16 | SECO SOUTH<br>ok for prod |            |
| O473 | BE50 |                        |                        | 08030618                | 299642                  | 01  | 1   | UTILITY LINE                      | SAMSON LS   | WHITE | BURNT      | BURNT      |       | 1/4"  | 2000      | 6    | 6 3 / 4   | SECO SOUTH<br>ok for prod |            |
| PROD |      |                        |                        | 08031106                | 299863                  | 00  | 1   | LINE FOR MOLD ROTATION            | SAMSON LS   | WHITE | SOFT EYE   | BURNT      |       | 7/16" | 22861     | 75   | 0 0 / 16  | SECO SOUTH<br>ok for prod |            |
| ST42 |      |                        |                        |                         | 458694                  | 00  | 1   | BOOM TOPPING LIFT 4:1 PURCHASE    | SAMSON LS   | WHITE | SOFT EYE   | WHIPPING   |       | 3/8"  | 22500     | 73   | 9 13 / 16 | SECO SOUTH<br>ok for prod |            |
| ST42 |      |                        |                        |                         | 458695                  | 00  | 1   | DINGHY LIFT LINE 4:1 PURCHASE     | SAMSON LS   | GREY  | SOFT EYE   | WHIPPING   |       | 3/8"  | 22000     | 72   | 2 1 / 8   | SECO SOUTH<br>ok for prod |            |
|      | AC00 |                        |                        |                         |                         | 00  | 1   | SPINNAKER/ GENNEKER HALYARD #1    |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC00 |                        |                        |                         |                         | 00  | 1   | SPINNAKER/ GENNEKER HALYARD #2    |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC01 |                        |                        |                         |                         | 00  | 1   | GENNEKER TACK STROP               |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC02 |                        |                        |                         |                         | 00  | 2   | SPINNAKER SHEET                   |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC03 |                        |                        |                         |                         | 00  | 2   | SPINNAKER AFTERGUY                |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC04 |                        |                        |                         |                         | 00  | 2   | SPINNAKER BARBER HAULER           |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC05 |                        |                        |                         |                         | 00  | 1   | SPINNAKER POLE TOPPING LIFT       |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC06 |                        |                        |                         |                         | 00  | 1   | FOREGUY                           |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC07 |                        |                        |                         |                         | 00  | 1   | SPI POLE CAR DOWNHAUL             |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC07 |                        |                        |                         |                         | 00  | 1   | WHISKER POLE CAR UPHAU & DOWNHAUL |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC07 |                        |                        |                         |                         | 00  | 1   | SPI POLE CAR UP/ DOWN HAUL        |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |
|      | AC07 |                        |                        |                         |                         | 00  | 1   | SPI POLE CAR UPHAU                |             |       |            |            |       |       |           | 0    | 0 0 0 16  |                           |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE | COL. | TERMINAL 1 | TERMINAL 2 | NOTES | DIA | LENGTH mm | FEET | IN       | SUPPLIER | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|-------------|------|------------|------------|-------|-----|-----------|------|----------|----------|------------|
|      | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #1                   |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD #2                   |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC10 |                        |                        |                         |                         | 00  | 1   | JIB HALYARD MESSENGER            |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC11 |                        |                        |                         |                         | 00  | 1   | GENOA CUNNINGHAM                 |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC12 |                        |                        |                         |                         | 00  | 2   | JIB SHEET                        |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC14 |                        |                        |                         |                         | 00  | 2   | JIB SHEET BARBER HAULER          |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC17 |                        |                        |                         |                         | 00  | 2   | JIB TRAVELLER CONTROL LINE       |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC17 |                        |                        |                         |                         | 00  | 2   | JIB TRAVELLER SHOCKORD           |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC19 |                        |                        |                         |                         | 00  | 1   | GENOA RF LINE                    |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC20 |                        |                        |                         |                         | 00  | 1   | MAIN HALYARD                     |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC21 |                        |                        |                         |                         | 00  | 1   | MAIN CUNNINGHAM                  |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC22 |                        |                        |                         |                         | 00  | 1   | MAINSHEET                        |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC24 |                        |                        |                         |                         | 00  | 1   | MAINSHEET FINE TUNE              |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC25 |                        |                        |                         |                         | 00  | 1   | MAIN BOOM TOPPING LIFT           |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC26 |                        |                        |                         |                         | 00  | 1   | VANG LINE                        |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC27 |                        |                        |                         |                         | 00  | 2   | MAINSHEET TRAVELLER CONTROL LINE |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC28 |                        |                        |                         |                         | 00  | 2   | LAZY JACKS                       |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC29 |                        |                        |                         |                         | 00  | 1   | MAIN RF INHAUL LINE              |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC30 |                        |                        |                         |                         | 00  | 1   | MAIN RF OUTHAUL LINE             |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC30 |                        |                        |                         |                         | 00  | 1   | OUTHAUL                          |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC31 |                        |                        |                         |                         | 00  | 1   | REEF 1                           |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC32 |                        |                        |                         |                         | 00  | 1   | REEF 2                           |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC33 |                        |                        |                         |                         | 00  | 1   | REEF 3                           |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |

# BENETEAU RUNNING RIGGING (AC)

7/9/2026  
1:56 PM

| BOAT | SYS  | KIT PART No. (8 digit) | KIT PART No. (6 digit) | ITEM PART No. (8 digit) | ITEM PART No. (6 digit) | REV | QTY | DESCRIPTION                      | MAKE & TYPE | COL. | TERMINAL 1 | TERMINAL 2 | NOTES | DIA | LENGTH mm | FEET | IN       | SUPPLIER | PRICE each |
|------|------|------------------------|------------------------|-------------------------|-------------------------|-----|-----|----------------------------------|-------------|------|------------|------------|-------|-----|-----------|------|----------|----------|------------|
|      | AC50 |                        |                        |                         |                         | 00  | 1   | PERMANENT BACKSTAY ADJUSTER LINE |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC51 |                        |                        |                         |                         | 00  | 2   | CHECKSTAY ADJUSTER LINE          |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC52 |                        |                        |                         |                         | 00  | 2   | RUNNING BACKSTAY ADJUSTER LINE   |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |
|      | AC52 |                        |                        |                         |                         | 00  | 1   | RUNNING BACKSTAY SHOCKORD        |             |      |            |            |       |     |           | 0    | 0 0 0 16 |          |            |